

# Car sharing

## **Book Chapter**

### **Author(s):**

Ciari, Francesco; Balać, Miloš

### **Publication date:**

2016-08

### **Permanent link:**

<https://doi.org/10.3929/ethz-b-000113281>

### **Rights / license:**

[Creative Commons Attribution 4.0 International](#)

## CHAPTER 22

# Car Sharing

Francesco Ciari and Milos Balac

### 22.1 Basic Information

**Entry point to documentation:**

<http://matsim.org/extensions> → carsharing

**Invoking the module:**

<http://matsim.org/javadoc> → carsharing → RunCarsharing class

**Selected publications:**

Ciari (2012)

### 22.2 Background

The basic carsharing idea is simple; a fleet of cars can be shared by several users, who can rent a car when needed, without having to own one. The possibility of renting short-term is the main difference from traditional car rentals. This basic concept can be implemented in various ways; in the last few years, several new business models have emerged on the market. From an operational perspective, there are three main variations:

- Round-trip based: Cars are parked at dedicated stations. They can be picked up from a station and left at the same station after use.
- One-way: Cars are parked at dedicated stations. They need to be picked up from a station and left at any station after use.
- Free-floating: Cars are parked in any parking slot within a defined service area. They can be picked up and left after use anywhere within this area.

---

**How to cite this book chapter:**

Ciari, F and Balac, M. 2016. Car Sharing. In: Horni, A, Nagel, K and Axhausen, K W. (eds.) *The Multi-Agent Transport Simulation MATSim*, Pp. 141–144. London: Ubiquity Press. DOI: <http://dx.doi.org/10.5334/baw.22>. License: CC-BY 4.0

From a transport planning perspective, the essential element of carsharing—the importance of its availability at precise points in time and space—does not fit with traditional models, which consider vehicle-per-hour flows. It is crucial to represent availability of vehicles at the local level, thus representing individual travel with high spatial and temporal resolution. At the same time, for the choice of using carsharing it is of fundamental importance how a trip/activity is embedded in the whole activity chain. This combination of features can be found in MATSim, which is therefore a suitable framework for carsharing modeling.

## 22.3 Modeling of Carsharing Demand in MATSim

Carsharing as a modal option in MATSim has been introduced in a simplified manner and only in its round-trip-based version, as part of a dissertation work (Ciari, 2012). Several improvements have been introduced since then and all three main types of carsharing can now be simulated.

### 22.3.1 Round-Trip Based Carsharing

The use of round-trip carsharing by an agent in the simulation is modeled in the following steps:

1. The agent finishes his/her activity, finds the closest available car and reserves it (making it unavailable for other agents),
2. walks to the station where he/she has reserved a vehicle,
3. drives the car (interaction with other vehicles is modeled),
4. parks the car at the next activity.
5. After finishing his activity the agent takes the car and drives to the next activity.
6. Before reaching the last activity in the subtour, agent ends the rental and leaves the vehicle at the starting station, making it available to other agents,
7. walks to the activity, and
8. carries out the rest of the daily plan.

### 22.3.2 One-Way Carsharing

In the case of one-way carsharing, the steps are similar, but with few significant differences:

1. The agent finishes his activity, finds the closest station with an available car and reserves the vehicle (making it unavailable for other agents),
2. walks to the station where it has reserved the car (takes the car and frees a parking spot at the station),
3. finds the closest station to his destination, with a free parking spot and reserves it (making it unavailable for others),
4. drives the car to the reserved parking spot (interacting with other vehicles in the network),
5. parks the car on the reserved parking spot and ends the rental,
6. walks to the next activity, and
7. carries out the rest of the daily plan.

### 22.3.3 Free-Floating Carsharing

The use of free-floating carsharing by an agent is simulated using similar steps, but the rental ends with the end of one trip:

1. rent the nearest car,
2. walk from start activity to the rented car,
3. drive to the next activity (interaction with other vehicles are modeled),
4. park the car close to the next activity, and
5. end the rental (and make the car available for other rentals).

### 22.3.4 Generalized Cost of Carsharing Travel

The function representing generalized cost of travel for car sharing traveling from activity  $q - 1$  to activity  $q$  is:

$$S_{trav,q,cs} = \alpha_{cs} + \beta_{c,cs} \cdot c_t \cdot t_r + \beta_{c,cs} \cdot c_d \cdot d + \beta_{t,walk} \cdot (t_a + t_e) + \beta_{t,cs} \cdot t \quad (22.1)$$

The same equation is used for all modeled forms of carsharing but the values of the parameters will be different. The first term  $\alpha_{cs}$  is a constant which can be used as calibration parameter and will also be, generally, different for different types of carsharing (and for different context). The second and third terms refer to the time dependent and the distance dependent parts of the fee, respectively.  $t_r$  is the total reservation time and  $c_t$  represents the monetary cost for one hour reservation time.  $d$  is the total reservation distance and  $c_d$  is the marginal monetary cost for one kilometer travel. The parameter  $\beta_{c,cs}$  represents the marginal utility of an additional unit of money spent on traveling with carsharing. The fourth term is the walk path to and from the station (access time  $t_a$  and egress time  $t_e$ ) and is evaluated as a normal walk leg. The parameter  $\beta_{t,cs}$  represents the marginal utility of an additional unit of time spent on traveling with carsharing, where  $t$  is the actual (in vehicle) travel time.

## 22.4 Carsharing Membership

Carsharing is a membership program. In order to access a specific carsharing service, individuals must become members of that carsharing program. A logit model has been estimated for Switzerland (Ciari and Weis, forthcoming) and implemented in MATSim as part of the carsharing module. The model variables are mainly individual socio-demographic characteristics. An important feature of the model, however, is that carsharing accessibility is explicitly considered, both from home and from work. Accessibility  $A$  of person  $p$  is calculated with the following formula:

$$A(n) = \ln \left( \sum_{s=1}^m X_s \cdot e^{-\beta \cdot d_{sh}} \right) + \ln \left( \sum_{s=1}^m X_s \cdot e^{-\beta \cdot d_{sw}} \right) \quad (22.2)$$

The weight parameter for distances is set to 0.2 as in Weis (2012), and more details on it are given below. Assuming  $m$  as the number of stations in the system,  $d_{sh}$  and  $d_{sw}$ , are calculated for each station as the distance between the station  $s$  and the home and work location of person  $n$  respectively; and  $X_s$  is the number of cars at station  $s$ . The model is not directly transferable to other regions but a different model can be easily implemented in the Java code created.

## 22.5 Validation

The simulation model has been calibrated to reproduce actual modal share for carsharing in the Zürich, Switzerland region. It was made using booking data from the Swiss operator Mobility. With the same data, the results were validated along several dimensions. Since Mobility offered only round-trip based carsharing until now, only this model could be validated. Dimensions included in the validation process were: distance from the last activity to the pick-up station, departure times, purpose of the rental (main purpose of the subtour) and temporal length of the rental.

## 22.6 Applications

After a long phase of creating and improving the module to simulate carsharing in all its forms, work has been recently carried out on concrete carsharing operations issues. Examples include evaluating the impact of introduction of a free-floating carsharing program in Berlin (Ciari et al., 2014) and Zürich (Ciari et al., forthcoming) on travel demand and investigating the relationship between demand and supply in both round-trip and one-way systems (Balac et al., 2015).