

Multiplexed genome engineering by Cas12a and CRISPR arrays encoded on single transcripts

Journal Article**Author(s):**

Campa, Carlo C.; Weisbach, Niels R.; Santinha, António J.; Incarnato, Danny; Platt, Randall 

Publication date:

2019-09

Permanent link:

<https://doi.org/10.3929/ethz-b-000364039>

Rights / license:

In Copyright - Non-Commercial Use Permitted

Originally published in:

Nature Methods 16(9), <https://doi.org/10.1038/s41592-019-0508-6>

Multiplexed genome engineering by Cas12a and CRISPR arrays encoded on single transcripts

Carlo C. Campa^{1*}, Niels R. Weisbach^{1*}, António J. Santinha¹, Danny Incarnato², Randall J. Platt^{1,3†}

¹Department of Biosystems Science and Engineering

ETH Zurich

4058 Basel, Switzerland

²Department of Molecular Genetics

Groningen Biomolecular Sciences and Biotechnology Institute

University of Groningen

Nijenborgh 7, 9747 AG Groningen, Netherlands

³Department of Chemistry

University of Basel

4003 Basel, Switzerland

*These authors contributed equally to this work.

[†]To whom correspondence should be addressed: rplatt@ethz.ch.

31 **Abstract**

32 The ability to modify multiple genetic elements simultaneously would help to elucidate and control
33 the gene interactions and networks underlying complex cellular functions. However, current
34 genome engineering technologies are limited in both the number and the type of perturbations that
35 can be performed simultaneously. Here, we demonstrate that both Cas12a and large CRISPR array
36 can be encoded in a single transcript by adding a stabilizer tertiary RNA structure. By leveraging
37 this system, we illustrate constitutive, conditional, inducible, orthogonal and highly multiplexed
38 genome engineering using a single plasmid as a delivery agent. Our method provides a powerful
39 platform to investigate and orchestrate the sophisticated genetic programs underlying complex cell
40 behaviours.

41

42 **Introduction**

43 Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR)-associated (Cas)
44 nucleases are versatile RNA-guided enzymes that facilitate a wide-range of genome engineering
45 applications^{1,2}. Through the binding of short RNA molecules, known as CRISPR RNAs
46 (crRNAs), members of the Cas nuclease family are programmed to edit specific genomic loci
47 thereby facilitating systematic investigation of gene function^{3,4}. In addition, nuclease-inactive
48 Cas enzymes fused to transcriptional effectors enable fine control of gene expression⁵⁻¹⁰.
49 Remarkably, use of either different Cas enzymes or engineered crRNAs enable distinct gene
50 perturbations, including gene knockout, gene activation, and gene repression¹¹⁻¹⁶. Despite this
51 versatility, either the heterologous expression of different proteins (e.g. Csy4, scFV) or the
52 presence of long RNA-based regulatory regions (e.g. rybozymes, aptamers) are required to
53 permit regulation of multiple genes using current platforms¹⁷⁻¹⁹. This inevitably limits the
54 scalability of CRISPR-based multiplexed genome engineering approaches and consequently the
55 possibility to investigate complex cell behaviours.

56

57 In order to coordinate a myriad of different processes using a limited number of cellular elements,
58 cells evolved to maximize the efficiency of their molecular components. This principle is adopted
59 by distinct organisms to rapidly match different environmental contexts, thereby supporting the
60 notion that maximizing the performance of each molecular element is a general principle on which
61 biological systems based their own survival²⁰. As an example, protection against bacteriophages
62 and other foreign genetic elements is mediated by Cas12a, a class II type V CRISPR-Cas
63 system^{21,22}. Functioning as a both RNase and DNase, Cas12a controls both processing and
64 maturation of its own crRNA as well as DNA target cleavage²¹⁻²³. CRISPR arrays associated
65 with Cas12a are transcribed as a long RNA transcript, termed pre-crRNA, that contains a
66 succession of ~30-nucleotide (nt) spacer sequences, separated by 36-nt direct repeat sequences
67 (DRs)^{21,22}. While DRs direct Cas12a-mediated pre-crRNA processing into mature crRNAs,
68 recognition and cleavage of target DNA is controlled by Watson-Crick base pairing between the
69 spacer and target sequences^{21,22}. Transplantation of this microbial immune system into mammalian
70 cells enables genome engineering applications, including gene editing and transcriptional gene
71 control²⁴. Optimization of this genome editing system for mammalian cells was obtained by DR
72 length reduction and adoption of distinct promoters that differentially drive transcription of Cas12a
73 and pre-crRNA²⁵⁻²⁷. Although, the implementation of these strategies enables a wide range of
74 applications, they fail to harness the full potential of Cas12a in genome engineering.

75

76 Here, we leverage the dual RNase/DNase function of *Acidaminococcus* sp. Cas12a to develop a
77 robust system for multiplexed genome engineering using a single plasmid as a delivery agent. This
78 system, termed SiT-Cas12a, encodes Cas12a and dozens of crRNAs in a single transcript.
79 Stabilization of SiT-Cas12a transcripts through inclusion of a tertiary structural motif improves
80 both pre-crRNA processing as well as Cas12a production. When coupled with transcriptional
81 effectors and engineered spacer sequences, SiT-Cas12a enables multiplexed orthogonal gene
82 transcriptional regulation and editing thereby providing a scalable way to elucidate and control the
83 gene networks underlying cellular functions.

84

85 Results

86 *Compact encoding of Cas12a and CRISPR arrays in a single Pol II-derived transcript*

87 In mammalian cells, distinct promoters control transcription of different RNA molecules. While
88 Pol II promoters are mainly used for transcription of coding genes characterized by long RNA
89 sequences, Pol III promoters are employed for production of small non-coding RNAs including
90 CRISPR RNAs (crRNAs)²⁸. To assess whether transcripts derived from Pol II promoters could
91 facilitate Cas12a-based genome engineering applications²⁶, we expressed a crRNA targeting
92 *DNMT1* from either a U6 (Pol III) or EF1a (Pol II) promoter along with ectopically expressed
93 Cas12a followed by quantification of insertions and deletions (indels) 72 hours after transient
94 transfection. Expression of crRNA from both Pol II and Pol III promoters resulted in comparable
95 gene editing efficiencies (Figure 1A, B, conditions I, II), indicating that Cas12a processes and
96 utilizes crRNAs derived from both promoter types.

97

98 To determine whether Pol II promoters facilitate simultaneous protein and crRNA expression, we
99 cloned a CRISPR array containing a spacer targeting *DNMT1* within the 3'UTR of the enhanced
100 green fluorescence protein (*EGFP*) gene and assessed both gene editing efficiency at the
101 endogenous *DNMT1* locus and EGFP expression 72 hours after transient transfection in HEK 293T
102 cells (Figure 1B, condition III). In cells harbouring *EGFP* transcripts containing CRISPR arrays, we
103 observed complete loss of EGFP expression (Figure 1B, condition III), suggesting destabilization of
104 *EGFP* transcripts mediated by the RNase activity of Cas12a. Consistently, expression of an RNase
105 dead Cas12a (rdCas12a), but not DNase dead Cas12a (ddCas12a), rescued EGFP expression
106 (Figure 1B, condition IV, V). Taken together, this suggests that Cas12a-mediated crRNA
107 processing via the RNase domain results in efficient cleavage and destabilization of protein-coding
108 mRNAs, which is likely a result of removal of the polyadenylation (poly(A)) tail.

109

110 To overcome mRNA destabilization and enable simultaneous expression of protein and crRNA on
111 the same transcript, we leveraged a 110-nt structure derived from the 3' end of the mouse non-
112 coding RNA Metastasis-associated lung adenocarcinoma transcript 1 (*Malat1*), previously
113 described to stabilize transcripts lacking poly(A) tails through the formation of a tertiary structure
114 element termed “Triplex”²⁹. We cloned the Triplex sequence between the *EGFP* coding sequence
115 and the CRISPR array (Figure 1B, condition VI), which effectively rescued EGFP expression
116 without affecting gene editing efficiency (Figure 1B, condition VI). These results indicate that a
117 Triplex sequence positioned at the 3' of a protein coding gene stabilizes mRNAs after Cas12a-
118 mediated RNA processing, enabling concomitant protein expression and gene editing.

119

120 ***Constitutive, conditional and inducible gene editing with SiT-Cas12a***

121 To determine whether Cas12a and CRISPR arrays could be compactly encoded on single Pol II-
122 driven mRNA, we developed single-transcript Cas12a (SiT-Cas12a). SiT-Cas12a is composed of a:
123 i) Pol II promoter EF1a; ii) Cas12a derived from *Acidaminococcus sp.*; iii) Triplex sequence; iv)
124 CRISPR array containing spacers targeting a set of mammalian genomic loci; and v) poly(A) signal
125 (Figure 1A). We evaluated the platform using a CRISPR array containing a spacer targeting
126 *DNMT1* and observed consistent and efficient gene editing at the *DNMT1* locus (Figure S1A).

127

128 Utilization of a single Pol II promoter offers the unique potential for more sophisticated and
129 simultaneous control of both Cas12a and crRNAs expression. To evaluate this possibility, we
130 generated conditional and inducible SiT-Cas12a platforms, termed SiT-Cas12a-[Cond] (Figure
131 S1B) and SiT-Cas12a-[Ind], respectively (Figure S1C). SiT-Cas12a-[Cond] relies on a Lox-Stop-
132 Lox (LSL) cassette positioned downstream of an EF1a promoter and upstream of the SiT-Cas12a
133 coding region. To demonstrate conditional genome editing, we co-transfected HEK 293T cells with
134 SiT-Cas12a-[Cond] and either a Cre-recombinase encoding plasmid or a control plasmid. At 72
135 hours post-transfection, we detected genome editing events exclusively in Cre-recombinase
136 expressing cells (Figure S1B). SiT-Cas12a-[Ind] relies on a Tetracycline responsive element (TRE)
137 positioned upstream of a minimal CMV promoter (minCMV) that, differently from the constitutive
138 promoter EF1a, resulted in gene editing efficiencies proportional to inducer concentration
139 (doxycycline) both in a Tet-on and Tet-off configuration (Figure S1C). Taken together, SiT-Cas12a
140 enables either constitutive or conditional and inducible gene editing through fine temporal control
141 of Cas12a and crRNA expression.

142

143 ***Multiplexed gene editing with SiT-Cas12a***

144 We evaluated the potential of the SiT-Cas12a platform for multiplexed gene editing using a
145 CRISPR array containing 5 distinct spacers targeting different genomic loci (*FANCF1*, *EMX1*,
146 *GRIN2B*, *VEGF*, *DNMT1*) and quantified both mature crRNAs and gene editing efficiency (Figure
147 2A). In the SiT-Cas12a context, we observed expression and processing of each mature crRNA,
148 albeit with varying efficiencies as observed in previous studies²⁵ (Figure 2A). In addition,
149 transcripts stabilized by the Triplex sequence (Figure 2A, SiT-Cas12a) increased both Cas12a
150 expression (Figure S2A) and processed crRNA abundance compared to transcripts without the
151 Triplex (Figure 2A, Cas12a). In line with these results, the gene editing efficiency was higher in
152 cells expressing SiT-Cas12a compared to a control lacking the Triplex structure between Cas12a
153 and the CRISPR array (Figure 2B). The increased crRNA production facilitated by the Triplex
154 sequence disappeared upon mutation of the RNase domain of Cas12a (SiT-rdCas12a) (Figure 2A).
155 Consistently, gene editing efficiencies were negligible for the SiT-Cas12a RNase inactive mutant
156 and found to be comparable to the DNase inactive mutant of Cas12a (SiT-ddCas12a) (Figure 2B).

157

158 Next, we compared the gene editing efficiency of SiT-Cas12a with previously reported Cas12a
159 platforms based on independent transcription of Cas12a and a CRISPR array from distinct
160 promoters^{25,26}. Expression of SiT-Cas12a resulted in gene editing efficiencies equal to or higher
161 than other tested platforms (Figure 2C). Taken together, these data demonstrate that compact
162 encoding of Cas12a and a CRISPR array on Pol II transcripts mediates efficient multiplexed gene
163 editing.

164

165 In contrast to Pol III promoters, Pol II promoters express transcripts of seemingly unlimited
166 length³⁰. To leverage this property, we cloned a CRISPR array harbouring 10 distinct spacer
167 sequences targeting the *CD47* locus in the SiT-Cas12a context, either singularly or jointly, and
168 performed gene editing quantification (Figure S2B-G). While the gene editing efficiency using
169 single-crRNAs ranged from 2 to 17%, simultaneous expression of all crRNAs increased the gene
170 editing efficiency up to 60% (Figure S2C), indicating that the targeting of multiple crRNAs in the
171 same coding gene introduced more loss of function mutations. We obtained similar gene editing
172 efficiency in cells infected with a SiT-Cas12a-based lentiviral vector enabling stable expression and
173 delivery to cells that are difficult to transfect (Figures S3A-E). In agreement, multiple independent
174 indels at each target site as well as large fragment deletions between target sites were detected using
175 deep sequencing in cells expressing such large CRISPR array (Figure S2D-G), confirming the
176 targeting of all crRNAs used. Consistently, single cell analysis of CD47 protein expression showed

177 a 4-fold increase in CD47-negative cells, reaching 37% of the total population when using multiple
178 crRNAs (Figure S4A).

179

180 Finally, we evaluated whether this strategy could be employed to increase the efficiency of
181 generating multi-gene knockouts after a simple transient transfection experiment. We cloned
182 distinct spacers targeting different coding genes (*CD47*, *CD166* and *CD97*) (Figure S4B) in the
183 SiT-Cas12a context and measured the rate of either single (either *CD47* or *CD166* or *CD97*) double
184 (*CD47/CD166*, *CD47/CD97*, *CD166/CD97*) or triple (*CD47/CD166/CD97*) knockout by single cell
185 flow cytometry analysis. Targeting multiple sites per gene using SiT-Cas12a increased the rate of
186 single, double and triple multiplexed gene knockout generation by 2- to 3-fold compared to single
187 crRNA conditions (Figure S4B). Overall, these results demonstrate that SiT-Cas12a facilitates
188 scalable and multiplexed genome engineering.

189

190 ***Multiplexed transcriptional regulation with SiT-Cas12a***

191 By leveraging on the simultaneous transcription of both Cas12a and a large CRISPR array under a
192 single Pol II promoter, we set out to develop SiT-Cas12a-based platforms to control the expression
193 of endogenous genes. We fused either one, two, or three copies of the Krüppel associated box
194 (KRAB) domain of the transcriptional repressor ZNF10³¹ to the C-terminus of ddCas12a, thus
195 generating ddCas12a-KRAB₁, ddCas12a-KRAB₂, and ddCas12a-[Repr], respectively (Figure S5A).

196 To assess the efficiency of the transcriptional repression conferred by multiple KRAB domains, we
197 co-transfected the SiT-Cas12a repressor variants along with different concentrations of CRISPR
198 arrays containing spacers targeting 4 distinct genomic loci (*RAB5A*, *RAB7A*, *EEA1*, *PIK3C3*). We
199 found that three tandem KRAB domains fused at the C-terminus of ddCas12a (ddCas12a-[Repr])
200 conferred potent transcriptional repression (Figure 3A, S5B) with differential efficiencies according
201 to the target gene and distance from the TSS (Figure S5C). Next, we cloned a CRISPR array
202 harbouring 20 different spacers targeting 10 distinct genes (*RAB5A*, *RAB7A*, *PIK3C3*, *EEA1*,
203 *RAB9A*, *CHRM3*, *PLCB1*, *PRKC1*, *FZD1*) within SiT-ddCas12a-[Repr] and quantified mature
204 crRNAs and transcriptional repression. Small-RNA-seq analysis confirmed generation of mature
205 crRNAs leading to efficient gene repression ranging from 40 to 80% reduction (Figures 3B, C).

206 To further strengthen the finding that SiT-Cas12a enables simplified multi-gene transcriptional gene
207 control, we replaced the transcriptional repression domain KRAB with either the VPR activator³² or
208 a combination of the p65 activation domain (p65) together with the Heat Shock Factor 1 (HSF1)³ to
209 generate two RNA-guided transcriptional activators: ddCas12a-VPR and ddCas12a-p65-HSF1
210 (Figure S6A). Both of these Cas12a-based chimeric proteins induced gene activation at different

efficiencies (Figure S6B). Comparative analyses of these gene activators (Figure 4A, B) showed a 10-fold increase in activation efficiency of ddCas12a-[Activ] compared to ddCas12a-VPR (Figure S6B) also in the presence of limiting spacer concentrations (Figure 4A, S6C). We also observed that transcriptional activation efficiency varies according to the target gene and distance from the TSS (Figure S6D). Next, to explore the potential of multiplexed transcriptional activation in the SiT-Cas12a context, we combined SiT-ddCas12a-[Activ] with a CRISPR array harbouring 20 spacers targeting 10 distinct genes (*ASCL1*, *ZFP42*, *CCR4*, *CCR10*, *IL1B*, *IL1R2*, *HBB*, *CHRM4*, *HTR6*, *ADRB2*) and quantified mature crRNAs and transcriptional activation. Small RNA-seq analysis confirmed generation of all 20 mature crRNAs (Figure 4B). In addition, we measured robust gene activation (10-1000-fold) for all target genes (Figure 4C, S6E). Overall, these data indicate that both repressor and activator transcriptional domains when combined with SiT-Cas12a enable multi-gene transcriptional control.

Orthogonal gene editing and transcriptional control with SiT-Cas12a

The Cas12a endonuclease, similarly to Cas9, is characterized by unique DNA binding kinetics, which enables binding while avoiding cleavage in the presence of truncated crRNAs^{13-15,33}. To fully harness the potential of Cas12a for genome engineering, we set out to explore these unique properties for generating a SiT-Cas12a-based platform that could facilitate orthogonal gene editing and transcriptional gene control.

Towards developing such a platform, we assessed *Acidaminococcus* sp. Cas12a (*AsCas12a*) processing efficiency using CRISPR arrays containing both long (20 bp) and short (15 bp) spacers (Figure S7A). We measured 3- to 5-fold higher amounts of mature crRNAs in cells expressing arrays containing short spacers compared to those with long spacers (Figure S7B). Furthermore, both short and long spacers generated comparable transcriptional gene control when combining SiT-Cas12a-[Repr], SiT-Cas12a-p65-HSF1, and SiT-Cas12a-[Activ] with 2 distinct CRISPR arrays (Figure S7C, D). This strategy does not extend with a similar efficiency to *Lachnospiraceae* bacterium Cas12a (*LbCas12a*), whereby crRNAs containing short spacers did not induce significant gene activation (Figure S7E). Next, we evaluated the SiT-Cas12a platform in an orthogonal transcriptional control and gene editing context (Figure 5A). We combined both active and inactive DNase versions of SiT-Cas12a-based transcriptional repressor and activator (SiT-ddCas12a-[Repr], SiT-Cas12a-[Repr], SiT-ddCas12a-[Activ] and SiT-Cas12a-[Activ]) with 2 sets of CRISPR arrays harbouring spacers targeting 2 distinct promoters using either short or long spacers (Figure 5B, C). Subsequently, we quantified gene expression and genome editing and determined that only DNase

245 active SiT-Cas12a effectors combined with 20 bp spacers facilitated gene editing. In contrast, SiT-
246 Cas12a effectors combined with 15 bp spacers induced either gene repression (Figure 5B) or gene
247 activation (Figure 5C) with comparable efficiencies and without any detectable gene editing events.
248 Lastly, large CRISPR arrays containing both short and long spacers enable coordinated and highly
249 multiplexed regulation of 10 distinct genes simultaneously with gene editing of another 5 distinct
250 genes (Figure 6A, B). Taken together, SiT-Cas12a effectors, based on *AsCas12a*, facilitate
251 orthogonal transcriptional control and gene editing simply by altering spacer length.

252

253 **Discussion**

254 In this work we have described SiT-Cas12a, a platform for constitutive, conditional, inducible,
255 orthogonal and highly multiplexed genome engineering. We have demonstrated its potential in
256 numerous multiplexed genome engineering applications, including both multi-gene transcriptional
257 regulation, multi-gene knockout and coordinated multiplexed orthogonal gene transcriptional
258 control and editing. By encoding dozens of crRNAs in a single transcript, SiT-Cas12a provides a
259 powerful and highly flexible tool for highly multiplexed genome engineering thereby exceeding
260 previous published reports²⁵⁻²⁷.

261

262 In contrast to most CRISPR-Cas gene editing expression strategies, where Cas enzymes and guide
263 RNAs are expressed from distinct promoters, in our platform a single Pol II promoter expresses a
264 single transcript harbouring both Cas12a and a CRISPR array. Consequently, the ratio of Cas12a
265 and CRISPR array is fixed, which introduces distinct disadvantages and advantages. A potential
266 disadvantage is that the fixed ratio of the two components may be suboptimal, especially in
267 expression-limited conditions. Such theoretical disadvantage could be overcome by either
268 increasing SiT-Cas12a transcript abundance or encoding multiple crRNAs per gene. On the other
269 hand, the advantage of the fixed ratio is that it enables tight control of both Cas12a and crRNA
270 expression, facilitating conditional and inducible genome engineering applications. Lastly, as the
271 extent of genome editing reflects the underlying expression of the components, derived from either
272 the intrinsic variability among different cell types or the cellular environment (e.g. Cre
273 recombinase, rtTA, tTA in this work), the SiT-Cas12a platform empowers further applications in
274 DNA-writing, molecular recording and synthetic biology³⁴⁻³⁶.

275

276 Considering the mean natural length of protein coding transcripts found within mammalian cells
277 (13.5 kb), the potential for expressing multiple crRNAs in the SiT-Cas12a context is profound. In
278 the future this could theoretically be used to enable massively multiplex expression of hundreds to
279 thousands of independent crRNAs, opening up avenues for large-scale genome engineering
280 efforts^{30,37}. While SiT-Cas12a offers a seemingly unlimited potential for crRNA expression, longer
281 pre-crRNA transcripts will inevitably be challenging to synthesize and clone. Furthermore, DRs and
282 spacers containing complementary sequences that could generate complex secondary RNA
283 structures affecting the maturation of crRNAs in cells^{38,39}. Consequently, complementary regions in
284 pre-crRNA must be considered in order to improve crRNAs maturation. Future work overcoming
285 these limitations will open up numerous applications for highly multiplexed genome engineering.

286

287 In the control of cell behaviour, genetic elements act in concert. Deciphering such complexity
288 requires fine modulation of multiple genetic elements. Simultaneous encoding of dozens of crRNAs
289 in a single plasmid simplifies both guide testing and validation of gene function. Inspired by design
290 principles that embody biological efficiency, our genome engineering platform harnesses the full
291 potential of the Cas12a enzyme, providing an easy and customizable way to allow highly
292 multiplexed gene editing and transcriptional control making it possible, in the future, to
293 systematically interrogate complex genetic interactions and cellular behaviours.

294

295 **Acknowledgements**

296 We thank the entire Platt Laboratory for productive discussions; C. Beisel, E. Burcklen, K.
297 Eschbach, I. Nissen, and M. Kohler from the Genomics Facility Basel for assistance in Illumina
298 sequencing. This project was supported by the Swiss National Science Foundation, ETH domain
299 Personalized Health and Related Technologies, Brain and Behavior Research Foundation, the
300 National Centres of Competence – Molecular Systems Engineering, and ETH Zurich. C.C.C. was
301 supported by the ETH Postdoctoral Fellowship.

302

303 **Author Contributions**

304 C.C.C., N.R.W., and R.J.P. conceived of and designed the experiments. C.C.C. and N.R.W.
305 performed the experiments and analysed the data. A.J.S analysed the deep sequencing data. D.I.
306 analysed the RNA-seq data. C.C.C., N.R.W., and R.J.P. wrote the manuscript. All authors reviewed
307 the paper and provided comments.

308

309 **Competing financial interests statement**

310 The authors declare that they have no conflicts.

311

312 **References**

- 313 1 Knott, G. J. & Doudna, J. A. CRISPR-Cas guides the future of genetic engineering. *Science*
314 (*New York, N.Y.*) **361**, 866-869, doi:10.1126/science.aat5011 (2018).
- 315 2 Sander, J. D. & Joung, J. K. CRISPR-Cas systems for editing, regulating and targeting
316 genomes. *Nature biotechnology* **32**, 347-355, doi:10.1038/nbt.2842 (2014).
- 317 3 Konermann, S. *et al.* Genome-scale transcriptional activation by an engineered CRISPR-
318 Cas9 complex. *Nature* **517**, 583-588, doi:10.1038/nature14136 (2015).
- 319 4 Shalem, O., Sanjana, N. E. & Zhang, F. High-throughput functional genomics using
320 CRISPR-Cas9. *Nature reviews. Genetics* **16**, 299-311, doi:10.1038/nrg3899 (2015).
- 321 5 Gilbert, L. A. *et al.* CRISPR-mediated modular RNA-guided regulation of transcription in
322 eukaryotes. *Cell* **154**, 442-451, doi:10.1016/j.cell.2013.06.044 (2013).
- 323 6 Mali, P. *et al.* CAS9 transcriptional activators for target specificity screening and paired
324 nickases for cooperative genome engineering. *Nature biotechnology* **31**, 833-838,
325 doi:10.1038/nbt.2675 (2013).
- 326 7 Maeder, M. L. *et al.* CRISPR RNA-guided activation of endogenous human genes. *Nature*
327 *methods* **10**, 977-979, doi:10.1038/nmeth.2598 (2013).
- 328 8 Perez-Pinera, P. *et al.* RNA-guided gene activation by CRISPR-Cas9-based transcription
329 factors. *Nature methods* **10**, 973-976, doi:10.1038/nmeth.2600 (2013).
- 330 9 Cheng, A. W. *et al.* Multiplexed activation of endogenous genes by CRISPR-on, an RNA-
331 guided transcriptional activator system. *Cell research* **23**, 1163-1171, doi:10.1038/cr.2013.122
332 (2013).
- 333 10 Qi, L. S. *et al.* Repurposing CRISPR as an RNA-guided platform for sequence-specific
334 control of gene expression. *Cell* **152**, 1173-1183, doi:10.1016/j.cell.2013.02.022 (2013).
- 335 11 Zalatan, J. G. *et al.* Engineering complex synthetic transcriptional programs with CRISPR
336 RNA scaffolds. *Cell* **160**, 339-350, doi:10.1016/j.cell.2014.11.052 (2015).
- 337 12 Boettcher, M. *et al.* Dual gene activation and knockout screen reveals directional
338 dependencies in genetic networks. *Nature biotechnology* **36**, 170-178, doi:10.1038/nbt.4062 (2018).
- 339 13 Dahlman, J. E. *et al.* Orthogonal gene knockout and activation with a catalytically active
340 Cas9 nuclease. *Nature biotechnology* **33**, 1159-1161, doi:10.1038/nbt.3390 (2015).
- 341 14 Kiani, S. *et al.* Cas9 gRNA engineering for genome editing, activation and repression.
342 *Nature methods* **12**, 1051-1054, doi:10.1038/nmeth.3580 (2015).
- 343 15 Bikard, D. *et al.* Programmable repression and activation of bacterial gene expression using
344 an engineered CRISPR-Cas system. *Nucleic Acids Res* **41**, 7429-7437, doi:10.1093/nar/gkt520
345 (2013).

- 346 16 Leenay, R. T. *et al.* Identifying and Visualizing Functional PAM Diversity across CRISPR-
347 Cas Systems. *Molecular cell* **62**, 137-147, doi:10.1016/j.molcel.2016.02.031 (2016).
- 348 17 Rogers, J. K. & Church, G. M. Multiplexed Engineering in Biology. *Trends in
349 biotechnology* **34**, 198-206, doi:10.1016/j.tibtech.2015.12.004 (2016).
- 350 18 Xie, K., Minkenberg, B. & Yang, Y. Boosting CRISPR/Cas9 multiplex editing capability
351 with the endogenous tRNA-processing system. *Proceedings of the National Academy of Sciences of
352 the United States of America* **112**, 3570-3575, doi:10.1073/pnas.1420294112 (2015).
- 353 19 Nissim, L., Perli, S. D., Fridkin, A., Perez-Pinera, P. & Lu, T. K. Multiplexed and
354 programmable regulation of gene networks with an integrated RNA and CRISPR/Cas toolkit in
355 human cells. *Molecular cell* **54**, 698-710, doi:10.1016/j.molcel.2014.04.022 (2014).
- 356 20 Ruiz-Mirazo, K., Briones, C. & de la Escosura, A. Chemical roots of biological evolution:
357 the origins of life as a process of development of autonomous functional systems. *Open biology* **7**,
358 doi:10.1098/rsob.170050 (2017).
- 359 21 Fonfara, I., Richter, H., Bratovic, M., Le Rhun, A. & Charpentier, E. The CRISPR-
360 associated DNA-cleaving enzyme Cpf1 also processes precursor CRISPR RNA. *Nature* **532**, 517-
361 521, doi:10.1038/nature17945 (2016).
- 362 22 Zetsche, B. *et al.* Cpf1 is a single RNA-guided endonuclease of a class 2 CRISPR-Cas
363 system. *Cell* **163**, 759-771, doi:10.1016/j.cell.2015.09.038 (2015).
- 364 23 Swarts, D. C., van der Oost, J. & Jinek, M. Structural Basis for Guide RNA Processing and
365 Seed-Dependent DNA Targeting by CRISPR-Cas12a. *Molecular cell* **66**, 221-233.e224,
366 doi:10.1016/j.molcel.2017.03.016 (2017).
- 367 24 Wu, W. Y., Lebbink, J. H. G., Kanaar, R., Geijzen, N. & van der Oost, J. Genome editing by
368 natural and engineered CRISPR-associated nucleases. *Nature chemical biology* **14**, 642-651,
369 doi:10.1038/s41589-018-0080-x (2018).
- 370 25 Zetsche, B. *et al.* Multiplex gene editing by CRISPR-Cpf1 using a single crRNA array.
371 *Nature biotechnology* **35**, 31-34, doi:10.1038/nbt.3737 (2017).
- 372 26 Zhong, G., Wang, H., Li, Y., Tran, M. H. & Farzan, M. Cpf1 proteins excise CRISPR RNAs
373 from mRNA transcripts in mammalian cells. *Nature chemical biology* **13**, 839-841,
374 doi:10.1038/nchembio.2410 (2017).
- 375 27 Tak, Y. E. *et al.* Inducible and multiplex gene regulation using CRISPR-Cpf1-based
376 transcription factors. *Nature methods* **14**, 1163-1166, doi:10.1038/nmeth.4483 (2017).
- 377 28 Arimbasseri, A. G., Rijal, K. & Maraia, R. J. Comparative overview of RNA polymerase II
378 and III transcription cycles, with focus on RNA polymerase III termination and reinitiation.
379 *Transcription* **5**, e27639, doi:10.4161/trns.27369 (2014).

- 380 29 Wilusz, J. E. *et al.* A triple helix stabilizes the 3' ends of long noncoding RNAs that lack
381 poly(A) tails. *Genes & development* **26**, 2392-2407, doi:10.1101/gad.204438.112 (2012).
- 382 30 Meyers, R. A. *Encyclopedia of molecular cell biology and molecular medicine*. 2nd edn,
383 (Wiley-VCH Verlag, 2004).
- 384 31 Huntley, S. *et al.* A comprehensive catalog of human KRAB-associated zinc finger genes:
385 insights into the evolutionary history of a large family of transcriptional repressors. *Genome Res* **16**,
386 669-677, doi:10.1101/gr.4842106 (2006).
- 387 32 Chavez, A. *et al.* Highly efficient Cas9-mediated transcriptional programming. *Nature methods* **12**, 326-328, doi:10.1038/nmeth.3312 (2015).
- 389 33 Singh, D. *et al.* Real-time observation of DNA target interrogation and product release by
390 the RNA-guided endonuclease CRISPR Cpf1 (Cas12a). *Proceedings of the National Academy of
391 Sciences of the United States of America* **115**, 5444-5449, doi:10.1073/pnas.1718686115 (2018).
- 392 34 Schmidt, F. & Platt, R. J. Applications of CRISPR-Cas for synthetic biology and genetic
393 recording. *Current Opinion in Systems Biology* **5**, 9-15, doi:10.1016/j.coisb.2017.05.008 (2017).
- 394 35 Sheth, R. U. & Wang, H. H. DNA-based memory devices for recording cellular events.
395 *Nature reviews. Genetics* **19**, 718-732, doi:10.1038/s41576-018-0052-8 (2018).
- 396 36 Farzadfard, F. & Lu, T. K. Emerging applications for DNA writers and molecular recorders.
397 *Science (New York, N.Y.)* **361**, 870-875, doi:10.1126/science.aat9249 (2018).
- 398 37 Tennyson, C. N., Klamut, H. J. & Worton, R. G. The human dystrophin gene requires 16
399 hours to be transcribed and is cotranscriptionally spliced. *Nat Genet* **9**, 184-190,
400 doi:10.1038/ng0295-184 (1995).
- 401 38 Zoephel, J. & Randau, L. RNA-Seq analyses reveal CRISPR RNA processing and
402 regulation patterns. *Biochemical Society transactions* **41**, 1459-1463, doi:10.1042/bst20130129
403 (2013).
- 404 39 Liao, C., Slotkowski, R. A., Achmedov, T. & Beisel, C. L. The Francisella novicida Cas12a
405 is sensitive to the structure downstream of the terminal repeat in CRISPR arrays. *RNA biology*, 1-9,
406 doi:10.1080/15476286.2018.1526537 (2018).
- 407

408 **Figure legends**

409

410 **Figure 1:** Simultaneous control of protein and crRNA expression from Pol II promoters.

411

412 **A.** Schematic of a single transcript architecture containing both a protein coding sequence and a
413 CRISPR array. The transcript encodes for: Protein/Cas12a (grey/yellow rectangle); Triplex, a
414 tertiary RNA structural motif (small purple rectangle); direct repeat (DR, grey square); spacer (blue
415 square); and a polyadenylation sequence (Poly(A), red rectangle). After transcription and Cas12a-
416 mediated crRNA processing, the Triplex sequence stabilizes the transcript enabling concomitant
417 Protein/Cas12a expression and gene editing.

418

419 **B.** Validation of Triplex-mediated mRNA stabilization for concomitant gene editing and
420 protein expression. Combinations of crRNA expression constructs and Cas12a proteins used (I to
421 VI). Representative EGFP fluorescent images after co-transfection of different plasmid
422 combinations (I to VI). Scale bar = 1.00 mm. Quantification of gene editing efficiencies
423 (combinations I to VI). Values represent mean \pm s.e.m, n = 3 independent experiments.

424

425 **Figure 2:** Multiplexed genome editing by SiT-Cas12a.

426

427 **A.** Schematic of SiT-Cas12a, which includes the Pol II promoter EF1a, Cas12a (yellow
428 rectangle), Triplex (purple rectangle), CRISPR array (coloured and grey squares) and
429 polyadenylation sequence (Poly(A), red rectangle). Alignments and quantification of mature
430 crRNAs. n = 2 independent experiments.

431

432 **B.** Schematics of the Cas12a, SiT-Cas12a, rdSiT-Cas12a and ddSiT-Cas12a constructs used.
433 Cas12a (yellow rectangle), Triplex (purple rectangle), CRISPR array (coloured square) are
434 indicated. The Poly(A) signal is present on the constructs but not displayed. Quantification of
435 multiplexed gene editing efficiencies. Values represent mean \pm s.e.m., n = 3 independent
436 experiments.

437

438 **C.** Schematics of the plasmid combinations used. Quantification of multiplexed gene editing
439 efficiencies in cells transfected with either EF1a-Cas12a and U6-crRNA on the same plasmid
440 (Cas12a/U6), EF1a-Cas12a and EF1a-crRNA on 2 different plasmids (Cas12a+EF1a) or SiT-
441 Cas12a on a single plasmid. Values represent mean \pm s.e.m., n = 3 independent experiments.

442

443 **Figure 3:** Multiplexed transcriptional repression using SiT-Cas12a-[Repr].

444

445 **A.** Quantification of relative mRNA expression for 4 distinct genes (*EEA1*, *RAB5*, *PIK3C3*,
446 *RAB7A*) in cells co-transfected with ddCas12a fused with either 1 (KRAB), 2 (KRAB₂) or 3
447 ([Repr]) KRAB domains in combination with different crRNA array concentrations. Values
448 represent mean ± s.e.m., n = 3 independent experiments.

449

450 **B.** Alignments of mature crRNAs in cells transfected with SiT-ddCas12a-[Repr] containing a
451 CRISPR array with 20 distinct spacers.

452

453 **C.** Quantification of relative RNA expression for 10 distinct genes after multiplexed expression
454 of 20 distinct crRNAs from SiT-ddCas12a-[Repr]. Values represent mean ± s.e.m., n = 3
455 independent experiments.

456

457 **Figure 4:** Multiplexed transcriptional activation using SiT-Cas12a.

458

459 **A.** Quantification of relative RNA expression for 4 distinct genes (*IL1B*, *ASCL1*, *ZFP42*,
460 *IL1R2*) in cells co-transfected with ddCas12a fusion proteins (VP128, VPR, [Activ]) in combination
461 with different crRNA concentrations. Values represent mean \pm s.e.m., n = 3 independent
462 experiments.

463

464 **B.** Alignments of mature crRNAs in cells transfected with SiT-Cas12a-[Activ] containing a
465 CRISPR array with 20 distinct spacers.

466

467 **C.** Quantification of relative RNA expression for 10 distinct genes after multiplexed expression
468 of 20 distinct crRNAs from SiT-Cas12a-[Activ]. Values represent mean \pm s.e.m., n = 3 independent
469 experiments.

470 **Figure 5:** Orthogonal transcriptional gene regulation and editing.

471

472 **A.** Schematic of the SiT-Cas12a platform for orthogonal gene editing and transcriptional
473 regulation with the Pol II promoter EF1a, Cas12a (yellow rectangle), [ED] (Effector Domain, grey
474 rectangle), Triplex (purple rectangle), CRISPR array (coloured and grey squares) and
475 polyadenylation sequence (Poly(A), red rectangle) indicated. Delivery of SiT-Cas12a-[ED] coupled
476 to a CRISPR array consisting of either long (20 bp) or short (15 bp) spacer sequences enables
477 orthogonal gene editing and transcriptional gene regulation.

478

479 **B.** Quantification of relative *RAB5A* or *PIK3C3* RNA expression and gene editing efficiencies
480 in cells expressing either long (20 bp) or short (15 bp) spacers in combination with either SiT-
481 Cas12a-[Repr] or ddCas12a-[Repr]. Values represent mean \pm s.e.m., n = 3 independent experiments.

482

483 **C.** Quantification of relative RNA expression and gene editing efficiencies for 2 distinct genes
484 (*ASCL1* and *IL1B*) in cells expressing long (20 bp) or short (15 bp) spacers in combination with
485 either SiT-Cas12a-[Activ] or ddCas12a-[Activ]. Values represent mean \pm s.e.m., n = 3 independent
486 experiments.

487

488

489 **Figure 6:** Multiplexed orthogonal gene editing and transcriptional activation.

490

491 **A.** Quantification of relative RNA expression and gene editing efficiencies in cells expressing a
492 large CRISPR array (25 crRNAs) harbouring both short (15 bp) and long (20 bp) spacers using SiT-
493 Cas12a-[Repr]. Values represent mean \pm s.e.m., n = 3 independent experiments.

494

495 **B.** Quantification of relative RNA expression and gene editing efficiencies in cells expressing a
496 large CRISPR array (25 crRNAs) harbouring both short (15 bp) and long (20 bp) using SiT-Cas12a-
497 [Activ]. Values represent mean \pm s.e.m., n = 3 independent experiments.

498

499 **Methods:**

500

501 **Mammalian cell culture.**

502 Human embryonic kidney 293T (HEK 293T) cell line (SIGMA-Aldrich) was maintained in
503 Dulbecco's modified Eagle's Medium (DMEM) (SIGMA) supplemented with 10% FBS (HyClone)
504 at 37°C with 5% CO₂.

505

506 **Transient transfection.**

507 HEK 293T cells were transfected using Lipofectamine 2000 (Invitrogen) according to
508 manufacturer's instructions. Transient transfections were performed using either 0.6 µg or 1 µg of
509 plasmid DNA per well.

510

511 **Plasmids.**

512 All plasmids were generated using either restriction enzyme-based cloning, Golden Gate Cloning or
513 Gibson Assembly. SiT-Cas12a constructs for multiplexed genome editing were generated by
514 replacing the U6-sgRNA from pY026 (Addgene: 84741) with the Triplex sequence and 2 DR
515 sequences, separated by 2 BsmBI restriction sites. SiT-Cas12a constructs for transcriptional control
516 were generated by replacing the U6-gRNA and Cas9-Puromycin resistance from lentiCRISPR v2
517 (Addgene: 52961) with AsCas12a, Triplex sequence and 2 DR sequences, separated by 2 SapI
518 restriction sites. Constructs for production of lentivirus were generated by replacing the U6-gRNA,
519 Cas9-Puromycin, and WPRE element from lentiCRISPR v2 (Addgene: 52961) with a CMV
520 promoter together with either EGFP or AsCas12a, Puromycin, Triplex sequence, 2 DR sequences,
521 separated by 2 BsmBI restriction sites and/or a WPRE element and/or a polyadenylation sequence
522 in inverted orientation. Depending on the experiment setup, either a CMV or an EF1a promoter was
523 used. The ddCas12a and rdCas12a mutants were generated by site-directed mutagenesis through the
524 substitution E993A or H800A, respectively. Transcriptional control elements were amplified from
525 gene fragments (IDT) and integrated 3' of AsCas12a using a BamHI restriction site. Assembly of
526 CRISPR arrays was performed by Golden Gate Cloning via BsmBI or SapI using either annealed
527 oligonucleotides (IDT), for single spacers or small arrays (2 to 4 spacers), or gene fragments (IDT)
528 with flanking Type IIS restriction sites for medium (10 spacers) and large (20-25 spacers) arrays.
529 The tetracycline/doxycycline inducible plasmid was constructed by exchanging the constitutive
530 promoter of SiT-Cas12a with tetracycline response element consisting of 5 repeats of bacterial TetO
531 sequence upstream of a minCMV promoter by Gibson assembly. SiT-Cas12a-[Cond] was generated

532 by adding a Lox-Stop-Lox (LSL) cassette between the CMV promoter and Cas12a by Gibson
533 assembly. DNA and spacer target sequences were listed in Supplemental File. Relevant plasmids
534 used in this study will be deposited to AddGene.

535

536 ***Large CRISPR array (10-20-25 spacers) assembly.***

537 Large CRISPR arrays containing either 10, 20 or 25 spacer sequences were assembled based on
538 previous procedures⁴⁰. Double stranded DNA fragments encoding for 4-6 crRNAs were purchased
539 from IDT Technologies (gBlock or custom gene synthesis services) and amplified by primers
540 containing type IIS restriction site (BsmBI or SapI). Type IIS recognition sites were designed to
541 allow cleavage, at different positions, on the direct repeat (DR) sequence. This procedure enables
542 both generation of non-identical 5' or 3' ends and reduction of repetitive elements (in our case DR)
543 which prohibit the chemical synthesis of double-stranded crRNAs fragments by IDT Technologies.
544 Overhangs generated by type IIS restriction enzyme digestion were intended to be complementary,
545 enabling assembly of a large CRISPR array with defined directionality. DNA fragments encoding
546 for Cas12a crRNAs and the vector backbone were assembled by standard Golden Gate Cloning. In
547 brief, simultaneous type II enzymatic digestion using either BsmBI (Thermo Scientific) or SapI
548 (Thermo Scientific) and ligation using T7 DNA ligase (NEB) in 1xT4 Ligase buffer (NEB) reaction
549 was performed. The reaction was incubated for 30 cycles (37°C for 5 min; 16°C for 5 min)
550 followed by 55°C for 10 min. Ligation reaction was transformed into chemical competent E. coli
551 Stbl3 bacteria strain to avoid potential plasmid recombination. Bacteria cells were plated on agar
552 plates supplemented with ampicillin (100 mg/l). Single colonies were cultivated overnight in liquid
553 LB supplemented with ampicillin (100 mg/l) and DNA were isolated. Correct assembly of CRISPR
554 array was verified by SANGER sequencing.

555

556 ***Inducible gene editing.***

557 HEK 293T cells were transfected using Lipofectamine 2000 (Invitrogen) according to
558 manufacturer's instructions. Transient transfections were performed using a total of 0.6 µg (0.3 µg
559 of SiT-Cas12a-[Ind] and 0.3 µg of either rtTA or tTA-Advanced (Clontech) plasmid DNA per well
560 and Doxycycline (Sigma) was added (final concentration: 0, 0.01, 0.10, 1.00 µg/ml). Quantification
561 of gene editing was performed 72 hours post-transfection.

562

563 ***Quantification of gene editing.***

564 5 x 10⁴ HEK 293T cells per well were seeded in 24-well-plates and transfected with 1 µg of DNA
565 plasmid. 72 hours post-transfection, cells were harvested and lysed in QE buffer (1 mM CaCl₂, 3
566 mM MgCl₂, 1 mM EDTA, 1% Triton X-100, 10 mM Tris pH 7.5, 0.2 mg/ml Proteinase K) using
567 the following temperature conditions: 65°C (15 min), 68°C (15 min) and 98°C (10 min). Genomic
568 DNA was used as a template for PCR-based amplification of targeted genomic regions using
569 Phusion flash polymerase (Thermo Scientific) and primers specific for each target site
570 (Supplementary material file (Indel analyses primer list)). PCR amplicons were purified using the
571 Zymo PCR purification Kit (Zymo Research) and quantified using Nanodrop 3000 (Thermo
572 Scientific).

573 In order to generate heteroduplex DNA fragments, 250 ng purified PCR amplicons were mixed with
574 10x annealing buffer (500 mM NaCl₂, 100 mM MgCl₂, 100 mM Tris-HCl) and incubated for 10
575 min at 95°C followed by ramping 95°C to 85°C with 1.34°C/s, 85°C to 75°C with 0.2°C/s, 75°C to
576 65°C with 0.2°C/s, 65°C to 55°C with 0.2°C/s, 55°C to 45°C with 0.2°C/s, 45°C to 35°C with
577 0.2°C/s and 35°C to 25°C with 0.2°C/s. Heteroduplex DNA were treated with Surveyor enhancer
578 and Surveyor nuclease from Surveyor Mutation Detection Kit (IDT) in presence of 15 mM MgCl₂
579 according to manufacturer's protocol and separated on 2% E-Gel (Thermo Scientific). Separated
580 cleavage products were imaged using Gel DOC EZ imager (Biorad) and quantified using Image Lab
581 software (Biorad). The percentage of heteroduplex DNA formation was quantified using the
582 formula: (1-(1-(b/(a+b))*0.5))*100 with a being equivalent to the integrated intensity of uncut DNA
583 fragments and b being equivalent to the sum of the integrated intensity of all cleavage products.

584

585 **FACS analyses.**

586 1.2 x 10⁵ HEK 293T cells were plated in 24-well-plate and transfected with 600 ng plasmid. 48 hr
587 after transfection, cells were split and 120 hours post-transfection, cells were harvested (using PBS
588 supplemented with 0.5 mM EDTA) and fixed in 1.8% PFA (Electron Microscopy Sciences). Fixed
589 cells were stained using conjugated antibodies CD166 conjugated PE (Miltenyi Biotec 130-106-
590 575, flow cytometry dilution (FC) 1:11); CD47 conjugated FITC (Miltenyi Biotec 130-101-344, FC
591 1:11); CD97 conjugated APC-Vio770 (Miltenyi Biotec 130-105-526, FC 1:11). Cytometric analysis
592 was performed using 5-color Fortessa (BD). Data from 10000 events was collected and analysed by
593 FlowJo (BD). Cell debris was removed by SSC-A/FSC-A gating and fluorescent intensity (FITC,
594 PE or APC-Vio770) was measured. Cells transfected with empty plasmids were used as positive
595 controls. Non-transfected cells were used as a negative control. Percentage of negative cells was
596 calculated by gating on the positive control cell population. Quantification of EGFP-positive cells
597 and EGFP expression of infected cells (72 hours post infection) were performed by harvesting HEK

598 293T cells (using PBS supplemented with 0.5 mM EDTA) and fixed in 1.8% PFA (Electron
599 Microscopy Sciences). Data from 10000 events was collected and analysed by FlowJo (BD). Cell
600 debris was removed by SSC-A/FSC-A gating and fluorescent intensity (EGFP) was measured. Non-
601 infected cells were used as a negative control. Both percentage of positive cells and EGFP
602 expression (median fluorescence intensity) were calculated.

603

604 ***Quantification of mRNA expression.***

605 Gene expression analyses were conducted 48 hours after transfection according to a previously
606 established protocol³. In brief, RNA was isolated using Quick RNA Miniprep Plus kit (Zymo
607 Research), followed by reverse transcription of 500 ng RNA using Qscript cDNA supermix
608 (Quantabio). A qPCR reaction was performed using Fast Plus EvaGreen qPCR master mix
609 (Biotium) according to manufactory protocol (primers used are indicated in the Supplementary
610 material file (qPCR primer list)). Quantification of RNA expression was normalized based on
611 expression of GAPDH and calculated using $\Delta\Delta Ct^{41}$. For samples with a nearly undetectable
612 amount of mRNA, Ct values exceeding 45, an arbitrary cycle number of 45 was assigned.

613

614 ***Small RNA-seq library preparation.***

615 1.2 x 10⁷ HEK 293T cells were plated in a 150 mm dish (Thermo Scientific) and transfected with
616 30 µg of plasmid. After 48 hours, purification of small RNAs was conducted using Quick RNA
617 Miniprep Plus kit (Zymo Research) according to the manufacturer's instructions. Small RNA
618 library preparation was performed in line with a previous published protocol⁴². In brief, residual
619 genomic DNA was removed by DNase I digestion. 20 µg of small RNAs were dissolved in 39.5 µl
620 water and denatured for 5 minutes at 65°C. After cooling on ice for 5 minutes, 5 µl 10X DNase I
621 buffer including MgCl₂ (NEB), 10 units Superase-In RNase Inhibitor (Thermo Scientific) and 5
622 units DNaseI (NEB) were added and incubated for 45 minutes at 37°C. Purification of this pure
623 small RNA fraction was conducted using Quick RNA Miniprep Plus kit (Zymo Research) and
624 quantified using Nanodrop 3000 (Thermo Scientific). To capture 5' phosphorylated crRNA, an
625 additional 5' phosphorylation step was performed. RNA samples, treated with 10 units DNaseI
626 (NEB), were denatured for 2 minutes at 90°C and stored on ice for 5 minutes. Subsequently, 20
627 units of T4 PNK (Thermo Scientific) together with 10 units of Superase-In RNase Inhibitor
628 (Thermo Scientific) were added in the presence of T4 PNK buffer (Thermo Scientific) to a final
629 volume of 50 µl. After 6 hours of incubation at 37°C, an additional 10 units of T4 PNK (Thermo
630 Scientific) and 10 mM ATP (2 mM final concentration) (Thermo Scientific) were added to the
631 samples and incubated for 1 hour at 37°C. Purification of 5' phosphorylated RNA fractions were

632 performed using Quick RNA Miniprep Plus kit (Zymo Research) and quantified. As T4 PNK
633 treatment enriched transcript with 5' pyrophosphates (PP) thereby interfering with the following
634 step of small RNA library preparations, 5' PP were removed by Tobacco Acid Pyrophosphatase
635 (TAP) treatment (Epicentre). In a total volume of 20 µl, 10 units of TAP, 2 µl TAP buffer, 10 units
636 of Superase-In RNase Inhibitor (Thermo Scientific) and 10 µg of PNK-treated small RNA were
637 mixed and incubated for 1 hour at 37°C and purified using Quick RNA Miniprep Plus kit (Zymo
638 Research). These enriched pre-crRNA transcripts were used as template for the preparation of small
639 RNA library. Library preparation was performed using NEBNext multiplex small rna library prep
640 set (set 1) (NEB), separated on a 6% polyacrylamide gel and purified using SpinX columns
641 (Costar). This step ensured enrichment of mature crRNAs (<60nt). 5 Million reads were sequenced
642 for each sample using Illumina NextSeq 500 (Illumina) and analysed as described below.

643

644 ***Mature crRNA quantification.***

645 Adapter sequences (described in NEBNext multiplex small rna library prep set (set 1)) were clipped
646 from sequencing reads using CutAdapt v1.10⁴³. Only reads \geq 10 nt were retained. Reads were
647 mapped to the reference sequence of the entire crRNA array, using Bowtie v1.2.2⁴⁴, with
648 parameters "--norc -l 28 -n 2 -m 1 --best --strata". For the quantification of mature crRNAs, a BED
649 file containing the coordinates of each crRNA within the array was created and used to extract the
650 number of reads mapping onto each crRNA using the intersectBed utility from BEDTools v2.27.0
651⁴⁵. Raw counts were then normalized to the number of non-crRNA reads mapping on human
652 snoRNAs, through the following formula: $N_i = (c_i/S)*10^6$; where N_i and c_i are respectively the
653 normalized count and the raw read count for crRNA i , and S is the count of reads mapping on
654 human snoRNAs, a small RNA population largely recognized for performing housekeeping
655 function and used to normalize human microRNA (miRNA) expression^{46,47}. Finally, a fold change
656 over control condition was calculated to quantify changes across distinct experiments.

657

658 ***Deep sequencing-based CD47 editing analyses.***

659 Analyses of deep sequencing data derived from HEK 293T cells stably expressing SiT-Cas12a
660 harbouring 10 distinct crRNAs were performed using CRISPResso2 tool⁴⁸ *CD47* edited region was
661 amplified, size selected between 200 bp and 500 bp and sequenced. Analysis was performed by
662 CRISPResso2 tool⁴⁸ using the following parameters: -w 10 –cleavage offset 1 –S 20; -w 10 –
663 cleavage offset 1 –g.

664

665 ***Statistics.***

666 Unless otherwise noted, experiments in this study were performed using three independent
667 biological replicates. Tests for determination of statistical significance were not implemented.

668

669 **Data availability statement**

670 The data that support the findings of this study are available from the corresponding author upon
671 reasonable request. The datasets generated during the current study are available in the NCBI
672 Sequence Read Archive (BioProject ID PRJNA530879).

673

674 **Methods-only References:**

675 40 Liao, C. et al., doi:10.1101/312421 (2018).

676 41 Schmittgen, T. D. & Livak, K. J. Analyzing real-time PCR data by the comparative C(T)
677 method. *Nature protocols* 3, 1101-1108 (2008).

678 42 Heidrich, N., Dugar, G., Vogel, J. & Sharma, C. M. Investigating CRISPR RNA Biogenesis
679 and Function Using RNA-seq. *Methods in molecular biology* (Clifton, N.J.) 1311, 1-21,
680 doi:10.1007/978-1-4939-2687-9_1 (2015).

681 43 Martin, M. Cutadapt removes adapter sequences from high-throughput sequencing reads.
682 *EMBnet.journal* 17, 10, doi:10.14806/ej.17.1.200 (2011).

683 44 Langmead, B., Trapnell, C., Pop, M. & Salzberg, S. L. Ultrafast and memory-efficient
684 alignment of short DNA sequences to the human genome. *Genome Biology* 10, R25,
685 doi:10.1186/gb-2009-10-3-r25 (2009).

686 45 Quinlan, A. R. BEDTools: The Swiss-Army Tool for Genome Feature Analysis. *Current
687 Protocols in Bioinformatics* 47, 11.12.11-11.12.34, doi:10.1002/0471250953.bi1112s47
688 (2014).

689 46 Roa, W. et al. Identification of a new microRNA expression profile as a potential cancer
690 screening tool. *Clin Invest Med* 33, E124 (2010).

691 47 Hui, A. B. et al. Comprehensive MicroRNA profiling for head and neck squamous cell
692 carcinomas. *Clin Cancer Res* 16, 1129-1139, doi:10.1158/1078-0432.CCR-09-2166 (2010).

693 48 Clement, K. et al. CRISPResso2 provides accurate and rapid genome editing sequence
694 analysis. *Nature biotechnology* 37, 224-226, doi:10.1038/s41587-019-0032-3 (2019).

695

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5






Figure 6






Supplementary Figure 1

Constitutive, conditional and inducible gene editing with SiT-Cas12a.

A. Quantification of gene editing efficiencies by constitutive SiT-Cas12a construct. Values represent mean \pm s.e.m., n = 3 independent experiments.

B. Quantification of gene editing efficiencies by conditional SiT-Cas12a (SiT-Cas12a-[Cond]) construct. Values represent mean \pm s.e.m., n = 3 independent experiments.

C. Quantification of gene editing efficiencies by inducible SiT-Cas12a (SiT-Cas12a-[Ind]) construct in either Tet-Off or Tet-On configuration. Values represent mean \pm s.e.m., n = 3 independent experiments.



Supplementary Figure 2

Quantification of SiT-Cas12a-induced gene mutations

A. Quantification of relative Cas12a mRNA expression in either Cas12a, SiT-Cas12a or SiT-rdCas12a expressing cells. Values represent mean \pm s.e.m., n = 3 independent experiments.

B. Schematic of the CD47 locus and the target position of crRNA used.


C. Quantification of SiT-Cas12a gene editing efficiencies using either single (crRNA 1-10), double (crRNAs 1-2, 3-4, 5-6, 7-8, 9-10), or multiple (comprising crRNA from 4 to 9 or from 1 to 10) spacer sequences targeting the CD47 gene. Values represent mean \pm s.e.m., n = 3 independent experiments.

D. Quantification of indel size distribution generated in *CD47* locus using a CRISPR array containing 10 distinct spacer sequences. Similar results for n = 3 independent experiments.

E. Quantification of mutation position distribution generated in *CD47* locus using a CRISPR array containing 10 distinct spacer sequences. Similar results for n = 3 independent experiments.

F. Quantification of position-dependent deletion size generated in *CD47* locus using a CRISPR array containing 10 distinct spacer sequences. Similar results for n = 3 independent experiments.

G. Quantification of position-dependent insertion size generated in *CD47* locus using a CRISPR array containing 10 distinct spacer sequences. Similar results for n = 3 independent experiments.



Supplementary Figure 3

Generation of SiT-Cas12a-based lentiviral vector


A. Schematic of a single transcript lentivirus architecture containing both Cas12a and a CRISPR array in different orientations and its effect on lentivirus production. The transcript encodes for: Cas12a (yellow rectangle); Triplex, a tertiary RNA structural motif (small purple rectangle); direct repeat (DR, grey square); spacer (blue square). The (+)-strand RNA contains a recognizable direct repeat prone to Cas12a-mediated cleavage, preventing functional assembly of virions. On the contrary, direct repeats positioned in inverted orientation are not recognized by Cas12a enabling lentivirus production.

B. Schematic of a single transcript lentivirus architecture containing both EGFP and mRNA stabilizer sequences in inverted orientation. The transcript encodes for: EGFP (green rectangle); Woodchuck Hepatitis Virus Posttranscriptional Regulatory Element (WPRE) (small blue rectangle); and a polyadenylation sequence (Poly(A), lilac rectangle).

C. Validation of single transcript lentivirus architecture in the inverted orientation. Values represent mean \pm s.e.m., n = 3 independent experiments.

D. Quantification of percentage of EGFP-positive cells by single transcript lentivirus architectures in the inverted orientation. Values represent mean \pm s.e.m., n = 3 independent experiments.

E. Quantification of gene editing efficiencies by SiT-Cas12a-based lentivirus harbouring 10 distinct spacer sequences targeting the *CD47* gene. Values represent mean \pm s.e.m., n = 3 independent experiments.





Supplementary Figure 4

Multiplexed gene editing with SiT-Cas12a.

A. Quantification of residual CD47-positive cells after SiT-Cas12a-mediated gene editing using single or multiple (10) crRNAs targeting the *CD47* gene. Similar results for $n = 3$ independent experiments.

B. Quantification of single, double and triple-negative cells after SiT-Cas12a-mediated gene editing using single or multiple (4) crRNAs targeting the *CD47*, *CD97*, and *CD166* genes. Values represent mean \pm s.e.m., $n = 3$ independent experiments.






Supplementary Figure 6

Optimization and characterization of a SiT-Cas12a transcriptional activator.

- A. Schematic of Cas12a transcriptional activators. Cas12a (yellow rectangle) and transactivation domains fused (TAD) are indicated.
- B. Quantification of relative *HBB* RNA expression using different Cas12a transcriptional activation domain fusion protein. Values represent mean \pm s.e.m., n = 3 independent experiments.
- C. Quantification of relative RNA expression for 4 distinct genes (*IL1B*, *ASCL1*, *ZFP42*, *IL1R2*) using ddCas12a fusion proteins (VP128, VPR, [Activ]) in combination with different crRNA array concentrations. Values represent mean \pm s.e.m., n = 3 independent experiments.
- D. Quantification of relative RNA expression of 2 distinct genes (*HBB*, *ASCL1*) as a function of the distance between the target and the transcription start site (TSS). Values represent mean \pm s.e.m., n = 3 independent experiments.
- E. Quantification of relative RNA expression as a function of basal gene expression for 10 distinct genes (*IL1B*, *ADRB2*, *HBB*, *IL1R2*, *CCR4*, *ASCL1*, *ZFP42*, *CHRM4*, *CCR10*, *HTR6*) induced by SiT-Cas12a-[Activ] and 20 distinct spacers targeting those 10 genes. Similar results for n = 3 independent experiments.



Supplementary Note 1

Single-transcript Cas12a construct:

AsCas12a-NLS-Hax3-Triplex-DR-BsmBI-BsmBI-DR

ATGACACAGTCGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCTGATCCCACAGGGC
AAGACCCCTGAAGCACATCCAGGAGCAGGGCTCATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTG
AAGCCCACATCGATCGGATCTACAAGACCTATGCCGACCAGTCGCTGCAGCTGGATTGGAGAAC
CTGAGCGCCGCCATCGACTCCTATAGAAAGGAGAAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCC
ACATATCGCAATGCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCTGGCACCGTGACC
ACAACCGAGCACCGAGAACGCCCTGCTGCCAGCTGACAAGTTACAACCTACTTCTCCGGCTTTATGAGAAC
AGGAAGAACGTGTTCAGGCCAGGGATATCAGCACAGCCATCCCACACCGCATCGTCAGGACAACCTCCCCAAG
TTTAAGGAGAATTGTCACATCTTACACGCCATCGCCTGATCACGCCGTGCCAGCCTGCCAGGAGCACTTGAGAAC
AAGAAGGCCATCGGCATCTCGTGAGCACCTCCATCGAGGAGGGTGTTCCTCCCTTTATAACCAGCTGCTG
ACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTGGGAGGCAGGACCGAGAACATCAAG
GGCCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAACATGAGACAGCCCACATCATGCCCTCCGCCACAC
AGATTCATCCCCCTGTTAACGAGATCCTGTCCGATAGGAACACCCCTGCTTTCATCCTGGAGGAGTTAAC
GACGAGGAAGTGATCCAGTCCTCTGCAAGTACAAGACACTGCTGAGAAACGAGAACGTGCTGGAGAAC
GGCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTTCATGCCACAAGAACGAGCTGGAGAAC
CAGCGCCCTGTGCCGACCACTGGGATACACTGAGGAATGCCGTATGAGCGGAGAACATCCGAGCTGACAGGCAA
GATCACCAAGTCTGCCAAGGAGAACGGTGAGCGAGGCCCTCAAGCAGAAAACAGCAGAGATCCTGCTCCAC
TGCCGAGGCCAGGAGCTGAGCGAGGCCCTCAAGCAGAAAACAGCAGGAGAACGGAGATCTGAGCTGGAGAAC
GGATCAGCCACTGCCATCACACCCCTGAAGAACGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGAGAAC
GGCCCTGTACCAACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCGGCT
GACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTCTACAACAAGGCCAGAACATTATGCCACCAAGAAC
CTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCACTGAGGCCCTCTGGCTGGAGCTGAATAAGGAGAA
GAACAATGGGCCATCCTGTTGTAAAGAACGGCTGTACTATCTGGCATCATGCCAAAGCAGAACGGCAGGTA
TAAGGCCCTGAGCTCGAGCCCACAGAGAAAACAGCAGGGCTTGATAAGATGTACTATGACTACTTCCCTGA
TGCCGCCAAGATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACCTTCAAGGCCACACA
CATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATCACAAAGGAGATCTACGACCTGAACAACTCTGAGAA
GGAGCCAAAGAACGTTTCAGACAGCCTACGCCAAGAAAACGGGAGCAGAACGGCTACAGAGAGGCCCTGTGCA
AGTGGATCGACTTCACAAGGGATTTCTGTCGAAGTATACCAAGACAAACCTCTACGATCTGTCTAGCCTGCC
CATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCAGCTGAATCCCTGCTGTACCATCAGCTCCAGA
GAATGCCGAGAACGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACCGGCTGTTCTCCAGAGAAC
GCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCTAACGCTGAGGATGAAGAGGATGGCA
CACCGGCTGGAGAGAACGATGCTGAACAAGAACGCTGAAGGATCAGAAAACCCCAATCCCGACACCCCTGTAC
GAGCTGTACGACTATGTGAATCACAGACTGCTCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAAC
ATCACCAAGGAGGGTGTCTCACGAGATCATCAAGGATAGGCCTTACCAAGCGACAAGTTCTTCCACGTGCT
ATCACACTGAACATCAGGCCCAATTCCCCATCTAACGTTCAACCAGAGGGTGAATGCCACCTGAAGGAGCAC
CCCGAGAACACCTATCATCGGCATCGATGGGGCGAGAGAACCTGATCTATATCACAGTGTACGACTCCACCGGC
AAGATCCTGGAGCAGCGGAGCCTGAACACCATTCAAGCAGTTGATTACCAGAAGAACGCTGGACAACAGGGAGAA
GGAGAGGGTGGCAGCAAGGCAGGCCCTGGTCTGTGGTGGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCC

AGGTCACTCACGAGATCGTGGACCTGATGATCCACTACCAGGCCGTGGTGGCTGGAGAACCTGAATTTCGGCT
TTAAGAGCAAGAGGACCGGCATGCCGAGAAGGCCGTGTACCAAGCAGTCAGAAGATGCTGATCGATAAGCTG
AATTGCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGGAGGCCTGCTGAACCCATACCAGCTGACAGACCAG
TTCACCTCCTTGCCAAGATGGGCACCCAGTCTGGCTCCTGTTACGTGCCTGCCCATATACATCTAAGATCG
ATCCCCTGACCGGCTCGTGGACCCCTCGTGTGGAAAACCATCAAGAATCACGAGAGCCGCAAGCACTTCCTGG
AGGGCTTCGACTTCTGCACTACGACGTGAAAACCAGCGACTTCATCCTGCACTTAAGATGAACAGAAATCTGT
CCTTCCAGAGGGGCCTGCCGGCTTATGCCTGCATGGATATCGTGTGAGAAGAACGAGACACAGTTGACG
CCAAGGGCACCCCTTCATGCCGGCAAGAGAATCGTGCAGTGAGAATCACAGATTCAACGGCAGATACC
GGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGAGGAGAAGGGCATCGTGTGAGGATGGCTCCAACA
TCCTGCCAAAGCTGCTGGAGAATGACGATTCTCACGCCATCGACACCATTGGTGGCCGTATCCGAGCGTGTGC
AGATGCGGAACCTCAATGCCGCCACAGCGAGGACTATATCAACAGCCCCGTGCGGATCTGAATGGCGTGTGCT
TCGACTCCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCATGGCGCTACCACATGCCCTGAAGG
GCCAGCTGCTGCTGAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAACGGCATCTCAATCAGGACTGGC
TGGCCTACATCCAGGAGCTGCGCAACAAAAGGCCGCCACGAAAAAGGCCGCCAGGCAAAAAAGAAAAAG
GGATCCTACCCATACGATGTTCCAGATTACGTTATCCCTACGACGTGCCTGATTATGCATACCCATATGATGTC
CCCGACTATGCCTAAGAATTCATTGCTCAGTAGGGTTGTAAGGTTTCTTCTGAGAAAACACCTTTG
TTTCTCAGGTTTGCTTTGGCCTTCCCTAGCTTAAAAAAAGCAAAACTCACCGAGGCAGTCCAT
AGGATGGCAAGATCCTGGTATTGGCTGCAAATTCTACTCTTAGATGGAGACGCAAATTCTAATCCAGCTT
CAACAGCTATTCACAAGCTTCATGATTCTCGTCTTAATTCTACTCTGTAGAT

LSL-AsCas12a-NLS-HAx3-Triplex-DR-BsmBI-BsmBI-DR

ATAACTTCGTATAATGTATGCTATACGAAGTTATTGCGATGAATAAATGAAAGCTTGCAGATCTGCGACTCTA
GAGGATCTGCGACTCTAGAGGATCATAATCAGCCNTACCACATTGTTAGAGGTTTACTNGCTTAAAAAAC
TCCCACACCTCCCCCTGAACCTGAACACATAAAATGAATGCAATTGTTGTTAACTTGTATTGCACTTATA
ATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAGCATTGTTACTGCATTCTAGTTGTT
TTGTCCAAACTCATCAATGTATCTTATCATGCTGGATCTGCGACTCTAGAGGATCATAATGCCATACCACAT
TTGTAGAGGTTTACTGCTTAAAAACCTCCCACACCTCCCCCTGAACCTGAACACATAAAATGAATGCAATTG
TTGTTGTTAACTGTTATTGCACTTATAATGGTTACAAATAAGCAATAGCATCACAAATTTCACAAATAA
GCATTGTTACTGCATTCTAGTTGTTGTCAAACACTCATCAATGTATCTTATCATGCTGGATCTGCGAC
TCTAGAGGATCATAATGCCATACCACATTGTTAGAGGTTACTGCTTAAAAACCTCCCACACCTCCCC
TGAACCTGAAACACATAAAATGAATGCAATTGTTGTTAACTTGTATTGCACTTATAATGGTTACAAATAA
AGCAATAGCATCACAAATTTCACAAATAAGCATTGTTACTGCATTCTAGTTGTTGTCAAACACTCATC
AATGTATCTTATCATGCTGGATCCCCATCAAGCTGATCCGGAACCCCTAATATAACTTCGTATAATGTATGCTA
TACGAAGTTATTAGGTCCCTCGACCTGCAGCGGTACCGCCACCATGACACAGTCAGGGCTTACCAACCTGTA
TCAGGTGAGCAAGACACTGCGTTGAGCTGATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTT
CATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTGAAGCCATCATGATCGATCTACAAAGACCTA
TGCCGACCAGTGCCTGCAGCTGGATGGAGAACCTGAGCGCCGCATCGACTCCTATAGAAAGGA
GAAAACCGAGGAGACAAGGAACGCCGTGATCGAGGAGCAGGCCACATATCGCAATGCCATCCACGACTACTCAT
CGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACACGCCGAGATCTACAAGGCCGTGTCAGGCCGA
GCTGTTAATGGCAAGGTGCTGAAGCAGCTGGGCACCGTGACCACAACGAGCACGAGAACGCCCTGCTGCCAG
CTTCGACAAGTTACAACCTACTTCTCCGGCTTTATGAGAACAGGAAGAACGTGTTAGCGCCGAGGATATCAG
CACAGCCATCCCACACCGCATCGTGCAGGACAACCTCCCAAGTTAAGGAGAATTGTCACATCTCACACGCC
GATCACCGCCGTGCCAGCCTGCCGGAGCACCTTGAGAACGTGAAGAACGCCATCGCATCTCGTGAGCACCTC
CATCGAGGAGGTGTTTCCCTTATAACCAGCTGCTGACACAGACCCAGATCGACCTGTATAACCAGCT
GCTGGGAGGAATCTCTCGGGAGGCAGGCACCGAGAACATCAAGGCCGTGAACGAGGTGCTGAATCTGCCATCCA

GAAGAATGATGAGACAGCCCACATCATGCCCTCCGCCACACAGATTCACTCCCCCTGTTAACGCAGATCCTGTC
CGATAGGAACACCCCTGTCTTCATCCTGGAGGAGTTAACGAGCGAGGAAAGTGATCCAGTCCTCTGCAAGTA
CAAGACACTGCTGAGAACGAGAACGTGCTGGAGACAGCCGAGGCCCTGTTAACGAGCTGAACAGCATCGACCT
GACACACATCTTCATCAGCCACAAGAACGAGCTGGAGACAAATCAGCAGCGCCCTGTGCGACCACGGGATAACTGAG
GAATGCCCTGTATGAGCGGAGAACATCTCCGAGCTGACAGGCAAGATCACCAAGTCTGCCAACGGAGAACGGTCAGC
GCAGCCTGAAGCAGCAGGAGATCAACCTGCAGGAGATCATCTGCCGCAGGCAAGGAGCTGAGCGAGGCCCTCA
AGCAGAAAACCAGCGAGATCCTGTCACGCACACGCCGCCCTGGATCAGCCACTGCCAACACCCTGAAGAAC
AGGAGGAGAAGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGGCCCTGTACCCACCTGCTGGACTGGTTGCCG
TGGATGAGTCCAACGAGGTGGACCCGAGTTCTCTGCCCGCTGACCGGCATCAAGCTGGAGATGGAGCCTCTC
TGAGCTTCTACAACAAGGCCAGAAATTATGCCACCAAGAACGCCACTCCGTGGAGAACGTTCAAGCTGAACCTTC
AGATGCCCTACACTGGCCTCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAAC
GCCCTGTAATCTGGCATTGCAACAGAGAACAGGGCAGGTATAAGGCCCTGAGCTCGAGCCCACAGAGAAA
ACCAGCGAGGGCTTGATAAGATGTAATGACTACTCCCTGATGCCCAAGATGATCCAAAGTGCAGCACC
CAGCTGAAGGCCGTGACAGCCCACCTTCAGACCCACACAACCCCCATCCTGCTGTCACAATTCATCGAGCCTC
TGGAGATCACAAAGGAGATCTACGACCTGAACAATCCTGAGAACGGAGCCAAAGAACGTTCAGACAGCCTACGCC
AAGAAAACCGGCACCAGAACGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTTCTGTC
AAAGTATACCAAGACAACCTCTATCGATCTGCTAGCCTGCCATCCTCTCAGTATAAGGACCTGGCGAGTAC
TATGCCGAGCTGAATCCCTGCTGTACCATCAGCTCCAGAGAACGAGGAGATCATGGATGCCGTG
GAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGACTTGCCAAGGGCACCGGCAAGCCTAAC
CACACACTGTATTGGACGGCTGTTCTCCAGAGAACGAGGAGCTGTCAGTAAAGGACCTGGCGAGTAC
GAGCTGTTCTACCGCCCTAACGAGGATGAAGAGGAGATGGCACACCGGCTGGAGAGAACGATGCTGAACAAGAA
GCTGAAGGATCAGAAAACCCAATCCCCGACACCCCTGTACCGAGGAGCTGTACGACTATGTGAATCACAGACTGTC
CCACGACCTGCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCAGGAGGTGTCTCACGAGATCATCAA
GGATAGGCCTTACCGCGACAAGTTCTTCCACGTGCCTATCACACTGAACATCACGAGGAGCTGGACCTAAC
ATCTAAGTTCAACCAGAGGGTGAATGCCACCTGAAGGAGCACCCGAGACACCTATCATGGCATCGATGGGG
CGAGAGAAAACCTGATCTATCACAGTGAACGACTCCACCGGCAAGAACGATCCTGGAGCAGCGGAGCCTGAACACCAT
CCAGCAGTTGATTACCAGAGAACGAGCTGGACAACAGGGAGAACGGAGAGGGTGGCAGCAAGGCAGGCCTGGTCTG
TGGTGGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGATCGTGGACCTGATGATCC
ACTACCAGGCCGTGGTGGCTGGAGAACCTGAATTCCGGCTTAAGAGCAAGAGGACCGGCATGCCAGAGAAGG
CCGTGTACCAAGCAGTCAGAGAACGATGCTGATCGATAAGCTGAATTGCCCTGGCTGAAGGACTATCCAGCAGAG
AAAGTGGAGGGCGTGTGAAACCCATACCAAGCTGACAGACCAGGTTCACCTCTTCCAAGATGGCACCCAGTCT
GGCTCCCTGTTTACGTGCCCTGCCCATATACATCTAACGATCGATCCCGCTGACGGGCTTCGTGGACCCCTCGTGT
GGAAAACCATCAAGAACGAGAGGCCAACGACTCCCTGGAGGGCTTCGACTTCTGCACTACGACGTAAAA
CCGGCGACTTCATCCTGCACTTAAGATGAACAGAAATCTGCCCTTCAAGAGGGCCTGCCGGCTTATGCC
CATGGGATATCGTTCGAGAAGAACGAGACACAGTTGACGCCAACGGCACCCCTTCATGCCGGCAAGAGAA
TCGTGCCAGTGATCGAGAACATCACAGATTACCGGCAGATACCGGACCTGTATCCTGCCAACGAGCTGATGCC
TGCTGGAGGGAGAACGGCATCGTGTCAAGGATGGCTCCAACATCCTGCCAACAGCTGCTGGAGAACGATTCTC
ACGCCATCGACACCATGGGCCCTGATCCGAGCGTGCTGCAGATGCCAACCTCAATGCCGCCACAGCGAGG
ACTATATCAACAGCCCCGTGCGCATCTGAATGGCGTGTCTGACTCCGGTTTCAGAACCCAGAGTGGCCA
TGGACGCCATGCCAACGGCCTACACATGCCCTGAAGGGCAGCTGCTGTAATCACCTGAAGGAGAGCA
AGGATCTGAAGCTGCAGAACGGCATCTCAATCAGGACTGGCTGGCTACATCCAGGAGCTGCGAACAAAAGGC
CGGCAGGCCACGAAAAAGGCCGCCAGGCAAAAAAGAAAAAGGGATCCACCCATACGATGTTCCAGATTACGCTT
ATCCCTACGACGTGCCATTGATGCATACCATATGATGTCCTGACTATGCCAACGATTTCAGGTTGCTTGGCCTTCC
GGTTGTAAGGTTTCTTCTGAGAAAACAACCTTTGTTCTCAGGTTGCTTGGCTTGGCCTTCC
CTTAAAAAAAAGCAAAACTCACCGAGGCAGTCCATAGGATGGCAAGATCCTGGTATTGGTCTGCGAAA

TTTCTACTCTTAGATG**GAGACGCAAATTCTAACAGCTTTACAAGCTTCATGATTCTC**
GTCTCTAATTCTACTCTTAGAT

TRE-miniCMV-AsCas12a-NLS-HAx3-Triplex-DR-BsmBI-BsmBI-DR

TCGAGTTACTCCCTACAGTATGAGAACGTATGTCAGTTACTCCCTACAGTATGAGAACGTATGTCGAGTTACTCCCTACAGTATGAGAACGTATGTCGAGTTACTCCCTACAGTATGAGAACGTATGTCGAG**GGTAGGCCTACGGTGGAGGCCATAATAAGCAGAGCTC**
TCTGGCTAACTAGAGAACCCACTGCTTACTGGCTTACGAAATTAAATACGACTCACTATAGGGAGACCCAAGCTG
GCTAGCGTTAAACTTAAGCTTGGTACCGCACCAGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAG
CAAGACACTGCGGTTGAGCTGATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTCATCGAGGA
GGACAAGGCCGCAATGATCACTACAAGGAGCTGAAGCCATCATCGATCGGATCTACAAGACCTATGCCGACCA
GTGCCTGCAGCTGGTGCAGCTGGATTGGGAGAACCTGAGCGCCCATCGACTCCTATAGAAAGGAGAAAACGA
GGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGAATGCCATCCACGACTACTCATCGGCCGGAC
AGACAACCTGACCGATGCCATCAATAAGAGACACGCCAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAA
TGGCAAGGTGCTGAAGCAGCTGGGACCAGTGACCACACCGAGCACGAGAACGCCCTGCTCGGAGCTCGACAA
GTTTACAACCTACTTCTCCGGCTTTATGAGAACAGGAAGAACGTGTTAGCGCCGAGGATATCAGCACAGCCAT
CCCACACCGCATCGTGAGGACAACCTCCCCAAGTTAAGGAGAATTGTCACATCTTCACACGCCCTGATCACCGC
CGTGCCTGCAGCCTGGGAGCACTTGAGAACGTGAAGAACGCCATGGCATCTCGTGAGCACCTCCATCGAGGA
GGTGTTCCTCCCTTTATAACCAGCTGCTGACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGG
AATCTCTCGGGAGGCAGGACCGAGAACGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAATG
ATGAGACAGCCCACATCATGCCCTGCCACACAGATTCACTCCCCCTGTTAAGCAGATCCTGTCAGTACAAGACAC
ACACCCCTGTTCATCCTGGAGGAGTTAAGAGCGACGAGGAAGTGAATCCAGTCTGCAAGTACAAGACAC
TGCTGAGAAACGAGAACGTGCTGGAGACAGCCAGGGCTGTTAACGAGCTGAACAGCATCGACCTGACACACA
TCTTCATCAGCCACAAGAACGCTGGAGACAATCAGCAGGCCCTGCGACCACTGGATAACTGAGGAATGCC
TGTATGAGCGGAGAACGCTCCGAGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGCTGAGCGAGCCTG
AAGCACGAGGATATCAACCTGAGGAGATCATCTGCGCAGGCAAGGAGCTGAGCGAGGCCCTCAAGCAGAA
AACCAGCGAGATCCTGTCCTGCCACCGCACACGCCCTGGATCAGCCACTGCCCTACAACCCCTGAAGAACGAGG
GAAGGAGATCCTGAAGTCTCAGCTGGACAGCCCTGCTGGGCTGTACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCT
GTCCAACGAGGTGGACCCGAGTTCTGCCCCGCTGACCCGATCAAGCTGGAGATGGAGCCTCTGAGCT
CTACAACAAGGCCAGAAATTATGCCACCAAGAACGCCCTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCC
TACACTGGCCTCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAACGCCCTGTA
CTATCTGGCCTCATGCCAAAGCAGAACAGGCCAGGTATAAGGCCCTGAGCTCGAGCCCACAGAGAAAACAGCGA
GGGCTTGATAAGATGTACTATGACTACTTCCCTGATGCCGCAAGATGATCCAAAGTGCAGCACCCAGCTGAA
GCCGTGACAGCCCACCTTCAGACCCACACAACCCCATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATC
ACAAAGGAGATCTGACCTGAACAACTCTGAGAACAGGCCAAAGAACGTTCAAGCTGACAGCCTACGCCAAGAAAAC
CGGCAGAACAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGTCAGTAACT
CAAGACAACCTCTATCGATCTGCTAGCCTGCCATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCGA
GCTGAATCCCTGCTGTACCATCAGCTTCCAGAGAACGCTGAGAACAGGCCAAAGAACGTTCAAGCTGAACT
CAAGCTGTACCTGTTCCAGATCTATAACAAGGACTTGGCCAAGGGCCACCGCCAAGCCTAATCTGCACACACT
GTATTGGACCGCCCTGTTCTCCAGAGAACCTGGCCAAGAACGATCAAGCTGAATGCCAGGCCAGCTGTT
CTACCGCCCTAACGTCCAGGATGAAGAGGATGGCACCCGGCTGGAGAGAACGATGCTGAACAAGAACGCTGAAGG
ATCAGAAAACCCCAATCCCCGACACCCCTGTACCGAGGAGCTGTACACTATGTAATCACAGACTGTCACGACC
TGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACCAAGGAGGTGTCAGAGATCATCAAGGATAGGC
GCTTACCGCAGAACGTTCTTCCACGTGCTTACACTGAACATCAGGCCAAATTCCCATCTAACG

TCAACCAGAGGGTGAATGCCTACCTGAAGGAGCACCCGAGACACCTATCATCGCAGTCATCGGATCGAGAGAGAA
 ACCTGATCTATATCACAGTGACTCCACCGGCAAGATCCTGGAGCAGCGGAGCCTGAACACCATCCAGCAGT
 TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGGAGAGGGTGGCAGCAAGGCAGGCCTGGTCTGTGGGGC
 ACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACAGAGATCGTGGACCTGATGATCCACTACCAG
 GCCGTGGTGGTGTGGAGAACCTGAATTTCGGCTTTAAGAGCAAGAGGACCGGCATGCCGAGAAGGCCGTGTAC
 CAGCAGTTCGAGAAGATGCTGATCGATAAGCTGAATTGCCTGGTCTGAAGGACTATCCAGCAGAGAAAGTGGG
 AGGCCTGCTGAACCCATACCAGCTGACAGACCAGTTCACCTCCTTGCCAAGATGGGCACCCAGTCTGGCTTCCT
 GTTTACGTGCCTGCCCATATACATCTAACAGATCGATCCCCGTGACCGGCTTCGTGGACCCCTTCGTGTGGAAAAC
 CATCAAGAATCACGAGAGCCGCAAGCACTCCTGGAGGGCTTCGACTTCTGCACTACGACGTGAAAACCGCGA
 CTTCATCCTGCACTTAACAGAAATCTGTCCTCAGAGGGGCTGCCGGCTTTATGCCTGCATGGGA
 TATCGTGTTCGAGAAGAACGAGACACAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAATCGTGC
 AGTGTGAGAATCACAGATTCACCGGAGATACCGGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGG
 GGAGAAGGGCATCGTGTCAAGGATGGCTCAACATCCTGCCAAAGCTGCTGGAGAATGACGATTCTCACGCCAT
 CGACACCATTGGTGGCCCTGATCCGAGCGTGCTGCAGATCGGAACTCCAATGCCGCCACAGGCAGGGACTATAT
 CAACAGCCCCGTGCGCAGATCTGAATGGCGTGCTCGACTCCCCTTCAGAACCCAGAGTGGCCATGGACGC
 CGATGCCAATGGCGCTACCACATGCCCTGAAGGGCAGCTGCTGAATCACCTGAAGGAGAGCAAGGATCT
 GAAGCTGAGAACGGCATCTCAAATCAGGACTGGCTGGCCTACATCCAGGAGCTGCGCAACAAAAGGCCGGCG
 CACGAAAAAAGGCCGCCAGGCAAAAAAGAAAAAGGGATCTACCCATACGATGTTCCAGATTACGCTTATCCCTA
 CGACGTGCCTGATTATGCATAACCATATGATGTCCCCACTATGCCAACGATTTCAGGTTGCTTGGCCTTCCCTAGCTTAAA
 AAGGTTTTCTTCTGAGAAAACAACCTTTGTTCTAGGTTGCTTGGCCTTCCCTAGCTTAAA
 AAAAAGCAAACTCACCGAGGCAGTTCCATAGGATGGCAAGATCCTGGTATTGGCTGCGAAATTCTAC
 TCTTAGATGGAGACGCAAATTCTAATCCAGCTTCAACAGCTATTTCACAAGCTTCATGATTCTCGTCTCTA
 ATTCTACTCTTAGAT

Single-transcript Cas12a construct for Lentivirus production:

[CMV-AsCas12a-NLS-P2A-Puro-HAx3-Triplex-DR-BsmBI-BsmBI-DR-WPRE-Poly(A)] inverted

CACACAAAAAACCAACACAGATCTAATGAAAATAAGATCTTTATTACGGCTCATGGATTGAGCGGGGA
 GGCAGCCCAAAGGGAGATCCGACTCGTCTGAGGGCGAAGGCGAAGACCGGAAGAGGCCAGAGGCCAGCA
 GGCGCGGAAGGAAGGTCCGCTGGATTGAGGGCGAAGGGACGTAGCAGAACGCTCCCGCAGAACATCCAG
 GTGGCAACACAGGGCAGGCCAAGGAAAGGACGATGATTCCCGACAACACCACGGAATTGTCAGTGCCAAC
 AGCCGAGCCCCTGTCAGCAGCGGCAAGGCAGGCAGATGAGTTCCCGTGGCAATAGGGAGGGAAAGCG
 AAAGTCCGGAAAGGAGCTGACAGGTGGTGGCAATGCCAACAGTGGGGTTGCGTCAGCAAACACAGTGCAC
 ACCACGCCACGTTGCCTGACAACGGCCACAACCTCTATAAAGAGACAGCAACCAGGATTATAAAGGAGGAG
 AAAATGAAAGCCATACGGGAAGCAATAGCATGATAAAAGGATTAAAGCAGCGTATCCACATAGCGTAAAAGG
 AGCAACATAGTTAAGAATACCAAGTCAATCTTACAAATTGTAATCCAGAGGTTGATTGTCGACTTAACGCG
 ATCTATGTCTAGAATCTACAAGAGTAGAAATTAGAGACGAGAAATCATGAAAGCTTGTGAAATAGCTGTTGAAG
 CTGGATTAGAATTGCGTCTCCATCTACAAGAGTAGAAATTGCGCAGACCAATACCGGATCTGCCATCCTATG
 GAACTGCCTCGGTGAGTTTGCTTTTTAAAGCTAGGGAAAGGCCAAAAGCAAAACCTGAGAAAACA
 AAAGGTTTTCTCAGGAAAAGAAAAACCTTACAACCCACTGACGAATCGAATTCTTAGGCATAGTCGGG
 ACATCATATGGGTATGCATAATCAGGCACGTCGTAGGGATAAGCGTAATCTGGAACATCGTATGGGTAGGATCC
 GGCACCGGGCTTGCAGGTGACCGAGGTGGCGGTCTCGGGCACCTCGACGTCGGCGTACGGTGAAGCC
 GAGCCGCTCGTAGAAGGGAGGTTGCGGGCGCGAGGTCTCCAGGAAGGCAGGCCACCCGGCGCTCGGCC
 CTCCACTCCGGGAGCAGCACGGCCTGCCAGACCCCTGCCCCGGTGGTGGCGAGACTCCGACGGTGGCCAG
 GAACCACGCGGGCTCTGGCGGTGCGGCCAGGAGGCTTCCATGTTGCTGCGCCAGCCGGGAACC
 GCTCAACTCGGCCATGCGCGGGCGATCTCGCGAACACCGCCCCGCTTCGACGCTCTCCGGCGTGGTCCAGACC

GCCACGGCGGCCGCGTCGCGACCCACACCTGCCGATGTCGAGCCCCACGCCGTGAGGAAGAGTTCTGCA
AGCTCGGTGACCCGCTCGATGTCGCGGTCCGGATCGACGGTGTGGCGCGTGGCGGGTAGTCGGCGAACGCCGC
GCGAGGGTGCCTACGGCCCTGGGACGTCGCGGGTGGCGAGGCGACCCTGGCTTGACTCGGTTGGCCCG
GGATTCTCTCGACATCCCCTGCTTCAACAGGGAGAAGTTAGTGGCTCCGCTTCCGGATCCGGATCC
TTTGCCTGGCCGGCCTTTCTGCTGGCCGGCCTTTGTTGCGCAGCTCCTGGATGTCGAGCCAGTCCTGAT
TGGAGATGCCGTTCTGCAGCTCAGATCCTGCTCCTCAGGTGATTCAAGCAGCTGGCCCTCAGGGCA
TGTGGTAGGCGCATTGGCATGGCGTCCATGGGCCACTCTGGGTTCTGAAACCGGGAGTCGAAGCACACGCCAT
TCAGATCGCGCACGGGCTGTTGATATAGTCCTCGCCTGTGGCGCATGGAGTTCCGCATCTGCAGCACGCTGC
GGATCAGGGCACCAGGTGTCGATGGCGTGAGAATCGTATTCTCAGCAGCTTGGCAGGATGTTGGAGCCAT
CCCTGAACACGATGCCCTCTCCTCAGCAGGGCAGTCAGCTCGTGGCAGGATACAGGTCCTGGTATCTGCCGG
TGAATCTGTGATTCTGATCACTGGCAGATTCTCTGCGGCGATGAAAGGGGTGCCCTGGCGTCAAAGTGT
TCTCGTTCTCTCGAACACGATATCCCATGCAGGCATAAAGCCGGCAGGCCCTCTGGAAGGACAGATTCTGT
TCATCTTAAAGTCAGGATGAAAGTCGCCGGTTTACGTCGTTAGTCAGAAAGTCGAAGCCCTCAGGAAGTGCT
TGCAGCTCTCGTATTGATGGTTTACACGAAGGGTCCACGAAGCCGGTCAGGGGATCGATCTTAGATG
TATATGGGGCAGGCACGTAACAGGAAGCCAGACTGGGTGCCATCTGGCAAAGGAGGTGAACGGTCTGTC
AGCTGGTAGGGTCAGCACGCCCTCCACTTCTGCTGGATAGTCCTCAGCACCCAGGAATTCAAGCTTATCG
ATCAGCATCTCTCGAACACTGCTGGTACACGCCCTCTCGCGATGCCGGTCTCTGCTCTAAAGCCGAAATT
AGGTTCTCCAGCACCAACAGGCCTGGTAGTGGATCATCAGGCCAGTCAGCTGGATGACCTGGCTCAGATAG
CCCTGCTTCAGATCCTGATTGTGCCACCACAGACCAGGCCCTGCCCTGCTGCCACCCTCTCCCTGTTG
CCAGCTTCTCTGGTAATCAAACGCTGGATGGTTCAGGCTCCGCTGCTCCAGGATCTGCCGGTGGAGTCGA
TCACTGTGATATAGATCAGGTTCTCGCCCCGATCGATGCCGATGATAGGTGTCGGGTGCTCCTCAGGT
AGGCATTCACCTCTGGTAGACTTAGATGGGAATTGGCGGCCGATAGTTCACTGTCAGTCAGGACGTGGAAA
AAGAACTTGTGCTGGTAAAGCGCTATCCTGATGATCTCGTGAGACACCTCCTGGTATCAGTTGGCAGC
AGGCCCTGGCCTCATCAGACAGGCGTGGACAGTCAGTCAGTCACAGCTCCTGGTACAGGGT
TCGGGGATTGGGTTCTGATCCTCAGCTCTGTCAGCATCTCTCCAGCCGGTGTGCCATCCTCTCA
TCCTGGACTTAGGGCGGTAGAACAGCTCGGCCATTGCGATGCTGCTCTGGCCAGGTTCTGGAG
AAAACAGGCCGGTCCAATACAGTGTGTCAGATTAGGCTGCCGTGGCCTTGGCAAAGTCCTGTTATAGA
TCTGGAACAGGTACAGCTGCCCTCCACGGCATCCATGATCTCCTCTCGCGATTCTCTGGAAAGCTGATGT
GGTACAGCAGGGATTCACTCGGCATAGTACTCGCCCAGGTCTTACTGAGAGGATGCCGCAGGCTAGACA
GATCGATAGAGGTTGTCGGTATACTGGACAGAAAATCCCTGTGAAGTCGATCCACTGCACAGGCCCTCTC
TGTAGCCCTCTGGCGCCGGTTCTGGCTAGGCTGTGAAACTCTTGGCTCCTCTCAGGATTGTTCA
GGTCTAGATCTCTTGATCTCCAGAGGCTCGATGAAATTGTTGGACAGCAGGATGGGGTTGTCGGT
GAAAGTGGCTGTCAGGCCCTCAGCTGGTGCTGACTTGGGATCATCTGGCGCATCAGGGAAAGTAGTCAT
AGTACATCTTATCAAAGCCCTCGCTGGTTCTCTGTCAGGGCTCGAAGCTCAGGGCTTACACGCCCTCTGCT
TTGGCATGATGCCAGATAGTACAGGCCGTTCTCACAAACAGGATGGGCCATTGTTCTCTCCTTATTCA
CCCAGCCAGAGGCCAGTGTAGGCATCTGAAAGTTCACTGAAACTCTCCACGGAGTAGGGCTTGGTGC
AATTCTGGCCTGTTGAGAGCTCAGAGAAGGCTCATCTCCAGCTGATGCCGGTCAGCCGGCAGAGAACT
CGGGGTCCACCTCGTGGACTCATCCACGGCAAACCCAGTCAGCAGGTGGTACAGGCCAGCAGGCTGTCCAGCT
GAGACTTCAGGATCTCCTCTCCTGCTTCAAGGGTTGTCAGGCAGTGGCTGATCCAGGGCGGTGCGT
GGGACAGGATCTCGTGGTTCTGCTTGAAGGCCCGCTCGCAGCTCCTGCCCTGCCAGAGATGATCTCCTGCA
GGTTGATATCCTCGTCTTCAGGCTCGCCTGCACCTTCTCCTGGCAGACTGGTATCTGCCCTGTCAGCTCG
AGATTCTCCGCTCATACAGGGCATTCTCAGTGTATCCAGTGGTCGACAGGGCGCTGCTGATTGTC
TCTTGTGGCTGATGAAGATGTGTCAGGTCAGTCAGCTGTTAAACAGGGCCTCGGCTGTCTCCAGCA
CGTTCTCGTTCTCAGCAGTGTACTTCAGAAGGACTGGATCACTCCTCGTCTAAACTCCTCCA
GGATGAAAGACAGGGTGTTCCTATCGGACAGGATCTGCTTAAACAGGGGATGAATCTGTGGCAGGGAGGCG
ATGATGTGGGCTGTCATCATTCTGGATGCCAGATTCAAGCACCTCGTCAGGCCCTGATCTCTCGGT

CCTGCCTCCGAGAGATTCTCCCAGCAGCTGGTTATACAGGTGATCTGGGTCTGTGTCAAGCAGCTGGTTATAA
AAAGGGAAGGAAAACACCTCCTCGATGGAGGTGCTCACGAAGATGCCATGCCCTTTCACGTTCTCAAAGTGC
TCCCGCAGGCTGGCACGGCGGTGATCAGGCGTGTGAAGATGTGACAATTCTCCTTAAACTGGGAAGTTGTCC
TGCACGATGCCGTGGATGGCTGTGCTGATATCCTCGGCCTGAACACAGTCTTCTGTCAAGGTGCCAGC
GAGAAGTAGGTTGTAACCTGTCGAAGCTCCGAGCAGGGCGTCTCGTGTGGTCAAGGTGCCAGC
TGCTTCAGCACCTGCCATTAAACAGCTCGGCCTGAACAGGCCCTGTAGATCTGGCGTGTCTTATTGATG
GCATCGGTAGGTTGTCTGCCGGCATGAAGTAGTCGTGGATGGCATTGCGATATGTGGCTGCTCCTCGATC
AGGGCGTTCTTGTCTCCTCGGTTTCTCCTTCTATAGGAGTCGATGCCGCCCTCAGGGTCTCCAACTCCAGCT
GCACCAGCTGCAGGCAGTCGGCATAGGTCTGTAGATCCGATCGATGATGGCCTCAGCTCCTGTAGTGAT
CATTGCCGGCCTTGTCTCCTCGATGAAGCCCTGCTCTGGATGTGCTTCAGGGCTTGTGGATCAGCTC
AAACCGCAGTGTCTGTCACCTGATACAGGTTGGTAAAGGCCCTGAACGTGTCATGGTGGCGGTACCAAGCTT
AAGTTAACGCTAGCCAGCTGGGCTCCCTATAGTGAGTCGTTAATTGATAAGCCAGTAAGCAGTGGGT
TCTCTAGTTAGCCAGAGAGCTCTGCTTATAGACCTCCACCGTACACGCCCTACGCCCTATTGCGTCAATGGG
GCGGAGTTGTTACGACATTGGAAAGTCCCCTGATTTGGCCAAAACAAACTCCATTGACGTCAATGGG
TGGAGACTTGGAAATCCCCGTGAGTCAAACCGCTATCCACGCCATTGATGTACTGCCAAAACCGCATCAC
CATG
GTAATAGCGATGACTAATACGTAGATGTACTGCCAAGTAGGAAAGTCCATAAGGTATGTA
CTGGCATAATG
CCAGGCCGGCATTACCGTCATTGACGTCAATAGGGGGCTACTTGGCATATGATACACTGATGTACTGCCAA
GTGGCAGTTACCGTAAATACTCCACCCATTGACGTCAATGGAAAGTCCATTGGCGTTACTATGGGAAACATA
CGTCATTATTGACGTCAATGGCGGGGCGTTGGCGGTAGCCAGGCCATTACCGTAAGTTATGTAAC
G

Cas12a variants:

ddCas12a (E993A)

ATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCCGTTGAGCTGATCCCACAGGGC
AAGACCTGAAGCACATCCAGGAGCAGGGCTCATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTG
AAGCCCATCATCGATGGATCTACAAGACCTATGCCGACCAGTGCCTGCAGCTGGTGCAAGCTGGATTGGAGAAC
CTGAGCGCCGCCATCGACTCCTATAGAAAGGAGAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCC
ACATATCGCAATGCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCTGGCACCGTGACC
ACAACCGAGCAGGAGAACGCCCTGCTGGAGCTCGACAAGTTACAACCTACTTCTCCGGCTTTATGAGAAC
AGGAAGAACGTGTTAGCGCCGAGGGATATCAGCACAGCCATCCCACACCGCATCGTCAGGACAACCTCCCAAG
TTAAGGAGAATTGTCACATCTTACACGCCCTGATCACGCCGTGCCAGCCTGCCGGAGCACTTGAGAACGTG
AAGAAGGCCATGGCATCTCGTGAGCACCTCATCGAGGAGGTGTTTCCCTTTATAACCAGCTGCTG
ACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGGAGGAATCTCTGGGAGGCAGGCACCGAGAACATCAAG
GCCCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAACATGAGACAGCCCACATCATGCCCTCCCTGCCACAC
AGATTCATCCCCCTGTTAACGAGATCCTGCGATAGGAACACCCCTGCTTTCATCCTGGAGGAGTTAACAGC
GACGAGGAAGTGAATCCAGTCCTCTGCAAGTACAAGACACTGCTGAGAAACGAGAACGTGCTGGAGAACAGCCGA
GCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTTCATGCCACAAGAACGCTGGAGAACATCAG
CAGGCCCTGTGCAGGACCAACTGGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACATCCGAGCTGACAGGCCAA
GATCACCAAGTCTGCCAAGGAGAACGTGAGCGCAGCCGTGAAGCACGAGGATATCAACCTGCAGGAGATCATCTC
TGCCGCAGGCAAGGAGCTGAGCGAGGCCCTCAAGCAGAAAACAGCGAGATCCTGCCCACGCACAGGCC
GGATCAGCCACTGCCATCAACCCCTGAAGAACAGCAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCT
GGCCTGTACCACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCGGCT

GACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTACAACAAGGCCAGAAATTATGCCACCAAGAACCC
CTACTCCGTGGAGAAGTTCAAGCTGAACCTTCAGATGCCTACACTGGCCTCTGGCTGGACGTGAATAAGGAGAA
GAACAATGGCGCCATCCTGTTGTGAAGAACGGCCTGTACTATCTGGCATCATGCCAAAGCAGAAGGGCAGGTA
TAAGGCCCTGAGCTCGAGCCCACAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTATGACTACTTCCCTGA
TGGCGCCAAGATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACHTCAGACCCACACAACCC
CATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATCACAAAGGAGATCTACGACCTGAACAATCCTGAGAA
GGAGCCAAAGAAGTTCAGACAGCCTACGCCAAGAAAACCAGCGACCAGAAGGGCTACAGAGAGGCCCTGTGCA
AGTGGATCGACTTCACAAGGGATTTCTGTCAGTATAACCAAGACAAACCTCTATCGATCTGTCTAGCCTGCC
CATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCAGCTGAATCCCCTGCTGTACCACATCAGCTCCAGA
GAATGCCGAGAAGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACCGCCTGTTCTCCAGAGAACCTG
GCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCTAAGTCCAGGATGAAGAGGATGGCA
CACCGGCTGGAGAGAAGATGCTGAACAAGAAGCTGAAGGATCAGAAAACCCAACTCCCCACACCCGTACCAAG
GAGCTGTACGACTATGTGAATCACAGACTGCCCCAGCCTGTCTGATGAGGCCAGGGCCTGCTGCCAACGTG
ATCACCAAGGAGGTGTCTCACGAGATCATCAAGGATAGGCCTTACCGAGCACAAGTTCTTCCACGTGCCT
ATCACACTGAACTATCAGGCCCAATTCCCCATCTAAGTTCAACCAGAGGGTGAATGCCACCTGAAGGAGCAC
CCCGAGACACCTATCATCGGCATCGATGGCGAGAGAAACCTGATCTATACAGTGTACGCCAACCGC
AAGATCCTGGAGCAGCGGAGCCTGAACACCATTCCAGCAGTTGATTACAGAAGCTGGACAACAGGGAGAA
GGAGAGGGTGGCAGCAAGGCAGGCCCTGGTCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGTATCTGAGCC
AGGTCACTCACGAGATCGGACCTGATGATCCACTACCAGGCCGTGGTGTCTG
GGAAACCTGAATTTCGGCT
TTAAGAGCAAGAGGACCGGCATGCCAGAGAAGGCCGTGTACCGAGCTCGAGAAGATGCTGATCGATAAGCTG
AATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGGAGGGTGTGAACCCATACCAGCTGACAGACCAG
TTCACCTCCTTGCCAAGATGGCACCCAGTCTGGCTTCTGTTACGTGCCCTGCCCCATATACATCTAACGATCG
ATCCCCTGACCGGCTTCGTGGACCCCTTCGTGTGGAAAACCATCAAGAATCACGAGAGGCCAAGCAGTCC
AGGGCTTCGACTTCTGCACTACGACGTGAAAACCGCGACTTCATCCTGCACTTAAGATGAACAGAAATCTG
CCTCCAGAGGGCCTGCCGGTTATGCCCTGCATGGATATCGTGTGAGAAGAACGAGACACAGTTGACG
CCAAGGGCACCCCTTCATGCCGGCAAGAGAATCGGCCAGTGATCGAGAATCACAGATTACCGGAGATACC
GGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGAGGAGAAGGGCATCGTGTCAAGGATGGCTCCAACA
TCCTGCCAAAGCTGCTGGAGAATGACGATTCTCACGCCATCGACACCATTGGTGGCCTGATCCGCAGCGTGTG
AGATGCGGAACTCCAATGCCGCCACAGGCAGGGACTATATCAACAGCCCCGTGCGGATCTGAATGGCGTGTG
TCGACTCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCCTACACATGCCCTGAAGG
GCCAGCTGCTGTAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAACGGCATCTCAATCAGGACTGGC
TGGCCTACATCCAGGAGCTGCGCAAC

rdCas12a (H800A)

ATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCCGTTGAGCTGATCCACAGGGC
AAGACCCCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTG
AAGCCCATCATCGATCGGATCTACAAGACCTATGCCGACCAGTGCCTGCAGCTGGATGGAGAAC
CTGAGCGCCGCCATCGACTCCTATAGAAAGGAGAAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCC
ACATATCGCAATGCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCTGGCACCCTGAC
ACAACCGAGCACGAGAACGCCCTGCTGCCAGCTGACAAGTTACAACCTACTTCTCCGGCTTTATGAGAAC
AGGAAGAACGTGTTCAAGGCCAGGGATATCAGCACAGCCATCCCACACCGCATCGTCAGGACAACCTCCCCAAG
TTAAGGAGAATTGTCACATCTCACGCCATGCCCTGATCACCGCCGTGCCAGCCTGCCAGGACTTTGAGAACGTG
AAGAACGCCATCGGCATCTCGTGAAGCACCTCCATCGAGGAGGTGTTCCCTTTATAACCAGCTGCTG

ACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTGGGAGGCAGGCACCGAGAAGATCAAG
GGCCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAATGATGAGACAGCCCACATCATGCCCTGCCACAC
AGATTCATCCCCCTGTTAACGAGATCCTGTCGATAGGAACACCCCTGCTTTCATCCTGGAGGAGTTAACGAGC
GACGAGGAAGTGATCCAGTCCTCTGCAAGTACAAGACACTGCTGAGAAACGAGAACGTGCTGGAGACAGCCGA
GGCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTTCATGCCACAAGAACGAGCTGGAGACAATCAG
CAGCGCCCTGTGCGACCCTGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACATCCGAGCTGACAGGCAA
GATCACCAAGTCTGCCAAGGAGAACGGTGCAGCGCAGCCTGAAGCACGAGGATATCAACCTGCAGGAGATCATCTC
TGCCGCAGGCAAGGAGCTGAGCGAGGCCTCAAGCAGAAAACCAGCGAGATCCTGCTCCACGCACAGCCGCCCT
GGATCAGCCACTGCCTACAACCCCTGAAGAACGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCT
GGCCCTGTAACACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCCGGCT
GACCGGCATCAAGCTGGAGATGGAGCCTCTCTGAGCTTCTACAACAAGGCCAGAAATTATGCCACCAAGAACCC
CTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCTACACTGCCCTGGCTGGACGTGAATAAGGAGAA
GAACAATGGCGCCATCCTGTTGTGAAGAACGGCTGTACTATCTGGGCATCATGCCAAAGCAGAACAGGGCAGGTA
TAAGGCCCTGAGCTCGAGCCCACAGAGAAAACCAGCGAGGGCTTGATAAGATGTAATGACTACTTCCCTGA
TGCCGCCAAGATGATCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACCTTCAGACCCACACAACCC
CATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATCACAAAGGAGATCAGACCTGAACAACTGAGAA
GGAGCCAAAGAACGTTCAGACAGCCTACGCCAAGAAAACCAGGGGACAGAACAGGCTACAGAGAGGCCCTGTGCA
AGTGGATCGACTTCACAAGGGATTCTGTCCAAGTATAACCAAGAACACCTCTATCGATCTGTCTAGCCTGCC
CATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCGAGCTGAATCCCTGCTGTACCGACATCAGCTCCAGA
GAATGCCGAGAACGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCCAAGGGCACCACGGCAAGCCTAACACTGTATTGGACCGGCTGTTCTCCAGAGAACCTG
GCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCTAACGAGATGAAGAGGATGGCA
GCGCGGCTGGAGAGAACGATGCTGAACAAGAACGCTGAAGGATCAGAAAACCCCAATCCCGACACCCGTACCG
GAGCTGTACGACTATGTGAATCACAGACTGCCACGACCTGCTGATGAGGCCAGGGCCCTGCTGCCAACGTG
ATCACCAAGGAGGTGTCTCACGAGATCATCAAGGATAGGCCTTACCGCGACAAGTTCTTCCACGTGC
ATCACACTGAACATCAGGCCCAATTCCCCATCTAACGTTCAACCAGAGGGTGAATGCCCTACCTGAAGGAGC
CCCGAGACACCTATCATGGCATCGATGGCGAGAGAACCTGATCTATCACAGTGTACCCACCG
AAGATCCTGGAGCAGCGGAGCCTGAACACCATTCCAGCAGTTGATTACCGAGAACAGCTGGACAACAGGGAGA
GGAGAGGGTGGCAGCAAGGCAGGCCCTGGTCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGC
AGGTGATCCACGAGATCGTGGACCTGATGATCCACTACCAGGCCGTGGTGGCTGGAGAACCTGAATTCCGG
TTAAGAGCAAGAGGACCGGCATGCCGAGAACGGCGTGTACCGAGCTGAGAACAGATGCTGATCGATAAGCTG
AATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAACAGTGGGAGGCCTGCTGAACCCATACAGCTGACAGACCAG
TTCACCTCCTTGCCAAGATGGCACCCAGTCTGGCTTACGTGCCTGCCCATATACATCTAACGATCG
ATCCCTGACCGGCTTCGTGGACCCCTTCGTGTGGAAAACCATCAAGAACATCACGAGAGGCCAGCAGCA
AGGGCTTCGACTTCTGCACGACGTGAAAACCGCGACTTCATCCTGCACTTAAGGATGAACAGAACATCTGT
CCTTCCAGAGGGCCTGCCGGCTTATGCCATGGGATATCGTGTGAGAACAGACACAGACTTGTAC
CCAAGGGCACCCCTTCATGCCGGCAAGAGAACGATCGGCCAGTGAGAACATCACAGATTACCGGCAGATACC
GGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGAGGAGAACGGCATCGTGTTCAGGGATGGCTCCAACA
TCCTGCCAAAGCTGCTGGAGAACGATGACGATTCTCACGCCATCGAACCCATGGTGGCCCTGATCCGAGCGTGT
AGATGCGGAACCTCAATGCCAACAGGCAGGGACTATATCAACAGCCCCGTGCGCAGTGAATGGCGTGT
TCGACTCCGGTTTCAGAACCCAGAGTGGCCCATGGACGCCAGTCCAATGGCGCCTACCACATGCCCTGAAGG
GCCAGCTGCTGTAATCACCTGAAGGAGAGAACGGATCTGAAGCTGCAGAACGGCATCTCCAATCAGGACTGGC
TGGCCTACATCCAGGAGCTGCGCAAC

ddLbCas12a (D832A)

ATGAGCAAGCTGGAGAAGTTACAAACTGCTACTCCCTGTCTAACGACCTGAGGTTCAAGGCCATCCGTGGGC
AAGACCCAGGAGAACATCGACAATAAGCGGCTGCTGGAGGACGAGAACAGAGAGCCGAGGATTATAAGGCCGT
GAAGAAGCTGCTGGATCGCTACTATCTGTCTTATCAACGACGTGCTGCACAGCATCAAGCTGAAGAACATCTGAA
CAATTACATCAGCCTGTTCCGAAAGAAAACCAGAACCGAGAACGGAGATAAGGAGCTGGAGAACCTGGAGATCA
ATCTGCGGAAGGAGATCGCAAGGCCCTCAAGGGCAACGAGGGCTACAAGTCCCTGTTAACAGGATATCATC
GAGACAATCCTGCCAGAGTCCTGGACGATAAGGACGAGATGCCCTGGTAACAGCTTCAATGGCTTACCA
GCCTCACCGCTTCTTGATAACAGAGAGAATATGTTCCGAGGAGGCAAGAGCACATCCATGCCCTCAGG
TGTATCAACGAGAACATCTGACCCGCTACATCTAAATATGGACATCTCGAGAACGGTGGACGCCATCTTGATAAG
CACGAGGTGCAGGAGATCAAGGAGAACATCCTGAACAGCGACTATGATGTGGAGGATTCTTGAGGGCGAGTT
CTTTAACTTGTGCTGACACAGGAGGGCATCGACGTGTATAACGCCATCATGGCGCTTCGTGACCGAGAGCGG
CGAGAACATCAAGGCCCTGAACGAGTACATCAACCTGTATAATCAGAAAACCAAGCAGAACAGCTGCCAAGTTA
AGCCACTGTATAAGCAGGTGCTGAGCGATCGGGAGTCTCTGAGCTTACGGCGAGGGCTATACATCCGATGAGG
AGGTGCTGGAGGTGTTAGAAACACCCCTGAACAAGAACAGCGAGATCTCAGCTCCATCAAGAACAGCTGGAGAAG
CTGTTCAAGAACATTGACGAGTACTCTAGGCCGGCATCTTGTAAGAACGGCCCGCCATCAGCACAAATCTCC
AAGGATATCTCGCGAGTGGAACGTGATCCGGACAAGTGGAAATGCCAGTATGACGATATCCACCTGAAGAA
GAAGGCCGTGGTACCGAGAACAGTACGAGGACGATCGAGAACAGCTCTCAAGAACATCGCTCCTTCTCTGG
AGCAGCTGCAGGAGTACGCCGACGCCGATCTGTCTGGTGGAGAACAGCTGAAGGAGATCATCATCCAGAACGGT
GATGAGATCTACAAGGTGATGGCTCCTCTGAGAACAGCTGTTACGCCGATTTGTGCTGGAGAACAGCCTGAA
GAAGAACGACGCCGTGGTGGCCATCATGAAGGACCTGCTGGATTCTGTGAAGAGCTTCAGAACATTACATCAAGG
CCTCTTGCGAGGGCAAGGAGAACAAACAGGGACGAGTCCTCTATGGCGATTGTGCTGGCCTACGACATCC
TGCTGAAGGTGGACCACATCTACGATGCCATCCGAATTATGTGACCCAGAACGCCACTCTAACGGATAAGTTCA
AGCTGTATTTCAAGAACCCCTCAGTTACGGCCGGCTGGACAAGGATAAGGAGAACAGACTATGCCACCACATCC
TGAGATACGGCTCCAAGTACTATCTGCCATCATGGATAAGAACAGTACGCCAAGTGCCTGCAGAACAGATCGACAAG
GACGATGTGAACGGCAATTACGAGAACATCAACTATAAGCTGCTGCCGGCCCTAATAAGATGCTGCCAAAGGT
GTTCTTTCTAAGAACAGTGGATGGCTACTATAACCCAGCGAGGACATCCAGAACAGATCTACAAGAACAGTGGCACATT
CAAGAACGGCGATATGTTAACCTGAATGACTGTCACAAGCTGATCGACTTCTTAAGGATAAGCATCTCCGGTA
TCCAAAGTGGTCCAATGCCATCGATTCAACTTCTGAGAACAGAGAACAGTATAAGGACATGCCGGCTTTACAG
AGAGGTGGAGGAGCAGGGCTATAAGGTGAGCTCGAGTCTGCCAGAACAGGAGGTGGATAAGCTGGTGGAGG
AGGGCAAGCTGTATATGTTCCAGATCTATAACAAGGACTTTCCGATAAGTCTCACGGCACACCCAACTCTGCACA
CCATGTACTTCAAGCTGCTGTTGACGAGAACATCACGGACAGATCAGGCTGAGCGAGGAGCAGAGCTGTTCA
TGAGGCGCGCCTCCCTGAAGAACAGGAGGAGCTGGTGGCACCCAGCCAACCTCCATGCCAACAAAGAACATCCAG
ATAATCCAAGAACACCACCCCTGCTCTACGACGTGTATAAGGATAAGAGGTTCTGAGGACCAAGTACGAGC
TGCACATCCAATGCCATCAATAAGTCCCCAAGAACATCTCAAGATCAATAAGGAGGTGCGCGTGTGCTGCTGA
AGCACGACGATAACCCCTATGTGATCGGATC**CCC**AGGGCGAGCGCAATCTGCTGTATATCGTGGTGGAGC
GCAAGGGCAACATCGTGGAGCAGTATTCCCTGAACGAGATCATCAACAAACTTCAACGGCATCAGGATCAAGAACAG
ATTACCACTCTGCTGGACAAGAACAGGAGAGAGGTTCGAGGCCGCCAGAACACTGGACCTCCATCGAGAAC
TCAAGGAGCTGAAGGCCGGCTATATCTCTCAGGTGGTCACAAGATCTGCGAGCTGGTGGAGAACAGTACGATGCC
TGATGCCCTGGAGGACCTGAACTCTGGCTTAAGAATAGCCCGTGAAGGTGGAGAACAGGGTGTATCAGAAC
TTCGAGAACAGATGCTGATCGATAAGCTGAACATGGTGGACAAGAACAGTCTAACCTTGCAACAGGCCGC
CCTGAAGGGCTATCAGATACCAATAAGTCAGAGAGCTTAAAGTCCATGTCTACCCAGAACGGCTCATCTTTA
CATCCCTGCCCTGGCTGACATCCAAGATCGATCCATCTACCGGCTTGTGAACCTGCTGAAAACCAAGTATACCAG
CATGCCGATTCCAAGAACAGTTCATCAGCTCCTTGACAGGATCATGTACGTGCCAGGAGGATCTGTTGAGTT
TGCCCTGGACTATAAGAACATTCTCTCGCACAGACGCCGATTACATCAAGAACAGTGGAGAACAGTGTACTCCTACGGCAA
CCGGATCAGAACATCTCCGGAATCCTAACAGAACACAGTGTGACTGGGAGGAGGTGCGCTGACCAAGGCC
TAAGGAGCTGTTAACAGTACGGCATCAATTATCAGCAGGGCAGATCAGAACGCCCTGCTGTGCGAGCAGTCCGA
CAAGGCCCTACTCTAGCTTATGGCCCTGATGAGCCTGATGCTGAGATGCCAACAGCATCACAGGCCGCAC

CGACGTGGATTTCTGATCAGCCCTGTGAAGAACTCCGACGGCATCTTCTACGATGCCGAACTATGAGGCCA
GGAGAACATGCCATCCTGCCAAAGAACGCCAGGCCATGGCGCTATAACATGCCAGAAAGGTGCTGGCCAT
CGGCCAGTTCAAGAACGCCAGGACGAGAACGCTGGATAAGGTGAAGATGCCATCTCTAACAGGAGTGGCTGG
AGTACGCCAGACCAGCGTGAAGCAC

Single-transcript Cas12a - [TAD] construct:

AsCas12a-NLS-[Aktiv]-Hax3-Triplex-DR-SapI-SapI-DR

ATGACACAGTTCGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCTGATCCCACAGGGC
AAGACCCCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTG
AAGCCCATCATCGATCGGATCTACAAGACCTATGCCGACCAGTGCCTGCAGCTGGTGCAGCTGGATTGGAGAAC
CTGAGCGCCGCCATCGACTCCTATAGAAAGGAGAAAACCGAGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCC
ACATATCGCAATGCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCTGGCACCGTGACC
ACAACCGAGCACGAGAACGCCCTGCTGCCAGCTGACAAGTTACAACCTACTTCTCCGGTTTATGAGAAC
AGGAAGAACGTGTTCAGGCCGAGGATATCAGCACAGCCATCCCACACCGCATCGTCAGGACAACCTCCCCAAG
TTTAAGGAGAATTGTCACATCTTACACGCCGATCACGCCGTGCCAGCCTGCCAGGAGCACTTGAGAACGTG
AAGAAGGCCATCGGCATCTCGTGAGCACCTCCATCGAGGAGGTGTTCTCCCTTTATAACCAGCTGCTG
ACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTGGGAGGCAGGCACCGAGAACATCAAG
GGCCTGAACGAGGTGCTGAATCTGCCATCCAGAACAGATGAGACAGCCCACATCATGCCCTGCCACAC
AGATTCATCCCCCTGTTAACGAGATCCTGTCGATAGGAACACCCCTGCTTCTCCCTGGAGGAGTTAACG
GACGAGGAAGTGATCCAGTCCTCTGCAAGTACAAGACACTGCTGAGAACAGAGCTGCTGGAGACAGCCGA
GCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTTATCAGCCACAAGAACGCTGGAGAACATCAG
CAGGCCCTGTGCACCCTGGATACACTGAGGAATGCCCTGATGAGCGGAGAACCTCCGAGCTGACAGGCAA
GATCACCAAGTCTGCCAAGGAGAACGGTGCAGCGCAGCCTGAAGCACGAGGATATCACCTGCAGGAGATCATCTC
TGCGCAGGCAAGGAGCTGAGCGAGGCCTCAAGCAGAAAACAGCAGAGATCCTGCTCCACGCACAGGCC
GGATCAGCCACTGCCATCACCCCTGAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCT
GGGCCTGTACCACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCGGCT
GACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTCTACAACAAGGCCAGAAATTATGCCACCAAGAAC
CTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCCTACACTGCCCTCTGGCTGGAGCTGAATAAGGAGAA
GAACAATGGCGCCATCCTGTTGTGAAGAACGCCCTGACTATCTGGCATCATGCCAAAGCAGAACGGCAGGTA
TAAGGCCCTGAGCTCGAGCCCACAGAGAAAACAGCAGGGCTTGATAAGATGACTATGACTACTTCCCTGA
TGCGCCAAGATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACCTTCAAGACCCACACA
CATCCTGCTGTCCAACAATTCTCGAGCCTCTGGAGATCACAAAGGAGATCTACGACCTGAACAATCCTGAGAA
GGAGCCAAAGAACGTTCAAGCAGCTACGCCAAGAAAACCGGGGACCAAGAGGCTACAGAGAGGCCCTGTGCA
AGTGGATCGACTTCACAAGGGATTTCTGTCGAAGTATACCAAGAACACCCCTATCGATCTGTCTAGCCTGCC
CATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCAGCTGAATCCCTGCTGTACCATCAGCTCCAGA
GAATGCCGAGAACGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACGGCCTGTTCTCCAGAGAAC
GCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCTAACGCTCAGGATGAAGAGGATGGCA
CACCGGCTGGAGAGAACGATGCTGAACAAGAACGCTGAAGGATCAGAAAACCCAACTCCCCACACCC
GAGCTGTACGACTATGTGAATCACAGACTGCCCCAGCACCTGCTGTGATGAGGCCAGGGCCCTGCTGCC
ATCACCAAGGAGGTGTCTCACGAGATCATCAAGGATAAGCGCTTACCGCAGACAAGTTCTTTCCACGTG
ATCACACTGAACATCAGGCCCAATTCCCCATCTAACGTTAACCAAGAGGGTGAATGCCACCTGAAGGAGC

CCCGAGACACCTATCATGGCATCGATGGGGGAGAGAAACCTGATCTATCACAGTGATCGACTCCACCGGC
 AAGATCCTGGAGCAGCGAGCCTGAACACCACATCCAGCAGTTGATTACCAGAAGAAGCTGGACAACAGGGAGAA
 GGAGAGGGTGGCAGCAAGGCAGGCCCTGTGGTGGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCC
 AGGTCACTCACGAGATCGTGGACCTGATGATCCACTACCAGGCCGTGGTGGCTGGAGAACCTGAATTTCGGCT
 TTAAGAGCAAGAGGACCGGCATGCCGAGAAGGCCGTGTACCAGCAGTCAGAAGATGCTGATCGATAAGCTG
 AATTGCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGGAGGCCTGCTGAACCCATACCAGTACAGACAGCAG
 TTCACCTCCTTGCCAAGATGGGCACCCAGTCTGGCTCCTGTTACGTGCCTGCCCATATACATCTAAGATCG
 ATCCCCTGACCGGCTCGTGGACCCCTCGTGTGGAAAACCATCAAGAATCACGAGAGCCGCAAGCACTTCCTGG
 AGGGCTTCGACTTTCTGCACTACGACGTGAAAACCAGCGACTTCATCCTGCACTTAAGATGAACAGAAATCTGT
 CCTTCCAGAGGGGCCTGCCGGCTTATGCCTGCATGGATATCGTGTGAGAAGAACGAGACACAGTTGACG
 CCAAGGGCACCCCTTCATGCCGGCAAGAGAATCGTGCAGTGAGAATCACAGATTCAACGGCAGATACC
 GGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGAGGAGAAGGGCATCGTGTTCAGGGATGGCTCCAACA
 TCCTGCCAAAGCTGCTGGAGAATGACGATTCTCACGCCATCGACACCATTGGTGGCCGTGATCCGAGCGTGTG
 AGATGCGGAACCTCAATGCCGCCACAGGCAGGACTATATCAACAGCCCCGTGCGCGATCTGAATGGCGTGTGCT
 TCGACTCCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCCTACCACATGCCCTGAAGG
 GCCAGCTGCTGCTGAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAACGGCATCTCCAATCAGGACTGGC
 TGGCCTACATCCAGGAGCTGCGCAACAAAAGGCCGGCCACGAAAAAGGCCGGCAGGCAAAAAAGAAAAAG
 GATCCGGTGGGGGTGGTCCAGCGGTTGCCAATGGGTTGGATGGTACGAGGATTAGCGATATGCCGAT
 ATGGACTTTCAGCTCCTCAGCCAGATAAGCTCTGGAAGTAGTGGCTTCAAATGGGCTTGACGGTGACGAA
 GATTCTCTGATATAGCGGACATGGACTCTCAGCTCTGCTCTCCCAGATTCTCAGGGTCCAGCGGCTTGC
 AACGGCCTCGATGGCGACGAGGATTCTGACATAGCAGACATGGACTTTCCGCACTCCTCAGTCAGATTCT
 TCTGGAGGCGGTGGAAGCGGCTTCAGCGTGGACACCAGTGCCCTGCTGGACCTGTTCAGCCCCTCGTGACCGTG
 CCCGACATGAGCCTGCCTGACCTGACAGCAGCCTGGCCAGTATCCAAGAGCTCCTGTCTCCCCAGGAGCCCCCA
 GCCCTCCGAGGCAGAGAACAGCAGCCGGATTAGGGAAAGCAGCTGGTGCACACAGCGCAGCCGCTTCC
 TGCTGGACCCGGCTCGTGGACACCAGGAGCAACGACCTGCCGTGCTGTTGAGCTGGGAGAGGGCTCCTACT
 TCTCCGAAGGGGACGGCTCGCCGAGGACCCCACCATCTCCCTGCTGACAGGCTGGAGGCCCTCCAAAGCCAAGG
 ACCCACTGTCTCCGGATCTACCCATACGATGTTCCAGATTACGCTTATCCCTACGACGTGCTGATTATGCATA
 CCCATATGATGTCCCCGACTATGCCCTAAGAATTCTGGTCAAGGTTGTTAAAGGTTTCTTCTGAGA
 AAACAACCTTTGTTCTCAGGTTTGCTTTGGCCTTCCCTAGCTTAAAAAAAAAAAGCAAAACTCACC
 GAGGCAGTTCCATAGGATGGCAAGATCCTGGTATTGGTCTGCAGAACATTCTACTCTTAGATTGAAGAGCCAG
 GAAACAGCTATGACGCTCTTCATATTCTACTCTTAGAT

Single-transcript Cas12a - [Repr] construct:

AsCas12a-NLS-[Repr]-Hax3-Triplex-DR-SapI-SapI-DR

ATGACACAGTTGAGGGCTTACCAACCTGATCAGGTGAGCAAGACACTGCCGTTGAGCTGATCCACAGGGC
 AAGACCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGGCCGCAATGATCACTACAAGGAGCTG
 AAGCCCATCATCGATCGGATCTACAAGACCTATGCCGACCGACTGCCTGCAGCTGGTGCAGCTGGATTGGAGAAC
 CTGAGCGCCGCCATCGACTCCTATAGAAAGGAGAAACCGAGGGAGACAAGGAACGCCGTGAGGAGCAGGCC
 ACATATCGCAATGCCATCCACGACTACTTCATCGGCCAGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
 GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCTGGCACCGTGACC
 ACAACCGAGCACGAGAACGCCCTGCTGCCAGCTGAGCAAGTTACAACCTACTTCTCCGGCTTTATGAGAAC
 AGGAAGAACGTGTTCAAGGCCAGGGATATCAGCACAGCCATCCCACACCGCATCGTGCAGGACAACCTCCCAAG
 TTTAAGGAGAATTGTCACATCTCACGCCATGCCGTTCAAGGCCAGCTGCCAGCTGCCAGGAGCAACTTGTGAGAAC
 AAGAAGGCCATCGGCATCTCGTGAGCACCTCATCGAGGAGGTGTTCTCCCTTTATAACCAGCTGCTG

ACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTGGGAGGCAGGCACCGAGAAGATCAAG
GGCCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAACATGATGAGACAGCCCACATCATGCCCTGCCACAC
AGATTCATCCCCCTGTTAACGAGATCCTGTCGATAGGAACACCCCTGCTTCTCATCCTGGAGGAGTTAACGAGC
GACGAGGAAGTGATCCAGTCCTCTGCAAGTACAAGACACTGCTGAGAAACGAGAACGTGCTGGAGACAGCCGA
GGCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTTCATGCCACAAGAACGAGCTGGAGACAATCAG
CAGCGCCCTGTGCGACCACGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACATCCGAGCTGACAGGCAA
GATCACCAAGTCTGCCAAGGAGAACGGTGAGCGCAGCCTGAAGCACGAGGATATCAACCTGCAGGAGATCATCTC
TGCCGCAGGCAAGGAGCTGAGCGAGGCCTCAAGCAGAAAACCAGCGAGATCCTGCTCCACGCACAGCCGCCCT
GGATCAGCCACTGCCTACAACCCCTGAAGAACGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCT
GGGCCTGTACCACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCCGGCT
GACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTCTACAACAAGGCCAGAAATTATGCCACCAAGAACGCC
CTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCTACACTGCCCTGGCTGGACGTGAATAAGGAGAA
GAACAATGGCGCCATCCTGTTGTAGAACACGGCTGTACTATCTGGGATCATGCCAAAGCAGAACAGGCAGGTA
TAAGGCCCTGAGCTCGAGCCCACAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTATGACTACTTCCCTGA
TGCCGCCAAGATGATCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACCTTCAGACCCACACAACCC
CATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATCACAAAGGAGATCTAGCACCTGAACAACTCTGAGAA
GGAGCCAAAGAACGTTCAGACAGCCTACGCCAAGAAAACCAGGGGACAGAACGGCTACAGAGAGGCCCTGTGCA
AGTGGATCGACTTCACAAGGGATTCTGTCCAAGTATAACCAAGAACAAACCTCTATCGATCTGTCTAGCCTGCC
CATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCGAGCTGAATCCCTGCTGTACCGACATCAGCTCCAGA
GAATGCCGAGAACGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACCGCCTGTTCTCCAGAGAACCTG
GCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCTAACAGGATGAAGAGGATGGCA
CACCGGCTGGAGAACGATGCTGAACAAGAACGCTGAAGGATCAGAAAACCCCAATCCCCGACACCCCTGTACCAG
GAGCTGTACGACTATGTGAATCACAGACTGCTCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTG
ATCACCAAGGAGGTGTCTCACGAGATCATCAAGGATAGGCCTTACCGCGACAAGTTCTTCCACGTGCCT
ATCACACTGAACATCAGGCCCAATTCCCCATCTAACGTTCAACCAGAGGGTGAATGCCCTACCTGAAGGAGCAC
CCCGAGACACCTATCATGGCATCGATGGGGCGAGAGAACCTGATCTATATCACAGTGTACCTCCACCGGC
AAGATCCTGGAGCAGCGGAGCCTGAACACCATTCCAGCAGTTGATTACCGAGAACAGCTGGACAACAGGGAGAA
GGAGAGGGTGGCAGCAAGGCAGGCCCTGGTCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGTATCTGAGCC
AGGTGATCCACGAGATCGTGGACCTGATGATCCACTACCAGGCCGTGGTGTGGAGAACCTGAATTTCGGCT
TTAAGAGCAAGAGGACCGGCATGCCGAGAACGGCGTGTACCGAGCTGAGAACAGATGCTGATCGATAAGCTG
AATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAACGTTCTGCTGGTGGCACAATCAAGGATCTGAAGCAGGGTATCTGAGCC
TTCACCTCCTTGCCAAGATGGCACCCAGTCTGCTTACGTGCCCTGCCCCATATACATCTAACGATCG
ATCCCCCTGACCGGCTTCGTGGACCCCTTCGTGTGGAAAACCATCAAGAACATCACGAGAGGCCAAGCACTCCTGG
AGGGCTTCGACTTTCTGCACTACGACGTGAAAACCGCGACTTCATCCTGCACTTAAGGATCTGAACAGAACATCTGT
CCTTCCAGAGGGCCTGCCGGCTTATGCCATGGGATATCGTGTGGAGAACAGACACAGTTGAC
CCAAGGGCACCCCTTCATGCCGGCAAGAGAACGTTCTGCACTGAGAACATCACGAGATTCAACCGCAGATACC
GGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGAGGAGAACGGCATCGTGTTCAGGGATGGCTCCAACA
TCCTGCCAAAGCTGCTGGAGAACGTTCTCACGCCATCGAACCCATGGTGGCCCTGATCCGAGCGTGTGCTGC
AGATGCCGAACTCCAATGCCGCCACAGGCAGGGACTATATCAACAGCCCCGTGCGGATCTGAATGGCGTGTGCT
TCGACTCCGGTTTCAGAACCCAGAGTGGCCCATGGACGCCGATGCCAATGGCGCTTACCCACATGCCCTGAAGG
GCCAGCTGCTGCTGAATCACCTGAAGGAGAGAACGGATCTGAAGCTGCAAGAACGGCATCTCAATCAGGACTGGC
TGGCCTACATCCAGGAGCTGCGCAACAAAAGGCCGGCCACGAAAAAGGCCGGCAGGCAAAAAGAAAAAGAAAAAG
GATCCGGTGGCCGGACCCCTGTTACTTCAAGGATGTATTGAGTGGATTCACACGCCAGGAGTGGAAATTGTTGG
ATACTGCCAGCAGATTGTATACCGCAATGTAATGCTGAAAACACAAAAATCTGTGAGTCTGGATATCAAC
TGACCAAGCCTGACGTTATCCTCCGATTGGAGAACGGCAGGAACCTGGGAGCGGAGGAAGGACGCTTGTACGT

TTAAGGATTTTGTGACTTCACCGAGAGGAGTGGAAAGCTGTTGGATACTGCCAACAAATTGTGTATCGC
AACGTGATGCTCGAGAACTACAAGAACCTTGTCTTGGGCTATCAGCTGACTAAACCTGATGTAATACTCCGC
CTCGAGAAAGGAGAGGAGCCTGGTAGTGGGGACGGACCCTGGAACATTCAAGGATGTATCGTGGATTCAC
CGGGGAAGAAATGGAAACTCCTCGATACTGCCAACAGATAGTGTATCGAAACGTAATGCTCGAAAACACAAAA
ACTTGGTCAGCCTCGGATACCAACTTACAAAACCTGATGTTATCCTCAGACTTGAGAAGGGCGAGGAACCCGGAT
CCTACCCATACGATGTTCCAGATTACGCTTATCCCTACGACGTGCCTGATTATGCATAACCATATGATGTCCCCG
ACTATGCCTAAGAATTGATTGTCAGTAGGGTTGTAAGGTTTTCTTCCTGAGAAAACAACCTTTGTTT
CTCAGGTTTGCTTTGGCCTTCCTAGCTTAAAAAAAAAAAGCAAAACTCACCGAGGCAGTTCCATAGGA
TGGCAAGATCCTGGTATTGGTCTCGAAATTCTACTCTGTAGATTGAAGAGCCAGGAAACAGCTATGACGCTC
TTCATAATTCTACTCTGTAGAT

Transcriptional control elements:

KRAB

CGGACACTGGTACCTCAAGGATGTATTGTGGACTTCACCAGGGAGGAGTGGAAAGCTGCTGGACACTGCTCAG
CAGATCGTGTACAGAAATGTGATGCTGGAGAACTATAAGAACCTGGTTTCCTGGTTATCAGCTTACTAACGCC
AGATGTGATCCTCCGGTTGGAGAAGGGAGAAGAGCCGGATCGGGGGTCGGACACTGGTGACCTCAAGGATG

KRAB₂

CGGACACTGGTACCTCAAGGATGTATTGTGGACTTCACCAGGGAGGAGTGGAAAGCTGCTGGACACTGCTCAG
CAGATCGTGTACAGAAATGTGATGCTGGAGAACTATAAGAACCTGGTTTCCTGGTTATCAGCTTACTAACGCC
AGATGTGATCCTCCGGTTGGAGAAGGGAGAAGAGCCGGATCGGGGGTCGGACACTGGTGACCTCAAGGATG
TATTGTGGACTTCACCAGGGAGGAGTGGAAAGCTGCTGGACACTGCTCAGCAGATGTGTACAGAAATGTGATG
CTGGAGAAGTATAAGAACCTGGTTTCCTGGTTATCAGCTTACTAACGCCAGATGTGATCCTCCGGTTGGAGAAG
GGAGAAGAGGCC

[Repr]

GGTGGGGCGGACCCCTGTTACTTCAGGATGTATTGCTGGATTTCACACCGAGGAGTGGAAATTGTTGGATAC
TGGCCACAGATTGTATACCGCAATGTAATGCTGAAAACACTACAAAATCTCGTGAATCTCGGATATCAACTGAC
CAAGCCTGACGTTATCCTCGATTGGAGAAAGGCGAGGAACCTGGGAGCGGAGGAAGGACGCTTGTACGTTA
AGGATGTTTGTTGACTTCACTCGAGAGGAGTGGAAAGCTGTTGGATACTGCCAACAAATTGTGTATCGAAC
GTGATGCTCGAGAACTACAAGAACCTGTGTCTTGGGCTATCAGCTGACTAAACCTGATGTAATACTCCGCCTC
GAGAAAGGAGAGGAGCCTGGTAGTGGGGGACGGACCCCTGGTAACATTCAAGGATGTATTGCTGGATTCACGCG
GGAAGAATGGAAACTCCTCGATACTGCCAACAGATAGTGTATCGAAACGTAATGCTCGAAAACACAAAAACT
TGGTCAGCCTCGGATACCAACTTACAAAACCTGATGTTATCCTCAGACTTGAGAAGGGCGAGGAACCC

VP64₂

GACGCATTGGACGATTTGATCTGGATATGCTGGAAAGTGACGCCCTCGATGATTTGACCTTGACATGCTTG
TCGGATGCCCTTGATGACTTGACCTCGACATGCTCGGAGTGACGCCCTGATGATTCGACCTGGACATGCTG
GGATCCGGTGGGACGCATTGGACGATTTGATCTGGATATGCTGGAAAGTGACGCCCTCGATGATTTGACCTT

GACATGCTTGGTCGGATGCCCTGATGACTTGACCTCGACATGCTCGCAGTGACGCCCTGATGATTCGAC
CTGGACATGCTG

p65

CCTTCAGGGCAGATCAGCAACCAGGCCCTGGCTCTGGCCCTAGCTCCGCTCCAGTGCTGCCAGACTATGGTGC
CCTCTAGTGTATGGTGCCTCTGGCCAGCACCTGCTCCAGGCCCTGTGCTGACCCAGGACCACCCAGTCACT
GAGCGCTCCAGTCCCCAAGTCTACACAGGCCGGAGGGACTCTGAGTGAAAGCTCTGCTGCACCTGCAGTCGA
CGCTGATGAGGACCTGGAGCTCTGCTGGGAACAGCACCGATCCCAGTTCACAGATCTGGCCTCCGTGGA
CAACTCTGAGTTCACTGAGCTGCTGAATCAGGGCGTGTCCATGTCTCATAGTACAGCCAACCAATGCTGATGGA
GTACCCCCGAAGCCATTACCCGGCTGGTACCCGGAGCCAGCGGCCCCCGACCCCGCTCCAACCTCCCTGGGAACC
AGCGGCCTGCCTAATGGGCTGTCCGGAGATGAAGACTTCTCAAGCATCGCTGATATGGACTTAGTGCCTGCTG
TCACAGATTCCTCTAGTGGCAG

sp65

AGCGGCCTGCCTAATGGGCTGTCCGGAGATGAAGACTTCTCAAGCATCGCTGATATGGACTTAGTGCCTGCTG
TCACAGATTCCTCT

sp65₃

AGCGGGTTGCCTAATGGGTTGAGTGGTGACGAGGATTTAGCAGTATGCCGATATGGACTTTCAGCTCTCCTC
AGCCAGATAAGCTCTGGAAGTAGTGGCTTCAAATGGGCTTAGCGGTGACGAAGATTCTCTAGTATAGCGGA
CATGGACTTCTCAGCTCTGCTCTCCAGATTCTCAGGGTCCAGCGGCTGCCAACGGCTCAGGGCAGGAG
GATTTTCTAGCATAGCAGACATGGACTTTCCGACTCCTCAGTCAGATTCTCT

sp65p₃

AGCGGGTTGCCTAATGGGTTGGATGGTGACGAGGATTTAGCAGTATGCCGATATGGACTTTCAGCTCTCCTC
AGCCAGATAAGCTCTGGAAGTAGTGGCTTCAAATGGGCTTAGCGGTGACGAAGATTCTCTAGTATAGCGGA
CATGGACTTCTCAGCTCTGCTCTCCAGATTCTCAGGGTCCAGCGGCTGCCAACGGCTCAGGGCAGGAG
GATTTTCTGACATAGCAGACATGGACTTTCCGACTCCTCAGTCAGATTCTCT

HSF1

GGCTTCAGCGTGGACACCAGTGCCCTGCTGGACCTGTTCAGGCCCTGGTGACCGTGCCCGACATGAGCCTGCC
TGCACCTGACAGCAGCCTGGCCAGTATCCAAGAGAGCTCCTGTCTCCCGAGGAGCCCCCAGGCCCTCCGAGGAG
ACAGCAGCCGGATTCAAGGGAGCAGCTGGTGCACTACACAGCGCAGCCGCTGTTCTGCTGGACCCCGCTCCG
TGGACACCGGGAGCAACGACCTGCCGTGCTGTTGAGCTGGAGAGGGCTCTACTTCTCCGAAGGGGACGGCT
TCGCCGAGGACCCACCATCTCCCTGCTGACAGGCTCGGAGCCTCCAAAGCCAAGGACCCACTGTCTCC

RtA

CGGGATTCCAGGGAAAGGGATGTTTGCCGAAGCCTGAGGCCGGCTCCGCTATTAGTGACGTGTTGAGGGCC
GAGGTGTGCCAGCCAAAACGAATCCGGCATTTCATCCTCCAGGAAGTCCATGGCCAACCGCCCAC
TCCCCGCCACCTCGCACCAACACCAACCGGTCCAGTACATGAGCCAGTCGGTCACTGACCCGGCACCAGTC
CCTCAGCCACT

GGATCCAGGCCCGCAGTGA C T C C G A G G C A G T C A C C T G T G G A G G A T C C C G A T G A A G A G A C G A G C C A G G C T G T
CAAAGCCCTTCGGGAGATGGCGATACTGTGATTCCCCAGAAGGAAGAGGCTGCAATCTGTGGCAAATGGACCT
TTCCCATCCGCCCCAAGGGGCATCTGGATGAGCTGACAACCACACTTGAGTCCATGACCGAGGATCTGAACCT
GGACTCACCCCTGACCCCGAATTGAACGAGATTCTGGATACCTTCCTGAACGACGAGTGCCTTTGCATGCCAT
GCATATCAGCACAGGACTGTCCATCTCGACACATCTCTGT

[Activ]

GGTGGGGGTGGGTCCAGCGGGTTGCCTAATGGGTTGGATGGTGACGAGGATTTAGCGATATGCCGATATGGA
CTTTCA G C T C T C C T C A G C C A G A T A A G C T C T G G A A G T A G T G G G C T T C C A A T G G G C T T G A C G G T G A C G A A G A T T T
CTCTGATATAGCGGACATGGACTTCTCAGCTCTGCTCTCCCAGATTCTTCAGGGTCCAGCGGCTTGCCAAACGG
CCTCGATGGCGACGAGGATTTCTGACATAGCAGACATGGACTTTCCGCACTCCTCAGTCAGATTCTTCTGG
AGGC G GT T G G A A G C G G C T T C A G C G T G G A C A C C A G T G C C C T G C T G G A C C T G T C A G G C C C T C G G T G A C C G T G C C C G A
CATGAGCCTGCCTGACCTTGACAGCAGCCTGCCAGTATCCAAGAGCTCCTGTCTCCCAGGAGCCCCCAGGCCT
CCCGAGGCAGAGAACAGCAGCCCAGATTCAAGGAAGCAGCTGGTGC ACTACACAGCGCAGCCGCTGTTCTGCTG
GACCCCGCTCCGTGGACACCGGGAGCAACGACCTGCCGGTGTGTTGAGCTGGAGAGGGCTCCTACTTCTCC
GAAGGGGACGGCTTCGCCAGGACCCACCATCTCCCTGCTGACAGGCTCGGAGCCTCCAAAGCCAAGGACCC
ACTGTCTCC

Direct Repeat (DR)

AATTCTACTCTTGTAGAT

Gene editing

Gene	Target Sequence
CD47.1	ATTAATAGTAGCTGAGCTGATC
CD47.2	GCACTACTAAAGTCAGTGGGGAC
CD47.3	GTAATGACACTGTCGTATTCCA
CD47.4	GAGCTCCATCAAAGGTGTAAATA
CD47.5	CGTATACTTCAGTAGTGTTTGT
CD47.6	GTAGTGCAAAAATTGAAGTCTCA
CD47.7	CTGTGTGTGAGACAGCATCACTC
CD47.8	GCTCGATGATCGTTCACCTTCT
CD47.9	GTGCCTCCATATTAGTAACAAAG
CD47.10	ATGGAGCTCTAACACAAGTCCACT
CD97.1	AGCAGGGCTTCCTCTGGAGCTTC
CD97.2	TTGTGGTGCGCGTGTCCAAGGC
CD97.3	CTGGCCGCCTCTGCTGGATGAG
CD97.4	CGTGAACCTACCGTCTGGAAGCTCA
CD166.1	TAGAGGATCTGAAGGCAATAAAT
CD166.2	AGGCACCTACAATAGTCAAGGTG
CD166.3	TGTGCATGCTAGTAACTGAGGAC
CD166.4	ATCACTGATCCTTGCAATTACTGA
DNMT1	CTGATGGTCATGTCTGTTACTC
FANCF	GGCGGGGTCCAGTTCCGGGATTA
EMX1	TGGTTGCCACCCTAGTCATTGG
GRIN2B	GTGCTCAATGAAAGGAGATAAGG
VEGFA	CTAGGAATATTGAAGGGGGCAGG

Transcriptional activator

Gene	Target Sequence
ZFP42.1	TTGAGCGCTCACCAC
ZFP42.2	CGTGCGGGCCGGGTG
ASCL1.1	GGGAGTGGGTGGGAG
ASCL1.2	CAATGGGACACCCAG
IL1B.1	CATGGTGATAACATT
IL1B.2	CTACTCCTGCCCTT
IL1R2.1	CTTGGCCACTTCCCC
IL1R2.2	CCTATTTTCTGTGA
ADRB2.1	GCAGTAAAGTCACAT
ADRB2.2	GTTACACTTCATGAA
CCR4.1	GCACATCTTCTTGGC
CCR4.2	ATTTTGGGAGATA
CCR10.1	CCCTACTCCACTTG
CCR10.2	GTAAAATCCAGATCC
CHRM4.1	TCTCCCCTCCTCCC
CHRM4.2	CATGTCTCCCCCAT
HBB.1	TCTACCATAATTCA
HBB.2	AAGTCCAACTCCTAA
HTR6.1	CCAACTCCTGGCTCC
HTR6.2	CCAGGGCGGCTTTG

Transcriptional activator

Gene	Target Sequence
ASCL1.3 (15 bp)	GGGAGTGGGTGGGAG
ASCL1.3(20 bp)	GGGAGTGGGTGGGAGGAAGA
ASCL1.4(15 bp)	CAATGGGACACCCAG
ASCL1.4 (20 bp)	CAATGGGACACCCAGCCCCA
IL1B.3 (15 bp)	CATGGTGATACATTT
IL1B.3 (20 bp)	CATGGTGATACATTTGCCAAA
IL1B.4 (15 bp)	CTACTCCTTGCCTT
IL1B.4 (20 bp)	CTACTCCTTGCCTTCCATG
IL1R2.3 (15 bp)	CTTGGCCACTTCCCC
IL1R2.3 (20 bp)	CTTGGCCACTTCCCCATCTG
IL1R2.4 (15 bp)	CCTATTCTGTGA
IL1R2.4 (20 bp)	CCTATTCTGTGACTCGC
ZFP42.3 (15 bp)	TTGAGCGCTACCCAC
ZFP42.3 (20 bp)	TTGAGCGCTACCCACGTGCC
ZFP42.4 (15 bp)	CGTGGGGCCGGGTG
ZFP42.4 (20 bp)	CGTGGGGCCGGGTGCCTGG

Transcriptional repression

Gene	Target Sequence
CHRM3.1	AGCCAACCCACCCCA
CHRM3.2	GTCTCAAGCACGCAG
FZD1.1	TGCCTGAGTAGTGCC
FZD1.2	CGCCGGGAAGCCGGA
PLCB1.1	CCAGCCAGTTGGGAT
PLCB1.2	CACGCTGGGTCAAGC
PRKC1.1	ACAGCTCGCGTGAAA
PRKC1.2	TCTGCCCCCGTAAGG
RAB11A.1	AAGAGGTAGTCGTAC
RAB11A.2	AAGGTGAGGCCATGG
RAB9A.1	GTACTCGCTGTCGCC
RAB9A.2	CCTGGCCCCGCCCG
RAB7A.1	GTCTCCTCCTCGCG
RAB7A.2	TAGCACGAGATCCAG
EEA1.1	ACAGAGGGTAAGAGA
EEA1.2	CAGCAGAAACTAGCA
PIK3C3.1	ACTACATCTATAGTT
PIK3C3.2	GGCGGGGAGTTCCGC
RAB5A.1	TCCTCCTCCGCCGCC
RAB5A.2	TTCGCGGGGCGGGGC

Transcriptional repression

Gene	Target Sequence
EEA1.3 (15 bp)	ACAGAGGGTAAGAGA
EEA1.3 (20 bp)	ACAGAGGGTAAGAGAGTGAA
EEA1.4 (15 bp)	ACCACCACCCGGCGC
EEA1.4 (20 bp)	ACCACCACCCGGCGCCG
PIK3C3.3 (15 bp)	ACTACATCTATAGTT
PIK3C3.3 (20 bp)	ACTACATCTATAGTTGTGAC
PIK3C3.4 (15 bp)	CAGACGGTGCATGG
PIK3C3.4 (20 bp)	CAGACGGTGCATGGGGAA
RAB5A.3 (15 bp)	TCCTCCTCCGCCGCC
RAB5A.3 (20 bp)	TCCTCCTCCGCCGCCGCC
RAB5A.4 (15 bp)	TTCGCGGGGCGGGG
RAB5A.4 (20 bp)	TTCGCGGGGCGGGCGAGGC
RAB5A.5 (15 bp)	GGTTCGTGAAGGAGC
RAB5A.5 (20 bp)	GGTTCGTGAAGGAGCCGGCG
RAB7A.3 (15 bp)	GTCTCCTCCTCGGCG
RAB7A.3 (20 bp)	GTCTCCTCCTCGGCGGGAGC
RAB7A.4 (15 bp)	TGGCCAAGACTCCAGGCCG
RAB7A.4 (20 bp)	TGGCCAAGACTCCAGGCCG

Distance from promoter TSS

Gene	Target Sequence
HBB.1	CCAAAACCTAATAAGTAACT
HBB.2	TTAGCATGCATGAGCAAATT
HBB.3	GATTAAAACCTTCTGGTAAG
HBB.4	GTGCATCAACTTCTTATTG
HBB.5	GAATCACAGCTTGGTAAGCA
HBB.6	AAGTCCAACCTCCTAACGCCAG
HBB.7	CTTCTGACACAACGTGTGTC
HBB.8	TGATAGGCAGTGAACCTCTC
HBB.9	TTGCCATGAGCCTTCACCTT
ASCL1.3	GAGCTGAATGGGACATTAGA
ASCL1.4	ACATAGTCCAGCACTTTTTT
ASCL1.5	CTCCAATTCTAGGGTCACC
ASCL1.6	CTTCAAGTTCTTAGTAGAAT
ASCL1.7	GGAAGGGGGTGGGGGGCGTC
ASCL1.8	CAAGGAGCGGGAGAAAGGAA
ASCL1.9	AATGGGACACCCAGCCCCAC
ASCL1.10	ACTCGCCCTCCCTGGCCGGA
ASCL1.11	CTGCTGCTTCTGCTTTTTT
RAB5A.1	TCCTCCTCCGCCGCCGCCGCC
RAB5A.2	TTCGCGGGCGGGCGAGGCAGG
RAB5A.4	GTACAGTAAAGAGCGAAGGGAAA
RAB5A.5	GGCTGGGGGTCTCTGGCTCCT
RAB5A.6	GTTCGTGAAGGAGCCGGCGGCTG
RAB5A.7	GGGACTGACTGAGGGAGCGACGG
RAB11A.1	AAGAGGTAGTCGTACTCGTC
RAB11A.2	AAGGTGAGGCCATGGCTCTCGC
RAB11A.4	GTCACTAAGTAATTGAACAACTA
RAB11A.5	CCCTTGAGCCTCCTTAGCGAC
RAB11A.6	GCGACTAAAGCTTGAAGCCCCAC
RAB11A.7	GCTCCTCGGCCGCGCAATGGGCA

qPCR Primer

Gene	sequence
ADRB2_forward	TTGCTGGCACCAATAGAAGC
ADRB2_reverse	CAGACGCTCGAACTTGGCA
ASCL1_forward	CCCAAGCAAGTCAGCGACA
ASCL1_reverse	AAGCCGCTGAAGTTGAGCC
CCR4_forward	TCTCGCCAAGACACTGAACAG
CCR4_reverse	GGCCCTGCATTCCCTCAAGAAG
CHRM3_forward	GGCCTGTGCCGATCTGATTAT
CHRM3_reverse	CGGCCTCGTGATGGAAAAG
CHRM4_forward	CAGCTCGGGCAATCAGTCC
CHRM4_reverse	GCCTATGATGAGATCAGCACAC
EEA1_forward	AGCAACTCCTATAAACACAGTGG
EEA1_reverse	AGCAAGATTAGACTCTCCTCCAT
FZD1_forward	AGCCATCCAGTTGCACGAG
FZD1_reverse	GAGTCGGGCCACTTGAAGTT
HBB_forward	AGGAGAAGTCTGCCGTTACTG
HBB_reverse	CCGAGCACTTCTTGCATGA
HTR6_forward	GCAACACGTCCAACCTCTTCC
HTR6_reverse	TGCAGCACATCACGTGAA
IL1B_forward	AAACAGATGAAGTGCTCCTTCC
IL1B_reverse	AAGATGAAGGGAAAGAAGGTGC
IL1R2_forward	ATGTTGCGCTTGTACGTGTTG
IL1R2_reverse	CCCGCTTGTAAATGCCTCCC
PIK3C3_forward	CCTGGAAGACCCAATGTTGAAG
PIK3C3_reverse	CGGGACCATAACACATCCCAT
PLCB1_forward	GGAAGCGGCAAAAGAAGCTC
PLCB1_reverse	CGTCGTCGTACTTCCGT
PRKC1_forward	GACAACGAACAGCTCTTCACC
PRKC1_reverse	CCAGGACGTTCTGGTACACA
RAB5A_forward	AGACCCAACGGGCCAAATAC
RAB5A_reverse	GCCCCAATGGTACTCTTGAA
RAB7A_forward	GTGTTGCTGAAGGTTATCATCCT
RAB7A_reverse	GCTCCTATTGTGGCTTGTACTG
RAB9A_forward	AGGGACAACGGCGACTATC
RAB9A_reverse	TCTGACCTATCCTCGTAGCA
RAB11A_forward	CAACAAGAAGCATCCAGGTTGA
RAB11A_reverse	GCACCTACAGCTCACGATAAT
ZFP42_forward	AGAACACGGCAAAGACAAGAC
ZFP42_reverse	GCTGACAGGTTCTATTCCGC

NGS primer

CD47_forward ACACTTTCCCTACACGACGCTCTTCCGATCT
 NNAAGATCTTACAGTACAGACTTC

CD47_reverse GTGACTGGAGTTCAGACGTGTGCTCTTCCGATC
 NNCAGGACAAATAAAAAAAGAAGC

Indel analysis primer

ASCL1_forward	CGAGGAACCGAAGAGAATAACAGTGAG
ASCL1_reverse	CCGCTGGCCCTTCTTGTTC
CD47_forward	TATCAGTTCAGCAAGTTCTATTAGCAGTGTGTT
CD47_reverse	AGTACATTACCCCAGGACCAATCAGCCAAA
DNMT1_forward	CTGGGACTCAGGCGGGTCAC
DNMT1_reverse	CCTCACACAACAGCTTCATGTCAGC
EMX1_forward	TGGATGCCGTGTCATTAAGAGAGAGACTTT
EMX1_reverse	CCCTTCTGTGAATGTTAGACCCATGGGAGC
FANCF_forward	GTATTAGGGCTTTAAGTTGCCAGAGTCAAGGA
FANCF_reverse	GTCTGTTAGCAGACCCAGATAGACAGGAGAC
GRIN2B_forward	GAATGCAGGGCTTGTGTACTTATAGCCCC
GRIN2B_reverse	ACAAATGCATGGTTAGTCCTCAGCACAAAC
IL1B_forward	CCATGAGATTGGCTAGGGTAACAGCA
IL1B_reverse	AGAGACAGAGAGACTCCCTAGCACC
PIK3C3_forward	GTGGGCGCCTTGTGCACATGC
PIK3C3_reverse	CACCTCCCGTGTAAATACACCATGTGCTC
RAB5A_forward	CGCCCCGCGAACAAACCTAGGC
RAB5A_reverse	CCAGGACGGAGACCAGGCGGAACC
VEGFA_forward	AAACTCCCCCACCCTTTCC
VEGFA_reverse	ATTCCAGCACCGAGGGCC

Supplementary Note 1

Single-transcript Cas12a construct:

AsCas12a-NLS-Hax3-Triplex-DR-BsmBI-BsmBI-DR

ATGACACAGTCAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCT
GATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGG
CCCGCAATGATCACTACAAGGAGCTGAAGCCCATCATCGATCGGATCTACAAGACCTATGCCG
ACCAGTGCCTGCAGCTGGTGCAGCTGGATTGGGAGAACCTGAGCGCCGCCATCGACTCCTATA
GAAAGGAGAAAACCGAGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGCAAT
GCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCGAGCTGTTAATGGCAAGGTGCTGAAGCAGCT
GGGCACCGTGACCACAACCGAGCACGAGAACGCCCTGCTCGGAGCTCGACAAGTTAAC
CTACTTCTCCGGCTTTATGAGAACAGGAAGAACGTGTTCAAGGCCGAGGATATCAGCACAG
CCATCCCACACCGCATCGTCAGGACAACCTCCCCAAGTTAACGGAGAACGTGACATCTTCA
CACGCCTGATCACCGCGTCCCCAGCCTGCGGGAGCAGCTTGAGAACGTGAAGAACGCCATCG
GCATCTCGTGAGCACCTCCATCGAGGAGGTGTTCTCCCTTTATAACCAGCTGCTGA
CACAGACCCAGATCGACCTGTATAACCAGCTGCTGGGAGGAATCTCTCGGGAGGCAGGCACC
GAGAAGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAACGAGAACATGAGACAGC
CCACATCATCGCCTCCCTGCCACACAGATTCACTCCCCCTGTTAACGAGATCCTGTCGATAG
AACACCCCTGTCTTCATCCTGGAGGGAGTTAACGGGAGGAAAGGGGAGGAGAACGAGCACC
GCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGACAGCCGAGGCCCTGTTAAC
GAGCTGAACAGCATCGACCTGACACACATCTCATCAGCCACAAGAACGCTGGAGAACATCAG
CAGGCCCTGTGCCGACACTGGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACCTCCG
AGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGGTGCAGCGCAGCCTGAAGCACGAG
GATATCAACCTGCAGGAGATCATCTGCCCGCAGGCAAGGAGCTGAGCGAGGCCCTCAAGCA
AAAAACCGAGATCCTGTCACCGCACACGCCCTGGATCAGCCACTGCCCTACAACCC
GAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGCCTGTACC
ACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTGCCCCGC
TGACCGGCATCAAGCTGGAGATGGAGGCCCTCTGAGCTTCTACAACAAGGCCAGAACATTAT
GCCACCAAGAACGCCCTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCCTACACTGCC
TCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAACGCCCT
GTACTATCTGGGCATCATGCCAAAGCAGAACGGCAGGTATAAGGCCCTGAGCTCGAGGCCA
CAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTATGACTACTTCCCTGATGCCGCCAAG
ATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCACTTCAAGACCACACAACC
CCCATCCTGCTGCCAACATTCTCGAGCCTCTGGAGATCACAAAGGAGATCTACGACCTG
AACAACTCTGAGAACGGAGCCAAGAACGAGTTCAGACAGCCTACGCCAACAAAACCGGCACCA
GAAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGTCCAAGT
ATACCAAGACAAACCTCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGGACCTGG
GCGAGTACTATGCCGAGCTGAATCCCTGCTGTACCATCAGCTCCAGAGAACGCGAGA
AGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTAACAGGAC
TTTGCAAGGGCACCACGCCAACGCTTAATCTGCACACACTGATTGGACGGCCTGTTCT
CCAGAGAACCTGCCAACGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACCGCCCT
AAGTCCAGGATGAAGAGGATGGCACACGCCCTGGGAGAGAACGATGCTGAACAAGACTGAA
GGATCAGAAAACCCAATCCCCGACACCCCTGTACCGAGGAGCTGTACGACTATGTGAATCACAG
ACTGTCCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACCAAGGAGGT
GTCTCACGAGATCATCAAGGATAGGCGTTTACCAAGCGACAAGTTCTTCCACGTGCCCTAT
CACACTGAACATCAGGCCAACATTCCCCATCTAACGTTAACCAAGAGGGTGAATGCCCTACCT

GAAGGAGCACCCGAGACACCTATCATGGCATCGATCGGGGAGAGAAAACCTGATCTATA
TCACAGTGTACTCCACCGCAAGATCCTGGAGCAGCGAGCCTGAACACCATTCCAGCAGT
TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGGAGAGGGTGGCAGCAAGGCAGGCCTGG
TCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGAT
CGTGGACCTGATGATCCACTACCAGGCCGTGGTGGCTGGAGAACCTGAATTCGGCTTTA
AGAGCAAGAGGACCGCATGCCAGAAGGCCGTGTACAGCAGTCGAGAAGATGCTGATC
GATAAGCTGAATTGCCTGGTGTGAAGGACTATCCAGCAGAGAAAAGTGGGAGGCAGTGTGAA
CCCATACCACTGACAGACAGCTCACCTCCTTGCCAAGATGGCACCCAGTCTGGCTTCCT
GTTTACGTGCCTGCCCATATACATCTAAGATCGATCCCTGACCAGCTGGACCCCTT
CGTGTGGAAAACCATTCAAGAATCACGAGAGCCGAAGCACTCCTGGAGGGCTCGACTTTC
TGCACACTACGACGTGAAAACCGCGACTTCATCCTGCACTTAACATGAAACAGAAATCTGTCC
TTCCAGAGGGCCTGCCGGCTTATGCCTGCATGGATATCGTGTGAGAAGAACGAGAC
ACAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAACATCGGCCAGTGTGAGA
ATCACAGATTCACCGCAGATAACCGGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGG
AGGAGAAGGGCATCGTGTTCAGGGATGGCTCAACATCCTGCCAACAGCTGCTGGAGAACGAGAC
GATTCTCACGCCATCGACACCATTGGTGGCCCTGATCCGAGCGTGTGAGATGCCGAACACTCC
AATGCCGCCACAGGCAGGACTATATCAACAGCCCCGTGCGCATCTGAATGGCGTGTGCTTC
GAECTCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCAACATGGCGCTACCACATC
GCCCTGAAGGGCCAGCTGCTGATCACCTGAAGGAGAGCAAGGACTGAGA
CGGCATCTCCAATCAGGACTGGCTGCCATCCAGGAGCTGCCAACAAAAGCCGGCGGC
CACGAAAAAGGCCGCCAGGCAAAAAAGAAAAAGGGATCCCTACCCATACGATGTTCCAGATT
ACGCTTATCCCTACGACGTGCCTGATTATGCATACCCATATGATGTCCTGACTATGCCTAAG
AATTCAATTGTCAGTAGGGTTGAAAGGTTTTCTTCTGAGAAAACAACCTTTGTT
TCTCAGGTTTGCTTTGCCCTTCCCTAGCTTAAAAAAAAAGCAAAAGCTCACCGAG
GCAGTTCCATAGGATGGCAAGATCCTGGTATTGGCTGCGAAATTCTACTTTGAGATGG
AGACGCAAATTCTAATCCAGCTCAACAGCTATTCAAGCTTCAAGCTTCAATGATTCTCGTCTCTA
ATTCTACTCTGTAGAT

LSL-AsCas12a-NLS-HAx3-Triplex-DR-BsmBI-BsmBI-DR

ATAACTTCGTATAATGTATGCTACGAAGTTATTGGCATGAATAAATGAAAGCTTGAGA
TCTGCAGCTAGAGGATCTGCAGCTAGAGGATCATATGCCNTACCACATTGTTGAG
AGGTTTACTNGCTTAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAAT
GCAATTGTTGTTAACTGTTATTGCAGCTTACAAATGGTTACAAATAAGCAATAGCAT
CACAAATTCAAAATAAGCATTTTCACTGCATTCTAGTTGTGGTTGTCAAACACTCA
TCAATGTATCTTATCATGCTGGATCTGCAGCTAGAGGATCATATGCCATACCACAT
TTGTAGAGGTTTACTTGCTTAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAA
TGAATGCAATTGTTGTTAACTGTTATTGCAGCTTACAAATGGTTACAAATAAGCAAT
AGCATCACAATTTCACAAATAAGCATTTTCACTGCATTCTAGTTGTGGTTGTCAA
ACTCATCAATGTATCTTATCATGCTGGATCTGCAGCTAGAGGATCATATGCCATAC
CACATTGTAGAGGTTTACTTGCTTAAAAACCTCCCACACCTCCCCCTGAACCTGAAAC
TAAAATGAATGCAATTGTTGTTAACTGTTATTGCAGCTTACAAATGGTTACAAATAAA
GCAATAGCATCACAATTTCACAAATAAGCATTTTCACTGCATTCTAGTTGTGGTTG
TCCAAACTCATCAATGTATCTTATCATGCTGGATCCCCATCAAGCTGATCCGGAACCTTAA
TATAACTTCGTATAATGTATGCTACGAAGTTATTAGGTCCCTCGACCTGCAGCGGTACCG
CCACCATGACACAGTCAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTT
GAGCTGATCCCACAGGGCAAGACCCATGAAGCACATCCAGGAGCAGGGCTCATCGAGGAGGA
CAAGGCCGCAATGATCACTACAAGGAGCTGAAGCCATCATGATCGGATCTACAAGACCT
ATGCCGACCAGTGCCTGCAGCTGGTGCAGCTGGATTGGAGAACCTGAGCGCCGCCATCGACT

CCTATAGAAAGGAGAAAACCGAGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATAT
CGCAATGCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAG
AGACACGCCGAGATCTACAAGGGCTGTTCAAGGCCGAGCTGTTAATGGCAAGGTGCTGAA
GCAGCTGGGACCGTGACCACAACCGAGCACGAGAACGCCCTGCTGCCAGGCTTCGACAAGTT
TACAACCTACTTCTCGGCTTTATGAGAACAGGAAGAACGTGTTCAGGCCAGGATATCA
GCACAGCCATCCCACACCGCATCGCAGGACAACCTCCCCAAGTTAAGGAGAATTGTACCA
TCTTCACACGCCGATCACCGCCGTCAGGCCAGGCTGCCAGGAGCACCTTGAGAACGTGAAGAAGG
CCATCGGCATCTCGTGAGCACCTCCATCGAGGAGGTGTTTCCCTCCCTTTATAACCAGC
TGCTGACACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTCGGGAGGCA
GGCACCGAGAAGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAATGATGA
GACAGCCCACATCATCGCCTCCCTGCCACACAGATTCATCCCCCTGTTAACGAGATCCTGTC
CGATAGGAACACCCCTGTCTTCATCCTGGAGGAGTTAACGAGCGAGGAAGTGAATCCAGT
CCTTCTGCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGACAGCCAGGCCCTG
TTAACGAGCTGAACAGCATCGACCTGACACACATCTTCATCAGCCACAAGAACGAGCTGGAGAC
AATCAGCAGCGCCCTGTGCACCAGGGATACACTGAGGAATGCCCTGTATGAGCGAGGAA
TCTCCGAGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGTGAGCGCAGGCCCTGAAG
CACGAGGATATCAACCTGAGGAGATCATCTGCCAGGCAAGGAGCTGAGCGAGGCCCT
CAAGCAGAAAACCAGCGAGATCCTGTCCCACGCACACGCCGCCCTGGATCAGCCACTGCC
AACCCCTGAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGCC
TGTACCACCTGTTGACTGGCTGGATGAGTCCAACGAGGTGGACCCGAGTTCTG
CCCGCTGACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTCTAACACAAGGCCAGAA
ATTATGCCACCAAGAACGCCACTCTGGAGAACGTTCAAGCTGAACATTCTAGATGCC
CTGGCCTCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAA
CGGCCTGTACTATCTGGGCATCATGCCAAAGCAGAAGGGCAGGTATAAGGCCCTGAGCTTC
AGCCCACAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTATGACTACTCC
GCCAAGATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCACTTCAGACCC
ACAACCCCCATCCTGCTGTCCAACAATTTCATCGAGCCTCTGGAGATCACAAAGGAGATCTAC
GACCTGAACAATCCTGAGAACGGAGCAAAGAACGTTCAGACAGCCTACGCCAAGAAAACGG
CGACCAGAAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGT
CCAAGTATACCAAGACAACCTCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGG
ACCTGGCGAGTACTATGCCAGCTGAATCCCTGCTGTACCATCAGCTTCCAGAGAACG
CCGAGAAGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAAC
AAGGACTTGCACAGGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACCGGC
TTTCTCCAGAGAACCTGGCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTA
CCGCCCTAAGTCCAGGATGAAGAGGATGGCACACCGCTGGAGAGAACGATGCTGAACAAGA
AGCTGAAGGATCAGAAAACCCAATCCCCGACACCCCTGTACCATCAGCTGACTATGT
AATCACAGACTGTCCCACGACCTGCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACC
AAGGAGGTGTCTCACGAGATCATCAAGGATAGCGCTTACCAAGCGACAAGTTCTTTCCA
CGTGCCTATCACACTGAACATCAGGCCCAATTCCCATCTAACGTTCAACCAGAGGGTGA
TGCCTACCTGAAGGAGCACCCGAGACACCTATCATCGGATCGATGGGGCGAGAGAACCT
GATCTATATCACAGTGTACTCCACCGCAAGATCCTGGAGCAGCGAGCCTGAACACCA
TCCAGCAGTTGATTACCAGAACAGAACGCTGGACAACAGGGAGAACGGAGAGGGTGG
CAGGCCTGGCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGGCCAGGT
CCACGAGATCGTGGACCTGATCCACTACCAGGCCGTGGTGGCTGGAGAACCTGAATT
TCGGCTTAAGAGCAAGAGGGACCGGCATGCCAGAACAGGCCGTGTACCATCAGCAGT
ATGCTGATCGATAAGCTGAATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAACG
CGTGCCTGAAACCCATACCAAGCTGACAGACCAGTCACCTGCCAGGAGATGGCACCC
TGGCTTCCCTGTTACGTGCCCTGCCCATATACATCTAACGATCGATCCC
GGACCCCTCGTGGAAAACCATCAAGAACATCACGAGAGGCCAGCAGC
ACTTCCTGGAGGGCT

TCGACTTCTGCACTACGACGTAAAACCGGCACCTCATCCTGCACTTAACGATGAACAGA
AATCTGCTCTCCAGAGGGCCTGCCGGCTTATGCCTGCATGGGATATCGTGGCTGAGAAG
AACGAGACACAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAATCGTGCAGT
GATCGAGAAATCACAGATTACCAGGAGATACCGGGACCTGTATCCTGCCAACGAGCTGATCG
CCTGCTGGAGGAGAAGGGCATCGTGGTCAAGGGATGGCTCCAACATCCTGCCAACGAGCTGCTGG
AGAATGACGATTCTCACGCCATCGACACCAGGTGGCCCTGATCCGAGCGTGCTGCAGATGC
GGAACCTCAATGCCGCCACAGGCAGGGACTATATCAACAGCCCCGTGCCGATCTGAATGGCG
TGTGCTTCGACTCCCCTTCAGAACCCAGAGTGGCCCATGGACGCCATGCCAACGAGCTGCTGG
ACCACATGCCCTGAAGGGCAGCTGCTGAATCACCTGAAGGAGAGCAAGGATCTGAAG
CTGCAGAACGGCATCTCAATCAGGACTGGCTGCCATGCCAGGAGCTGCGAACAAAAG
GCCGGCGGCCACGAAAAAGGCCGCCAGGCAAAAAAGAAAAAGGGATCCTACCCATACGATG
TTCCAGATTACGCTTATCCCTACGACGTGCCTGATTATGCATAACCATATGATGCCCCGACT
ATGCCCTAAGAATTGATTGCTCAGTAGGGTTGTAAGGTTTCTTTCTGAGAAAACAAC
CTTTGTTTCTCAGGTTTGCTTTGCCCTTCCCTAGCTTAAAAAAAAAAAAGCAAAA
CTCACCGAGGCAGTCCATAGGATGGCAAGATCCTGGTATTGGTCTGCGAAATTCTACTCT
TGTAGATGGAGACGCAAATTCTAATCCAGCTAACAGCTATTCTACAAGCTTCTGATT
CTCGTCTCTAATTCTACTCTGTAGAT

TRE-miniCMV-AsCas12a-NLS-Hax3-Triplex-DR-BsmBI-BsmBI-DR

TCGAGTTACTCCCTATCAGTGATAGAGAACGTATGTCGAGTTACTCCCTATCAGTGATAG
AGAACGTATGTCGAGTTACTCCCTATCAGTGATAGAGAACGTATGTCGAGTTATCCCTAT
CAGTGATAGAGAACGTATGTCGAGTTACTCCCTATCAGTGATAGAGAACGTATGTCGAGGT
AGGCGTGTACGGTGGGAGGCCTATATAAGCAGAGCTCTCTGGCTAACTAGAGAACCCACTGC
TTACTGGCTTATCGAAATTAAATACGACTCACTATAGGGAGACCAAGCTGGCTAGCGTTAA
ACTTAAGCTTGGTACGCCACCATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGA
GCAAGACACTCGCGTTGAGCTGATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAG
GGCTCATCGAGGAGGACAAGGCCCAATGATCACTACAAGGAGCTGAAGCCCCTCATCGA
TCGGATCTACAAGACCTATGCCGACCGACTGCTGCAGCTGGTCAGCTGGATTGGGAGAAC
TGAGCGCCGCATCGACTCTATAGAAAGGAGAAAACCAGGGAGACAAGGAACGCCCTGATC
GAGGAGCAGGCCACATATCGCAATGCCATCCACGACTACTTCATCGGCCGACAGACAACCTG
ACCGATGCCATCAATAAGAGACACGCCGAGATCTACAAGGGCTTCAAGGCCGAGCTGTT
TAATGGCAAGGTGCTGAAGCAGCTGGCACCGTGACCACAACCGAGCACGAGAACGCCCTGC
TGCAGGCCGAGGATATCAGCACAGCCATCCCACACCGCATCGCAGGACAACCTCCCCAAG
TTAAGGAGAATTGTCACATCTCACAGCCTGATCACCGCCGTGCCAGCCTGCGGGAGCAC
TTTGAGAACGTGAAGAACGCCATGGCATCTCGTGCAGCACAGACCCAGATCGACCTGTATAACCAGCTGCTGG
CTTCCCTTTATAACCAGCTGCTGACACAGACCCAGATCGACCTGTATAACCAGCTGCTGG
AGGAATCTCGGGAGGCAGGCACCGAGAACGATCAAGGGCTGAACGAGGTGCTGAATCTGG
CCATCCAGAAGAACATGATGAGAACGCCACATCGCCTCCCTGCCACACAGATTCTACCCCC
TGTTAAGCAGATCCTGTCCGATAGGAACACCCCTGTCTTCATCCTGGAGGAGTTAACGAC
GACGAGGAAGTGATCCAGTCCTCTGCAAGTACAAGAACACTGCTGAGAACGAGAACGAGCT
GGAGACAGCCGAGGCCCTGTTAACGAGCTGAACAGCATCGACCTGACACACATCTCATCA
GCCACAAGAACGCTGGAGAACATCAGCAGGCCCTGTGCAGGACCAACTGGGATACACTGAGGAAT
GCCCTGTATGAGCGAGGAATCTCCGAGCTGACAGGCAAGATACCAAGTCTGCCAACGGAGAA
GGTGCAGCGCAGCCTGAAGCACGAGGATATCAACCTGCAGGAGATCATCTGCCAGGCA
AGGAGCTGAGCGAGGCCCTCAAGCAGAAAACCAGCGAGATCCTGTCCACGCACACGCCGCC
TGGATCAGCCACTGCCATCACACCCTGAAGAACGAGCAGGAGGAGAACGGAGATCCTGAAGTCTCAG

CTGGACAGCCTGCTGGGCCTGTACCACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAG
GTGGACCCCGAGTTCTCTGCCCGCTGACCGGCATCAAGCTGGAGATGGAGCCTCTCTGAGC
TTCTACAACAAGGCCAGAAATTATGCCACCAAGAAGCCCTACTCCGTGGAGAAGTTCAAGCT
GAACCTTCAGATGCCAACACTGGCCTCTGGCTGGACGTGAATAAGGAGAAGAACATGGCG
CCATCCTGTTGTGAAGAACGGCCTGTACTATCTGGCATCATGCCAAAGCAGAACAGGCAGG
TATAAGGCCCTGAGCTCGAGCCCACAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTA
TGACTACTCCCTGATGCCCAAGATGATCCAAAGTGCAGCACCCAGCTGAAGGCCGTGAC
AGCCCACCTTCAGACCCACACAACCCCCATCCTGCTGCTCAACAATTTCATCGAGCCTCTGGA
GATCACAAAGGAGATCTACGACCTGAACAATCCTGAGAAGGAGCCAAGAACAGCTCAGACAG
CCTACGCCAAGAAAACCAGGGACAGAACGGCTACAGAGAGGCCCTGTGCAAGTGGATCGAC
TTCACAAGGGATTTCTGCTCAAGTATAACCAAGAACACCTCTATCGATCTGTCTAGCCTGCGG
CCATCCTCTCAGTATAAGGACCTGGCGAGTACTATGCCAGCTGAATCCCTGCTGTACAC
ATCAGCTCCAGAGAATGCCAGAGAACGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTA
CCTGTTCCAGATCTATAACAAGGACTTTGCCAAGGGCACCACGGCAAGCCTAATCTGCACAC
ACTGTATTGGACCCGCTGTTCTCCAGAGAACCTGCCAAGAACGATCAAGCTGAATG
GCCAGGCCAGCTGTTCTACCGCCCTAACGTCCAGGATGAAGAGGATGGCACACCCGCTGGGA
GAGAAGATGCTGAACAAGAACGCTGAAGGATCAGAAAACCCAAATCCCCGACACCCGCTACCA
GGAGCTGTACGACTATGTGAATCACAGACTGTCCCACGACCTGTCTGATGAGGCCAGGGCCT
GCTGCCAACGTGATCACCAAGGAGGTGTCTCACGAGATCATCAAGGATAGGCCTTACCA
GCGACAAGTTCTTTCCACGTGCCTATCACACTGAACATATCAGGCCCAATTCCCCATCTA
AGTTCAACCAGAGGGTGAATGCCAACCTGAAGGAGCACCCGAGACACCTATCATGGCCTC
GATCGGGCGAGAGAACCTGATCTATATCACAGTGTACTCCACCGGCAAGATCCTGGA
GCAGCGGAGCCTGAACACCATCCAGCAGTTGATTACCAAGAACAGCTGGACAACAGGAGA
AGGAGAGGGTGGCAGCAAGGCAGGCCCTGGTCTGTGGTGGCACAATCAAGGATCTGAAGCAG
GGCTATCTGAGCCAGGTATCCACGAGATCGTGGACCTGATGATCCACTACCAGGCCGTGGT
GTGCTGGAGAACCTGAATTGGCTTTAACAGAGCAAGAGGACCGGCATGCCAGAACAGCGT
GTACCAGCAGTTGAGAAGATGCTGATCGATAAGCTGAATTGCCCTGGTCTGAAGGACTATC
CAGCAGAGAAAGTGGAGGGCTCGACTTCTGACTACGACGTGAAACCCATACCAGCTGACAG
GCCAAGATGGCACCCAGTCTGGCTCCTGTTACGTGCCTGCCCATATACATCTAACATC
GATCCCCTGACCGGCTTCGTGGACCCCTCGTGTGGAAAACCATCAAGAACATCACGAGAGCCG
AAGCACTTCCGGAGGGCTCGACTTCTGACTACGACGTGAAACCCAGGGCGACTTCATCCTG
CACTTAAGATGAACAGAAATCTGCTTCCAGAGGGCCTGCCGGTTATGCCCTGCATGG
GATATCGTGTGAGAAGAACGAGACACAGTTGACGCCAAGGGCACCCCTTCATGCCGG
CAAGAGAACGAGCTGAGAAGAACGAGACACAGATTGCCAGATACCAGGGACCTGTATC
CTGCCAACGAGCTGATGCCCTGCTGGAGGAGAACGGCATCGTGTTCAGGGATGGCTCAAAC
ATCCTGCCAAAGCTGCTGGAGAACGATTCTCACGCCATCGACACCCATGGTGGCCCTGATC
CGCAGCGTGTGAGATGCCAACTCCAATGCCAACAGGCCAGGGACTATATCACAGCCCC
GTGCGCGATCTGAATGGCGTGTGCTCGACTCCGGTTCAAGAACCCAGAGTGGCCATGGAC
GCCGATGCCAATGGCGCTACCACATGCCCTGAAGGGCAGCTGCTGTGAATCACCTGAAG
GAGAGCAAGGATCTGAAGCTGAGAACGGCATCTCAATCAGGACTGGCTGGCCTACATCCA
GGAGCTGCGCAACAAAAGGCCGCCAGAAAAAGGCCAGGCAAAAAAGAAAAAG
GATCCTACCCATACGATGTTCCAGATTACGCTTATCCCTACGACGTGCCGTGATTATGCATACC
CATATGATGTCCCCACTATGCCAACGATTGCTGAGGTTGCTAAAGGTTTTC
TTTCCTGAGAAAACACCTTTGTTCTCAGGTTGCTTTGCCCTTCAGCTTA
AAAAAAAAAAAGCAAACTCACCGAGGAGACGCAAATTCTAATCCAGCTCAACAGCTATTTC
TGCAGAACATTCTACTCTGTAGATGGAGACGCAAATTCTAATCCAGCTCAACAGCTATTTC
ACAAGCTTCATGATTCTCGTCTCAATTCTACTCTGTAGAT

Single-transcript Cas12a construct for Lentivirus production:

[CMV-AsCas12a-NLS-P2A-Puro-HAx3-Triplex-DR-BsmBI-BsmBI-DR-WPRE-Poly(A)] inverted

CACACAAAAAACCAACACACAGATCTAATGAAAATAAGATCTTTATTACGCGTCATGGAT
TCGAGGCGGGGAGGCCAAAGGGAGATCCGACTCGTCTGAGGGCAAGGCGAAGACGCG
GAAGAGGCCGCAGAGCCGGCAGCAGGCCGGAAAGGAAGGTCCGCTGGATTGAGGGCCGAA
GGGACGTAGCAGAAGGACGTCGGCGCAGAACATCCAGGTGGCAACACAGGGCAGGCCAAGG
AAAGGACGATGATTCCCCGACAACACCACCGAATTGTCAGTCCCCAACAGCCGAGCCCCTGT
CCAGCAGCGGGCAAGGCAGGCAGCGATGAGTCCGCGTGGCAATAGGGAGGGAAAGCGA
AAGTCCCCGAAAGGAGCTGACAGGTGGTGGCAATGCCAACAGTGGGGTTGCGTCAGCA
AACACAGTGCACACCACGCCACGTTGCCTGACAACGGGCCACAACCTCCTCATAAAGAGACAGC
AACCAAGGATTATACAAGGAGGAGAAAATGAAAGCCATACGGGAAGCAATAGCATGATA
AAGGCATTAAAGCAGCGTATCCACATAGCGTAAAGGAGCAACATAGTTAAGAATACCAGTC
AATCTTCACAAATTGTAACTCCAGAGGTTGATTGTCGACTTAACGCGATCTATGTCTAGA
ATCTACAAGAGTAGAAATTAGAGACGAGAAATCATGAAAGCTTGTGAAATAGCTGTTGAAG
CTGGATTAGAATTGCGTCTCCATCTACAAGAGTAGAAATTTCGCAAGACCAATACCAGGATC
TTGCCATCCTATGGAACTGCCCTCGGTGAGTTTGCTTTTTAAAGCTAGGGAAAGG
CCAAAAAGCAAAACCTGAGAAAACAAAAGTTGTTCTCAGGAAAAGAAAAACCTTACAA
CCCTACTGACGAATCGAATTCTTAGGCATAGTCGGGACATCATATGGGTATGCATAATCAG
GCACGTCGTAGGGATAAGCGTAATCTGGAACATCGTATGGTAGGATCCGGCACCGGGCTTG
CGGGTCATGCACCAGGTGCGCGGTCTCGGGCACCTCGACGTCGGCGGTGACGGTGAAGCG
AGCCGCTCGTAGAAGGGAGGTTGCGGGCGCGAGGTCTCCAGGAAGGCGGGACCCCGC
GCGCTGGCCGCCTCCACTCCGGGAGCACGACGGCGCTGCCAGACCCCTGCCCTGGTGGC
GGCGAGACTCCGACGGTGGCAGGAACCACGCGGGCTCTGGGCCGGTGCAGGCCAGGAG
GCCTTCATCTGTTGCTGCCGGCCAGCGGAACCGCTCAACTCGGCCATGCGCGGGCCGAT
CTCGCGAACACCGCCCCCGCTCGACGCTCTCGGGCTGGTCCAGACGCCACGGCGGCC
GTCGTCCCGGACCCACACCTGCCGATGTCGAGCCCACGCGCGTGGAGAAGAGTTCTGCA
CTCGGTGACCGCTCGATGTCGCGGTCCGGATCGACGGTGTGGCGCTGGCGGGTAGTC
AACCGCGGGAGGGTGGTACGGCCCTGGGACGTCGTCGCGGGTGGCGAGGCGCACCGT
GGCTTGTACTCGTTGGCCGGATTCTCTCGACATCCCTGCTTCAACAGGGAGAA
GTTAGTGGCTCCGCTCCGGATCCCTTTTCTTTTGCTGGCCGGCTTTCTGTTGGCC
CGGCCTTTGTGCGCAGCTCCTGGATGTCGAGGCCAGCCAGTCCTGATTGGAGATGCC
CAGCTTCAGATCCTGCTCTCCTCAGGTGATTCACTCGACGAGCTGCCCTCAGGGCGATGT
GTAGGCGCCATTGGCATCGCGTCCATGGCCACTCTGGGTTCTGAAACCGGGAGTC
ACACGCCATTCACTCGACGCTGCCAGGGCTGTTGATATAGTCCTGCCCTGGCGGATTGGAGT
TCGGCATCTGCAGCACGCTGCCAGGGACCATGGTGTGATGGCGTGAGAATCGTC
TCTCCAGCAGCTTGGCAGGATGTTGGAGCCATCCCTGAACACGATGCCCTCTCC
GGCGATCAGCTCGTTGGCAGGATACAGGTCCGGTATCTGCCGGTGAATCTGTGATTCTG
ATCACTGGCACGATTCTCTTGCCTGGCGATGAAAGGGGTGCCCTGGCGTCAAAC
TTCTCTCGAACACGATATCCCATGCAGGCATAAAGCCGGCAGGCCCTCTGGAAGGACAGA
TTCTGTTCATCTTAAAGTCAGGATGAAGTCGCCGGTTTACGTCGAGTCAGAAAGTC
GAAGCCCTCCAGGAAGTGCTTGCCTCGTGATTCTGATGGTTTCCACACGAAGGGGT
CACGAAGCCGGTCAGGGGATCGATCTTAGATGTATATGGGGCAGGCACGTAAA
CAGACTGGGTGCCCATCTGGCAAAGGAGGTGAACCTGGTCTGTCAGCTGGTATGGG
ACGCCCTCCACTTCTGCTGGATAGTCCTCAGCACCCAGGCAATTCACTGCTTATCG
ATCTTCTCGAACCTGCTGGTACACGCCCTCTCGCGATGCCGGCCTCTGCTCTTAAAG
AAATTCAAGGTTCTCCAGCACCAACGCCCTGGTAGTGGATCATCAGGTCCACGAT
ATGACCTGGCTCAGATAGCCCTGCTTCAGATCCTGATTGTGCCACCACAGACC
CTTGCTGCCACCCTCTCCTCCCTGTTGTCAGCTTCTGGTAATCAAAC
ACTGCTGGATG

GTGTTCAGGCTCCGCTGCTCCAGGATCTGCCGGTGGAGTCGATCACTGTGATATAGATCAG
GTTTCTCTGCCCGATCGATGCCGATGATAAGGTGTCTCGGGGTGCTCCTCAGGTAGGCATT
CACCCCTCTGGTTGAACTTAGATGGGAATTGGCGGCCTGATAGTCAGTGTGATAGGCACGT
GGAAAAAGAACCTTGTGCTGGTAAAGCGCCTATCCTTGATGATCTCGTGAGACACCTCCTG
GTGATCACGTTGGCAGCAGGGCCCTGGCCTCATCAGACAGGTCGTGGACAGTCTGTGATT
CACATAGTCGTACAGCTCCTGGTACAGGGTGTGGGATTGGGGTTTCTGATCCTCAGCTT
CTTGGTCAGCATCTCTCTCCCAGCCGGTGTGCCATCCTCATCCTGGACTTAGGGCGGTA
GAACAGCTCGGCCTGGCATTCAAGCTGATGCTGCTTGTCTGGCCAGGTTCTCTGGAGAAAACAG
GCCGGTCCAATACAGTGTGCAAGATTAGGCTTGCCTGGTGGCGCTTGGCAAAGTCCTGTT
ATAGATCTGGAACAGGTACAGCTGCCTGTCTCACGGCATCCATGATCTCCTCTCGGCGAT
TCTCTGGAAGCTGATGTGGTACAGCAGGGATTCAAGCTCGGCATAGTACTCGCCAGGTCTT
ATACTGAGAGGATGGCGCAGGCTAGACAGATCGATAGAGGTTGTCTTGGTATACTGGACA
GAAAATCCCTGTGAAGTCGATCCACTTGACAGGGCTCTGTAGGCCCTCTGGTCGCCGG
TTTCTTGGCGTAGGCTGCTGAAACCTTCTTGGCTCCTCTCAGGATTGTTCAAGTCGTAGA
TCTCCTTGTGATCTCAGAGGCTCGATGAAATTGTTGGACAGCAGGATGGGGTTGTGTTGG
GTCTGAAAGTGGCTGTCAGGCCTCAGCTGGTGTGCACTTGGGATCATCTGGCGGCA
TCAGGGAAAGTAGTCATAGTACATCTTATCAAAGCCCTCGCTGGTTTCTGTGGCTCGAA
GCTCAGGGCCTTATACCTGCCCTCTGCTTGGCATGATGCCAGATAGTACAGGCCGTTCTT
CACAAACAGGATGGGCCATTGTTCTCCTTATTCACTGGCCAGGAGGCACTGTAGG
CATCTGAAAGTTCAAGCTGAACTTCTCACGGAGTAGGGCTTCTGGTGGCATAATTCTGG
CCTTGGTTAGAAGCTCAGAGAAGGCTCATCTCAGCTGATGCCGGTCAGCCGGCAGAG
AACTGGGGTCCACCTCGTGGACTCATCCACGGCAAACCAGTCCAGCAGGTGGTACAGGCC
AGCAGGCTGTCCAGCTGAGACTCAGGATCTCCTCTCCTGCTTCTCAGGTTGTAGGC
AGTGGCTGATCCAGGGCGCGTGTGCGTGGACAGGATCTCGCTGGTTTCTGCTTGAAGGC
CTCGCTCAGCTCCTGCCTCGGCAGAGATGATCTCCTGCAGGTTGATATCCTCGTCTCAG
GCTCGCTGCACCTCTCCTGGCAGACTTGGTATCTTGCCTGTCAGCTCGAGATTCTCG
CTCATACAGGGCATTCTCAGTGTATCCCAGTGGTCGCACAGGGCGCTGCTGATTGTCTCAG
CTTCTTGTGGCTGATGAAGATGTGTGTCAGGTCAGTGTCTCAGCTCGTTAACACAGGGCCT
CGGCTGTCAGCAGCTCGTTCTCAGCAGTGTCTGACTTGCAGAAGGACTGGATCA
CTTCCTCGCTCTTAAACTCCTCCAGGATGAAAGACAGGGTGTCTATCGGACAGGATCT
GCTTAAACAGGGGGATGAATCTGTGTGGCAGGGAGGGATGATGTGGCTGTCTCATCATT
TTCTGGATGCCAGATTCAAGCACCTCGTCAAGGCTTCTGATCTTCTCGGTGCCTGCCTCCGA
GAGATTCCCTCCAGCAGCTGGTTATACAGGTCAGTGGGTCTGTGTCAGCAGCTGGTTATA
AAAAGGGAAGGAAAACACCTCCTCGTCAAGGAGGTGTCAGGAAGATGCCGATGGCCTTCTCA
CGTTCTCAAAGTGTCCCAGGCTGGCACGGCGGTGATCAGGCGTGTGAAGATGTGACAA
TTCTCCTTAAACTGGGAAGTTGTCCTGCACGATGCCGTGGGATGGCTGTGCTGATATC
CTCGCGCTGAACACGTTCTCCTGTCATAAAAGCCGAGAAGTAGGTTGTAACACTTGT
CGAAGCTCCGCAGCAGGGCGTTCTCGTGCCTGTCAGGTTGTGGTCAGGTGCCAGCTGCTTCA
CTTGCCATTAAACAGCTCGGCTTGAACAGGGCTTGTAGATCTGGCGTGTCTTATTGA
TGGCATCGGTCAAGGTTGTCTGTCCGGCGATGAAGTAGTCGTGGATGGCATTGCGATATGT
GCCTGCTCTCGATCAGGGCGTTCTGTCCTCGGTTCTCTCGGTTCTCCTTCTATAGGAGTCGATG
GGCGCGCTCAGGTTCTCCAAATCCAGCTGCACCCAGCTGCAAGGACTGGTCGGCATAGGTCTTG
TAGATCCGATCGATGATGGGCTTCAGCTCCTGTCAGTGTGATCATTGCGGGCTTGTGCTCCTCG
ATGAAGCCCTGCTCTGGATGTGCTTCAGGGCTTGTGGGATCAGCTCAAACCGCAGT
GTCTTGCTCACCTGATACAGGTTGGTAAAGCCCTCGAACACTGTGTCATGGTGGCGTACCAAGC
TTAAGTTAAACGCTAGCCAGCTTGGGCTCCCTATAGTGAGTCGTATTAATTTCGATAAGC
CAGTAAGCAGTGGGTTCTAGTTAGCCAGAGAGCTGCTGCTTATATAGACCTCCCACCGTACA
CGCCTACCGCCATTGCGTCAATGGGGCGGAGTTACGACATTGGAAAGTCCCCTGTA
TTTGGTGCCAAAACAAACTCCATTGACGTCAATGGGGTGGAGACTTGGAAATCCCCGTGA

GTCAAACCGCTATCCACGCCATTGATGTACTGCCAAAACCGCATCAC **CATGGTAATAGCGAT**
GACTAATACGTAGATGTACTGCCAAGTAGGAAAGTCCCATAAGGTATGTACTGGGCATAAT
GCCAGGCGGCCATTACCGTCATTGACGTCAATAGGGGCGTACTTGGCATATGATACACT
TGATGTACTGCCAAGTGGGAGTTACCGTAAATACTCCACCCATTGACGTCAATGGAAAGT
CCCTATTGGCGTTACTATGGGAACATACGTATTGACGTCAATGGCGGGGCGTTGG
CGGGTCAGGCCAGGGGCCATTACCGTAAGTTATGTAACG

Cas12a variants:

ddCas12a (E993A)

ATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCT
GATCCCACAGGGCAAGACCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGG
CCCGCAATGATCACTACAAGGAGCTGAAGCCCATCATCGATCGGATCTACAAGACCTATGCCG
ACCAGTGCCTGCAGCTGGTGCAGCTGGATTGGGAGAACCTGAGCGCCGCCATCGACTCCTATA
GAAAGGAGAAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGCAAT
GCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCT
GGGCACCGTGACCACAACCGAGCACGAGAACGCCCTGCTCGGAGCTTCGACAAGTTAAC
CTACTTCTCCGGCTTTATGAGAACAGGAAGAACGTGTTCAGCGCCGAGGATATCAGCACAG
CCATCCCACACCGCATCGCAGGACAACCTCCCCAAGTTAACGGAGAATTGTACATCTTC
CACGCCTGATCACCGCCGTGCCAGCCTGCGGGAGCACCTTGAGAACGTGAAGAACGCCATCG
GCATCTCGTGAGCACCTCCATCGAGGAGGTGTTTCCCTTCTTATAACCAGCTGCTGA
CACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTCGGGAGGCAGGCACC
GAGAAGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAACGAGATGAGACAGC
CCACATCATGCCCTCCCTGCCACACAGATTCATCCCCCTGTTAACGAGATCCTGTCGATAG
GAACACCCCTGTCTTCATCCTGGAGGAGTTAACGAGCGACGAGGAAGTGTACCCAGTC
GCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGACAGCCAGGCCCTGTTAAC
GAGCTGAACAGCATCGACCTGACACACATCTCATCAGCCACAAGAACGAGCTGGAGAACATCAG
CAGGCCCTGTGCGACCACCTGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACATCCG
AGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGTGAGCGCAGCCTGAAGCACGAG
GATATCAACCTGCAGGAGATCATCTGCCGAGGCAAGGAGCTGAGCGAGGCCCTCAAGCA
GAAAACCGAGATCCTGCCCACGCACACGCCGCCCTGGATGCCACTGCCCTACAACCC
GAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGCCTGTACC
ACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCCGAGTTCTGCCCCGC
TGACCGGCATCAAGCTGGAGATGGAGGCCCTCTGAGCTTCTACAACAAGGCCAGAAATTAT
GCCACCAAGAACGCCCTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCCTACACTGGCC
TCTGGCTGGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAACGCC
GTACTATCTGGGATCATGCCAAAGCAGAACGGCAGGTATAAGGCCCTGAGCTCGAGGCCA
CAGAGAAAACCGAGGGCTTGATAAGATGTACTATGACTACTCCCTGATGCCGCCAAG
ATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCCACCTTCAGACCCACACAACC
CCCACCTGCTGTCCAACAAATTCTACGAGCCTCTGGAGATCACAAAGGAGATCTACGACCTG
AACAACTCTGAGAACGGAGGCCAAAGAACGTTCAAGCCTACGCCAAGAACGCC
GAAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGCCAAGT
ATACCAAGACAAACCTCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGGACCTGG
GCGAGTACTATGCCGAGCTGAATCCCTGCTGTACACATCAGCTCCAGAGAACGCC
AGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTGCCAAGGGCCACCACGCCAAGCCTAATCTGACACACTGTATTGGACCGCCCTGTTCT

CCAGAGAACCTGGCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCT
AAGTCCAGGATGAAGAGGATGGCACACCGGCTGGAGAGAAAGATGCTGAACAAGAAGCTGAA
GGATCAGAAAACCCAATCCCCGACACCCTGTACCGAGCTGACTATGTGAATCACAG
ACTGTCCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACCAAGGAGGT
GTCTCACGAGATCATCAAGGATAGGCCTTACCGCGACAAGTTCTTCCACGTGCCTAT
CACACTGAACATATCAGGCCAATTCCCCATCTAAGTTAACCAAGAGGGTGAATGCCTACCT
GAAGGAGCACCCCGAGACACCTATCATCGGCATCGATCGGGCGAGAGAAAACCTGATCTATA
TCACAGTGATCGACTCCACCGCAAGATCCTGGAGCAGCGAGCCTGAACACCATCCAGCAGT
TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGAGAGGGTGGCAGCAAGGCAGGCCTGG
TCTGTGGTGGGACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGAT
CGTGGACCTGATGATCCACTACCGCCGTGGTGTCTG **GCA**ACCTGAATTCGGCTTAA
GAGCAAGAGGACCGGCATCGCGAGAAGGCCGTGTACCGAGCTCGAGAAGATGCTGATCG
ATAAGCTGAATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAAAAGTGGAGGCGTGTGAAC
CCATACCAGCTGACAGACCAAGTTCACCTCCTTGCCAAGATGGGCACCCAGTCTGGCTTCTG
TTTACGTGCCTGCCCATATACATCTAAGATCGATCCCTGACCGGCTTCGTGGACCCCTTC
GTGTGGAAAACCATCAAGAATCACGAGAGCCGAAGCACTTCCCTGGAGGGCTCGACTTCT
GCACTACGACGTGAAAACCGCGACTTCATCCTGCACTTAACGATGAACAGAAATCTGTCT
TCCAGAGGGGCTGCCGGTTATGCCTGCATGGATATCGTGTGAGAAGAACGAGACA
CAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAACGTGCCAGTGATCGAGAA
TCACAGATTCACCGGAGATACCGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGGA
GGAGAAGGGCATCGTGTTCAGGGATGGCTCCAACATCCTGCCAAAGCTGCTGGAGAACGAG
ATTCTCACGCCATCGACACCATGGTGGCCCTGATCCGCAGCGTGTGAGATGCCGAACCTCA
ATGCCCACAGGCAGGACTATATCACAGCCCCGTGCGCATCTGAATGGCGTGTGCTTC
ACTCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCAACATGGCGCTTACACATCG
CCCTGAAGGGCCAGCTGCTGTGAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAAC
GGCATCTCCAATCAGGACTGGCTGGCTACATCCAGGAGCTGCGCAAC

rdCas12a (H800A)

ATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCT
GATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTCATCGAGGAGGACAAGG
CCCGCAATGATCACTACAAGGAGCTGAAGCCATCATCGATCGGATCTACAAGACCTATGCCG
ACCAGTGCCTGCAGCTGGTCAGCTGGATTGGAGAACCTGAGCGCCGCCATCGACTCCTATA
GAAAGGAGAAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGCAAT
GCCATCCACGACTACTCATGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAACGGCAAGGTGCTGAAGCAGCT
GGGCACCGTGACCACAACCGAGCAGGAGAACGCCCTGCTGCCAGCTTCGACAAGTTAACAC
CTACTTCTCCGGTTTATGAGAACAGGAAGAACGTGTTCAGGCCAGGGATATCAGCACAG
CCATCCCACACCGCATCGTCAGGACAACCTCCCCAAGTTAACGGAGAACGTCAACATCTTC
CACGCCCTGATCACCGCCGTGCCAGGCCCTGCGGGAGCAGCTTGAAGAACGTGAAGAACGCCATCG
GCATCTCGTGAGCACCTCCATCGAGGAGGTGTTCTCCCTTTATAACCAGCTGCTGA
CACAGACCCAGATCGACCTGTATAACCAGCTGCTGGAGGAATCTCTCGGGAGGCAGGCACC
GAGAAGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAAGAACGTGAGAACAGC
CCACATCATCGCCTCCCTGCCACACAGATTCACTCCCCCTGTTAACGGCAAGATCCTGTCCGATAG
GAACACCCCTGTCTTCATCCTGGAGGGAGTTAACGGAGAACGTGCTGGAGAACGCCAGGGCCCTGTTAAC
GCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGAACGCCAGGGCCCTGTTAAC
GAGCTGAACAGCATCGACCTGACACACATCTCATCAGCCACAAGAACGTGGAGAACATCAG
CAGGCCCTGTGCGACCACGGGATACACTGAGGAATGCCCTGATGAGCGGAGAACATCTCCG
AGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGGTGCAGCGCAGCCTGAAGCAGGAG

GATATCAACCTGCAGGAGATCATCTGCCGCAGGCAAGGAGCTGAGCGAGGCCTTCAAGCA
GAAAACCAGCAGATCCTGTCCCACGCACACGCCCTGGATCAGCCACTGCCTACAACCC
GAAGAAGCAGGAGGAGAAGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGCCTGTACC
ACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTCTGCCCGC
TGACCGGCATCAAGCTGGAGATGGAGCCTCTCTGAGCTTCTACAACAAGGCCAGAAATTAT
GCCACCAAGAACGCCCTACTCCGTGGAGAAGTTCAAGCTGAACCTTCAGATGCCTACACTGCC
TCTGGCTGGACGTGAATAAGGAGAACAATGGGCCATCCTGTTGTGAAGAACGCC
GTACTATCTGGGCATCATGCCAAAGCAGAAGGGCAGGTATAAGGCCCTGAGCTTCAGGCC
CAGAGAAAACCAGCAGGGCTTGATAAGATGTACTATGACTACTTCCCTGATGCCGCCAAG
ATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTACAGCCACTTCAGACCCACACAACC
CCCATCCTGCTGTCCAACAATTCTACGAGCCTCTGGAGATCACAAGGAGATCTACGACCTG
AACAACTCTGAGAAGGAGCAAAGAAGTTCAGACAGCCTACGCCAGAAAACCAGGCC
GAAGGGCTACAGAGAGGCCGTGCAAGTGGATCGACTTCACAAGGGATTTCTGTCCAAGT
ATACCAAGACAACCTCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGGACCTGG
GCGAGTACTATGCCGAGCTGAATCCCTGCTGTACCATCAGCTCCAGAGAATGCCGAGA
AGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTTCCAGATCTATAACAAGGAC
TTTGCAGGGCCACCACGCCAAGCCTAATCTGCACACACTGTATTGGACCGCCCTGTTCT
CCAGAGAACCTGCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACCGCC
AAGTCCAGGATGAAGAGGATGGCA **CGC** CGGCTGGAGAGAAGATGCTGAACAAGACTGAA
GGATCAGAAAACCCAATCCCCGACACCCCTGTACCAAGGAGCTGTACACTATGTGAATCACAG
ACTGTCCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACCAAGGAGGT
GTCTCACGAGATCATCAAGGATAGGCGTTTACCGCGACAAGTTCTTCCACGTGCCTAT
CACACTGAACTATCAGGCCCAATTCCCCATCTAAGTTCAACCAGAGGGTGAATGCCACCT
GAAGGAGCACCCGAGACACCTATCATGGCATCGATGGGGCGAGAGAAAACCTGATCTATA
TCACAGTGATCGACTCCACCGCAAGATCCTGGAGCAGCGAGCCTGAACACCATCCAGCAGT
TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGAGAGGGTGGCAGCAAGGCAGGCC
TCTGTGGTGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGAT
CGTGGACCTGATGATCCACTACCAGGCCGTGGTGTGGAGAACCTGAATTCCGGCTTTA
AGAGCAAGAGGACCGCATGCCGAGAAGGCCGTGTACCGAGCTTCAGAAGATGCTGATC
GATAAGCTGAATTGCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGGAGGGTGTGAA
CCCATACCAGCTGACAGACCAAGTTCACCTCCTTGCCAAGATGGCACCCAGTCTGGCTT
GTTTACGTGCCTGCCCATATACATCTAAGATCGATCCCTGACCGGCTCGTGGACCC
CGTGTGGAAAACCATCAAGAATCACGAGAGGCCAAGCACTTCTGGAGGGCTTCGACTT
TGCACACTACGACGTAAAACCGGCACCTCATCCTGCACCTTAAGATGAACAGAAATCTGT
TTCCAGAGGGCTGCCGGCTTATGCCTGCATGGGATATCGTGTGAGAAGAACGAGAC
ACAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAAATCGGCCAGTGATCGAGA
ATCACAGATTCACCGCAGATACCGGACCTGTATCTGCCAACGAGCTGATGCCCTGCTGG
AGGAGAAGGGCATGTGTTAGGGATGGCTCAACATCCTGCCAAAGCTGCTGGAGAATGAC
GATTCTCACGCCATCGACACCAGGTGGCCCTGATCCGAGCGTGTGAGATGCCAGTGG
AATGCCGCCACAGGCAGGGACTATATCAACAGCCCCGTGCGCAGTGAATGGCGTGTGCT
GACTCCGGTTTCAAGAACCCAGAGTGGCCATGGACGCCAGTCCAATGGCGCTACCACATC
GCCCTGAAGGGCAGCTGCTGAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAA
CGGCATCTCCAATCAGGACTGGCTGCCATCATCCAGGAGCTGCGCAAC

ddLbCas12a (D832A)

ATGAGCAAGCTGGAGAAGTTACAAACTGCTACTCCCTGTCTAACGACCTGAGGTTCAAGGC
CATCCCTGTGGCAAGACCCAGGAGAACATCGACAATAAGCGGCTGCTGGTGGAGGACGAGA
AGAGAGCCGAGGATTATAAGGGCGTGAAGAAGCTGCTGGATCGCTACTATCTGTCTTTATC

AACGACGTGCTGCACAGCATCAAGCTGAAGAATCTGAACAATTACATCAGCCTGTTCCGGAA
GAAAACCAGAACCGAGAAGGAGAATAAGGAGCTGGAGAACCTGGAGATCAATCTGCCGAAG
GAGATGCCAAGGCCTTCAAGGGCAACGAGGGCTACAAGTCCCTGTTAAGAAGGATATCAT
CGAGACAACTCCTGCCAGAGTTCCTGGACGATAAGGACGAGATGCCCTGGTAACAGCTTCA
ATGGCTTACACAGCCTCACCGGCTTCTTGATAACAGAGAGAATACTGTTCCGAGGAG
GCCAAGAGCACATCCATGCCCTCAGGTGTATCAACGAGAATCTGACCCGCTACATCTCTAAT
ATGGACATCTCGAGAAGGTGGACGCCATCTTGATAAGCAGGAGTGCAGGAGATCAAGGA
GAAGATCCTGAACAGCGACTATGATGTGGAGGATTCTTGAGGGCGAGTCTTAACTTTG
TGCTGACACAGGAGGGCATCGACGTGTATAACGCCATCATGGCGGCTCGTGACCGAGAGC
GGCGAGAAGATCAAGGGCTGAACGAGTACATCAACCTGTATAATCAGAAAACCAAGCAGAA
GCTGCCTAAGTTAAGCCACTGTATAAGCAGGTGCTGAGCGATCGGGAGTCTGAGCTTCT
ACGGCGAGGGCTATACATCCGATGAGGAGGTGCTGGAGGTGTTAGAAACACCCCTGAACAAAG
AACAGCGAGATCTTCAGCTCCATCAAGAAGCTGGAGAAGCTGTTCAAGAATTGACGAGTA
CTCTAGGCCGGCATCTTGTAAGAACGGCCCCCATCAGCACAATCTCCAAGGATATCTT
CGCGAGTGGAACGTGATCCGGACAAGTGGAAATGCCGAGTATGACGATATCCACCTGAAGA
AGAAGGCCGTGGTGACCGAGAAGTACGAGGACGATCGGAGAAAGTCCTCAAGAAGATCGGC
TCCTTTCTCTGGAGCAGCTGCAGGAGTACGCCGACGCCATCTGTCTGTTGGAGAAGCTG
AAGGAGATCATCCAGAAGGTGGATGAGATCTACAAGGTGTATGGCTCCTCTGAGAAGCT
GTTGACGCCATTGTGCTGGAGAAGAGCCTGAAGAAGAACGACGCCGTGGTGGCCATCA
TGAAGGACCTGCTGGATTCTGTGAAGAGCTTCGAGAATTACATCAAGGCCCTTGGCGAG
GGCAAGGAGACAAACAGGGACGAGTCCTCTATGGCGATTGTGCTGCCCTACGACATCCT
GCTGAAGGTGGACACATCTACGATGCCATCCGAATTATGTGACCCAGAAGCCACTCTAA
GGATAAGTTCAAGCTGTATTTCAGAACCCCTCAGTTCATGGCGGCTGGACAAGGATAAGG
AGACAGACTATCGGCCACCACCTGAGATAACGGCTCCAAGTACTATCTGCCATCATGGAT
AAGAAGTACGCCAAGTGCCTGCAGAAGATCGACAAGGACGATGTGAACGGCAATTACGAGAA
GATCAACTATAAGCTGCCGGCCCTAATAAGATGCTGCCAAAGGTGTTCTTCTAAGA
AGTGGATGCCCTACTATAACCCCAGCGAGGACATCCAGAAGATCTACAAGAATGGCACATT
AAGAAGGGCGATATGTTAACCTGAATGACTGTCACAAGCTGATCGACTTCTTAAGGATAG
CATCTCCGGTATCCAAAGTGGCCAATGCCACGATTCAACTTTCTGAGACAGAGAAGT
ATAAGGACATGCCGGCTTTACAGAGAGGTGGAGGAGCAGGGCTATAAGGTGAGCTTCAG
TCTGCCAGCAAGAAGGAGGTGGATAAGCTGGTGGAGGAGGGCAAGCTGATATGTTCCAG
CTATAACAAGGACTTTCCGATAAGTCTCACGGCACACCAATCTGCACACCATGACTTCAA
GCTGCTGTTGACGAGAACAAATCACGGACAGATCAGGCTGAGCGGAGGAGCAGAGCTGTT
TGAGGCGCGCCTCCCTGAAGAAGGAGGAGCTGGTGGCACCAGCCAACCTCCATGCCA
ACAAGAATCCAGATAATCCAAGAAAACCACAACCTGTCCTACGACGTGTATAAGGATAAG
AGGTTTCTGAGGACCAAGTACGAGCTGCACATCCAACTGCCATCAATAAGTGCCTAAC
ATCTTCAAGATCAATAACAGAGGTGCGCGTGTGCTGAAGCAGACGATAACCCCTATGTGAT
CGGCATC **GCC**AGGGCGAGCGCAATCTGCTGTATATCGTGGTGGACGGCAAGGGCAACA
TCGTGGAGCAGTATTCCCTGAACGAGATCATCAACAACTCAACGGCATCAGGATCAAGACA
GATTACCACTCTGCTGGACAAGAAGGAGAAGGAGAGGTTCGAGGCCGCCAGAACTGGAC
CTCCATCGAGAATATCAAGGAGCTGAAGGCCGGCTATATCTCAGGTGGTGCACAAGATCT
GCGAGCTGGTGGAGAAGTACGATGCCGTATGCCCTGGAGGACCTGAACCTGTTAAG
AATAGCCCGTGAAGGTGGAGAAGCAGGTGTATCAGAAGTTCGAGAAGATGCTGATCGATAA
GCTGAACATGTTGGACAAGAAGTCTAATCCTGCAACAGGCCGCCCTGAAGGGCT
ATCAGATCACCAATAAGTCGAGAGCTTAAAGTCCATGTCTACCCAGAACGGCTCATCTT
TACATCCCTGCCCTGGCTGACATCCAAGATCGATCCATCTACCGGCTTGTGAACCTGCTGAAA
ACCAAGTATACCAGCATGCCGATTCCAAGAAGTTCATCAGCTCCTTGACAGGATCATGTAC
GTGCCCGAGGAGGATCTGTCGAGTTGCCCTGGACTATAAGAAACTCTCGCACAGACGCC
GATTACATCAAGAAGTGGAAAGCTGTAACGGCAACCGGATCAGAATCTTCCGGAATCC

TAAGAAGAACAAACGTGTTGACTGGGAGGAGGTGTGCCCTGACCAGCGCCTATAAGGAGCTGT
TCAACAAGTACGGCATCAATTATCAGCAGGGCGATATCAGAGCCCTGCTGTGCAGCAGTCC
GACAAGGCCTTCTACTCTAGCTTATGGCCCTGATGAGCCTGATGCTGCAGATGCGGAACAGC
ATCACAGGCCGACCGACGTGGATTTCGATCAGCCCTGTGAAGAACCTCGACGGCATCTC
TACGATAGCCGAACTATGAGGCCAGGAGAATGCCATCCTGCCAAAGAACGCCGACGCCAA
TGGCGCCTATAACATGCCAGAAAGGTGCTGTGGCCATGCCAGTTCAAGAAGGCCGAGG
ACGAGAACGCTGGATAAGGTGAAGATGCCATCTCAACAAGGAGTGGCTGGAGTACGCCAG
ACCAGCGTGAAGCAC

Single-transcript Cas12a – [TAD] construct:

AsCas12a-NLS-[Aktiv]-HAx3-Triplex-DR-Sapi-SapiI-DR

ATGACACAGTTGAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCT
GATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTTCATCGAGGAGGACAAGG
CCCGCAATGATCACTACAAGGAGCTGAAGCCCATCATCGATCGGATCTACAAGACCTATGCCG
ACCAGTGCTGCAGCTGGCAGCTGGATTGGAGAACCTGAGCGCCGCCATCGACTCCTATA
GAAAGGAGAAAACCGAGGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGCAAT
GCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCGAGCTGTTAATGGCAAGGTGCTGAAGCAGCT
GGGCACCGTGACCACAACCGAGCAGGAGAACGCCCTGCTGCCAGCTTCGACAAGTTAACAC
CTACTTCTCCGGCTTTATGAGAACAGGAAGAACGTGTTCAGGCCAGGGATATCAGCACAG
CCATCCCACACCGCATCGTCAGGACAACCTCCCCAAGTTAAGGAGAATTGTCACATCTTC
CACGCCCTGATCACCGCCGTGCCAGCCTGCGGGAGCAGCTTGAGAACGTGAAGAACGCCATCG
GCATCTCGTGAGCACCTCCATCGAGGAGGTGTTCTCCCTTTATAACCAGCTGCTGA
CACAGACCCAGATCGACCTGTATAACCAGCTGCTGGGAGGAATCTCTCGGGAGGCAGGCACC
GAGAAGATCAAGGGCTGAACGAGGTGCTGAATCTGCCATCCAGAACGAGAACAG
CCACATCATGCCCTCCCTGCCACACAGATTCATCCCCCTGTTAACGAGATCCTGCTCGATAG
GAACACCCCTGTCTTCATCCTGGAGGGAGTTAACGAGCGACGAGGAAGTGTGATCCAGTC
GCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGAACGCCAGGGCCCTGTTAAC
GAGCTGAACAGCATCGACCTGACACACATCTCATCAGCCACAAGAACGAGTGGAGAACATCAG
CAGGCCCTGTGCGACCACGGGATACACTGAGGAATGCCCTGTATGAGCGGAGAACCTCG
AGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGTGAGCGCAGCCTGAAGCACGAG
GATATCAACCTGAGGAGATCATCTGCCGAGGAGCTGAGGAGCTGAGCGAGGCCCTCAAGCA
GAAAACCGAGGAGATCCTGCCCACGCACACGCCGCCCTGGATGCCACTGCCCTACAACCC
GAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGAGAACGCCAGGGCC
ACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGAGTTCTCTGCC
TGACCGGCATCAAGCTGGAGATGGAGGAGCTCTGAGCTTCTACAACAAGGCCAGAAATTAT
GCCACCAAGAACCCACTCCGTGGAGAACGTTCAAGCTGAACATTTCAGATGCCACT
TCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAACGCC
GTACTATCTGGGCATCATGCCAAAGCAGAACGGCAGGTATAAGGCCCTGAGCTTGAGGCC
CAGAGAAAACCGAGGGCTTGATAAGATGTACTATGACTACTCCCTGATGCC
ATGATCCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCACTTCAGACCCACACA
CCCACCTGCTGTCCAACAAATTCTCATCGAGCCTCTGGAGATCACAAAGGAGATCTGAC
AACAACTCTGAGAACGGAGCCAAGAACGAGTTCTAGACAGCCTACGCCAACAGAAC
GAAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGT
ATACCAAGACAACCTCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGGAC
GCGAGTACTATGCCAGCTGAATCCCTGCTGTACCATCAGCTCCAGAGAACG
ACCAGCGAGCTGAAGAACGCC

AGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGGCAAGCCTAATCTGCACACACTGTATTGGACCGGCCTGTTTCT
CCAGAGAACCTGCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACGCCCT
AAGTCCAGGATGAAGAGGATGGCACACCGCTGGAGAGAAAGATGCTGAACAAGAAGCTGAA
GGATCAGAAAACCCAATCCCCGACACCCCTGTACCAAGGAGCTGTACGACTATGTGAATCACAG
ACTGTCCCACGACCTGTCTGATGAGGCCAGGCCCTGCTGCCAACGTGATCACCAAGGAGGT
GTCTCACGAGATCATCAAGGATAGGCGCTTACCAAGCGACAAGTTCTTCCACGTGCCTAT
CACACTGAACATCAGGCCAATTCCCCATCTAACGTTAACCAAGGAGGGTGAATGCCCTACCT
GAAGGAGCACCCGAGACACCTATCATGGCATCGATCGGGGAGAGAAACCTGATCTATA
TCACAGTGATGACTCCACCGCAAGATCCTGGAGCAGCGAGCCTGAACACCATCCAGCAGT
TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGAGAGGGTGGCAGCAAGGCAGGCCCTGG
TCTGTGGGGACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGAT
CGTGGACCTGATGATCCACTACCAGGCCGTGGTGTGGAGAACCTGAATTTCGGCTTTA
AGAGCAAGAGGACCGCATGCCAGAGAAGGCCGTGTACCAAGCAGTTGAGAAGATGCTGATC
GATAAGCTGAATTGCCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGAGGGCTGCTGAA
CCCATACCAGCTGACAGACCAAGTTCACCTCCTTGCAGATGGCACCCAGTCTGGCTTCT
GTTTACGTGCCCTGCCCATATACATCTAACGATCGATCCCTGACCGGCTCGTGGACCCCTT
CGTGTGGAAAACCATCAAGAACGACCGAGCCAGTCAACAGCCCCGTGCGCATCTGAATGGCCT
TGCACACTACGACGTAAAACCGGCACCTCATCCTGCACTTAAGATGAACAGAAATCTGTCC
TTCCAGAGGGCCTGCCGGCTTATGCCATGGGATATCGTGTGAGAAGAACGAGAC
ACAGTTGACGCCAAGGGCACCCCTTCATGCCGGCAAGAGAACGACTGCCAGTGATCGAGA
ATCACAGATTCACCGCAGATACCGGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGG
AGGAGAAGGGCATCGTGTTCAGGGATGGCTCAACATCCTGCCAAAGCTGCTGGAGAACG
GATTCTCACGCCATCGACACCAGGTGGCCCTGATCCGACGCGTGTGAGATGCCAACTCC
AATGCCGCCACAGGCAGGACTATATCAACAGCCCCGTGCGCATCTGAATGGCCTTACACATC
GACTCCGGTTTCAGAACCCAGAGTGGCCATGGACGCCATGCCATGGCCTTACACATC
GCCCTGAAGGGCAGCTGCTGCAATCACCTGAAGGAGAGAACGACTGAGCTGAGAA
CGGCATCTCCAATCAGGACTGGCTGCCCTACATCCAGGAGCTGCGCAACAAAAGGCCGG
CACGAAAAAGGCCGCCAGGCAAAAAAGAAAAGGATCCGGTGGGGTGGTCCAGCGGGTT
GCCTAATGGGTGGATGGTACGAGGATTTAGCGATATGCCGATATGGACTTTCAGCTC
TCCTCAGCCAGATAAGCTCTGGAAAGTAGTGGCTTCAAATGGCTTGACGGTACGAAGAT
TTCTCTGATATAGCGACATGGACTTCTCAGCTCTGCTCTCCAGATTCTTCAGGGTCCAGC
GGCTTGCCCAACGCCCTCGATGGCGACGAGGATTTCTGACATAGCAGACATGGACTTTCC
GCACTCCTCAGTCAGATTCTCTGGAGGCGGTGGAAGCGGCTTCAGCGTGGACACCAGTGCC
CTGCTGGACCTGTTCAAGCCCTCGGTGACCGTGCCGACATGAGCCTGCCGACCTTGACAGC
AGCCTGGCCAGTATCCAAGAGCTCCTGTCTCCCAGGAGCCCCCAGGCCCTCCGAGGCAGAG
AACAGCAGCCCCGATTCAAGGAAGCAGCTGGTGCACACAGCGCAGCGCTGTTCTGCTG
GACCCGGCTCCGTGGACACCGGGAGCAACGACCTGCCGGTGTGTTGAGCTGGAGAGGGC
TCCTACTTCTCGAAGGGGACGGCTCGCGAGGACCCACCATCTCCCTGCTGACAGGCTCG
GAGCCTCCCAAAGCCAAGGACCCACTGTCTCCGGATCC**TACCCATACGATGTTCCAGATTAC**
GCTTATCCCTACGACGTGCTGATTATGCATACCCATATGATGTCGGACTATGCCTAAGAA
TTCGATTCGTCAGTAGGGTTGAAAGTTTTCTTCTGAGAAAACAACCTTTGTTTC
TCAGGTTTGCTTTGGCCTTCCCTAGCTTAAAAAAAAAGCAAA**CTCACCGAGGC**
AGTTCCATAGGATGGCAAGATCCTGGTATTGGTCTCGAAATTCTACTCTTAGATT**GAA**
GAGCAGGAAACAGCTATGACGCTCTCTAATTCTACTCTTAGAT

Single-transcript Cas12a - [Repr] construct:

AsCas12a-NLS-[Repr]-Hax3-Triplex-DR-Sapi-Sapi-DR

ATGACACAGTCAGGGCTTACCAACCTGTATCAGGTGAGCAAGACACTGCGGTTGAGCT
GATCCCACAGGGCAAGACCCCTGAAGCACATCCAGGAGCAGGGCTCATCGAGGAGGACAAGG
CCCGCAATGATCACTACAAGGAGCTGAAGCCATCATCGATCGGATCTACAAGACCTATGCCG
ACCAGTGCCTGCAGCTGGTGAGCTGGATTGGGAGAACCTGAGCGCCGCCATCGACTCCTATA
GAAAGGAGAAAACCGAGGAGACAAGGAACGCCCTGATCGAGGAGCAGGCCACATATCGCAAT
GCCATCCACGACTACTTCATCGGCCGGACAGACAACCTGACCGATGCCATCAATAAGAGACAC
GCCGAGATCTACAAGGGCTGTTCAAGGCCAGCTGTTAATGGCAAGGTGCTGAAGCAGCT
GGGCACCGTGACCACAACCGAGCACGAGAACGCCCTGCTCGGAGCTCGACAAGTTACAAC
CTACTTCTCCGGTTTATGAGAACAGGAAGAACGTGTTCAGGCCGAGGATATCAGCACAG
CCATCCCACACCGCATCGCAGGACAACCTCCCCAAGTTAACCGAGCTGCTGGAGGAATTGTCACATCTCA
CACGCCTGATCACCGCCGTGCCAGCCTGCGGGAGCAGCTTGAGAACGTGAAGAACGCCATCG
GCATCTCGTGAGCACCTCCATCGAGGAGGTGTTTCCCTTTATAACCAGCTGCTGA
CACAGACCCAGATCGACCTGTATAACCAAGCTGCTGGAGGAATTCTCTGGGAGGCAGGCACC
GAGAACATCAAGGGCTGAACCGAGGTGCTGAATCTGCCATCCAGAACATGAGACAGC
CCACATCATGCCCTCCCTGCCACACAGATTCATCCCCCTGTTAACGAGATCCTGTCCGATAG
AACACCTGTTTATCCTGGAGGAGTTAACAGCGACGAGGAAGTGAATCCAGTCCT
GCAAGTACAAGACACTGCTGAGAACGAGAACGTGCTGGAGACAGCCGAGGCCCTGTTAAC
GAGCTGAACAGCATCGACCTGACACACATCTCATCAGCCACAAGAACGAGTGGAGAACATCAG
CAGGCCCTGTGCACCAGCTGGATAACACTGAGGAATGCCCTGTATGAGCGGAGAACATCCG
AGCTGACAGGCAAGATCACCAAGTCTGCCAAGGAGAACGTGAGCGCAGCCTGAAGCACGAG
GATATCAACCTGCAGGAGATCATCTGCCAGGCAAGGAGCTGAGCGAGGCCCTCAAGCA
GAAAACCAGCGAGATCCTGCCCCACGCACACGCCCTGGATCAGCCACTGCCATCAACCC
GAAGAACGAGGAGGAGAACGGAGATCCTGAAGTCTCAGCTGGACAGCCTGCTGGCCTGTACC
ACCTGCTGGACTGGTTGCCGTGGATGAGTCCAACGAGGTGGACCCGGAGTTCTGTGCCCG
TGACCGGCATCAAGCTGGAGATGGAGCCTCTGAGCTTACAACAAGGCCAGAACATTAT
GCCACCAAGAACCCCTACTCCGTGGAGAACGTTCAAGCTGAACCTTCAGATGCCACTGGC
TCTGGCTGGACGTGAATAAGGAGAACAAATGGGCCATCCTGTTGTGAAGAACGCC
GTACTATCTGGCATCATGCCAAAGCAGAACGGCAGGTATAAGGCCCTGAGCTCGAGCCA
CAGAGAAAACCAGCGAGGGCTTGATAAGATGTACTATGACTACTCCCTGATGCCGCCAAG
ATGATCCAAAGTGCAGCACCCAGCTGAAGGCCGTGACAGCCACTTCAAGACCCACACAACC
CCCATCCTGCTGCCAACATTCTCGAGCCTCTGGAGATCACAAGGAGATCAGACCTG
AACAACTCTGAGAACGGAGCAAAGAACGGAGTTCAAGCCTACGCCAACGGCGACCA
GAAGGGCTACAGAGAGGCCCTGTGCAAGTGGATCGACTTCACAAGGGATTCTGTCCAAGT
ATACCAAGACAACCTATCGATCTGTCTAGCCTGCCATCCTCTCAGTATAAGGACCTGG
GGAGTACTATGCCGAGCTGAATCCCTGCTGTACCACTCAGCTCCAGAGAACGCC
AGGAGATCATGGATGCCGTGGAGACAGGCAAGCTGTACCTGTCCAGATCTATAACAAGGAC
TTTGCCAAGGCCACCACGCCAGCTTAATCTGCACACACTGTATTGGACCGCCCTGTTCT
CCAGAGAACCTGCCAAGACAAGCATCAAGCTGAATGCCAGGCCAGCTGTTCTACCGCC
AAGTCCAGGATGAAGAGGATGGCACACCGCTGGAGAGAACAGTGAACAAGAACGCTGAA
GGATCAGAAAACCCAAATCCCCGACACCCCTGTACCAAGGAGCTGTACACTATGT
ACTGTCCCACGACCTGTCTGATGAGGCCAGGGCCCTGCTGCCAACGTGATCACCAAGGAGGT
GTCTCAGGAGATCATCAAGGATAGGCGTTTACCAAGCGACAAGTTCTTCCACGTGCCTAT
CACACTGAACTATCAGGCCAACATTCCCATCTAACGTTAACCCAGAGGGTAATGCC
GAAGGAGCACCCGAGACACCTATCATGCCATCGATCGGGCGAGAGAACCTGATCTATA
TCACAGTGTGACTCCACCGCAAGATCCTGGAGCAGCGGAGCCTGAACACCATCCAGCAGT
TTGATTACCAGAAGAAGCTGGACAACAGGGAGAAGGAGAGGGTGGCAGCAAGGCAGGCC
TCTGTGGTGGGCACAATCAAGGATCTGAAGCAGGGCTATCTGAGCCAGGTATCCACGAGAT
CGTGGACCTGATGATCCACTACCAGGCCGTGGTGGTGTGGAGAACCTGAATTTCGGCTTTA

AGAGCAAGAGGACCGGCATGCCGAGAAGGCCGTGTACCAAGCAGTCGAGAAGATGCTGATC
GATAAGCTGAATTGCCTGGTGTGAAGGACTATCCAGCAGAGAAAGTGGGAGGCGTGTGAA
CCCATACCAGCTGACAGACCAGTTCACCTCCTTGCCAAGATGGCACCCAGTCTGGCTTCCT
GTTTACGTGCCTGCCCATATACATCTAACAGATCGATCCCCTGACCGGCTCGTGGACCCCT
CGTGTGGAAAACCATCAAGAATCACGAGAGCCGCAAGCACTTCCTGGAGGGCTTCGACTTTC
TGCACACTACGACGTGAAAACCGGCACCTCATCCTGCACTTAAGATGAACAGAAATCTGTCC
TTCCAGAGGGGCTGCCCGCTTATGCCTGCATGGGATATCGTGGAGAAGAACGAGAC
ACAGTTGACGCCAAGGGCACCCCTTCATGCCCGCAAGAGAATCGTCCAGTGTGAGA
ATCACAGATTCACCGCAGATAACCGGGACCTGTATCCTGCCAACGAGCTGATGCCCTGCTGG
AGGAGAAGGGCATCGTGGCTCAGGGATGGCTCAACATCCTGCCAACAGCTGCTGGAGAATGAC
GATTCTCACGCCATCGACACCAGTGGGGCCCTGATCCGCAGCGTGTGCAGATGCCGA
AATGCCGCCACAGGCAGGACTATATCAACAGCCCCGTGCGCGATCTGAATGGCGTGTGCTTC
GAECTCCGGTTTCAGAACCCAGAGTGGCCCATGGACGCCATGCCAACGGATCTGAAGCTGCAGAA
GCCCTGAAGGGCAGCTGCTGAATCACCTGAAGGAGAGCAAGGATCTGAAGCTGCAGAA
CGGCATCTCCAATCAGGACTGGCTGCCATGCCAGGAGCTGCCAACAAAAGGCCGGCGC
CACGAAAAAGGCCGGCCAGGCAAAAAAGAAAAAGGATCCGGTGGCGGACCCCTGTTACTTT
CAAGGATGTATTCGTGGATTTCACACCGCAGGAGTGGAAATTGTTGGATACTGCCAGCAGA
TTGTATACCGCAATGTAATGCTGAAAACACTACAAAATCTCGTGAGTCTCGGATATCAACTG
ACCAAGCCTGACGTTATCCTCCGATTGGAGAAAGGCCAGGAACCTGGAGCGGAGGAAGGAC
GCTTGTCACGTTAAGGATGTTTGACTTCACCGAGGAGTGGAAAGCTGTTGGATA
CTGCCCAACAAATTGTGTATCGAACGTGATGCTCGAGAACTACAAGAACCTGTGCTTTG
GGCTATCAGCTGACTAAACCTGATGTAATACTCCGCTCGAGAAAGGAGAGGAGCCTGGTAG
TGGGGACGGACCCCTGGTAACATTCAAGGATGTATTGTTGACCTCACCGGGAAAGAATGGA
AACTCCTCGATACTGCCAACAGATAGTGTATCGAAACGTAATGCTGAAAACACTACAAAAC
TTGGTCAGCCTCGGATACCAACTACAAAACCTGATGTTATCCTCAGACTGAGAACGGCGA
GGAACCCGGATCCACCCATACGATGTTCCAGATTACGTTATCCCTACGACGTGCTGATTA
TGCATACCCATATGATGTCCCCGACTATGCCAACGTTGCTGAGGTTGTAAA
GGTTTTCTTCTGAGAAAACACCTTTGTTCTCAGGTTTGCTTTGCCCTTCCC
TAGCTTAAAAAAAGCAAAACTCACCGAGGAGTCCATAGGATGGCAAGATCCTGG
TATTGGTCTGCGAAATTCTACTCTGTAGATTGAAGAGCAGGAAACAGCTATGACGCTCT
CTAATTCTACTCTGTAGAT

Transcriptional control elements:

KRAB

CGGACACTGGTACCTTCAAGGATGTATTGTTGACTTCACCAAGGGAGGAGTGGAAAGCTGCT
GGACACTGCTCAGCAGATCGTGTACAGAAATGTGATGCTGGAGAACTATAAGAACCTGGTT
CCTTGGTTATCAGCTTACTAACGCCAGATGTGATCCTCCGGTTGGAGAAGGGAGAACGCC

KRAB₂

CGGACACTGGTACCTTCAAGGATGTATTGTTGACTTCACCAAGGGAGGAGTGGAAAGCTGCT
GGACACTGCTCAGCAGATCGTGTACAGAAATGTGATGCTGGAGAACTATAAGAACCTGGTT
CCTTGGTTATCAGCTTACTAACGCCAGATGTGATCCTCCGGTTGGAGAAGGGAGAACGCC
GGATCCGGGGTGGACACTGGTACCTCAAGGATGTATTGTTGACTTCACCAAGGGAGGA
GTGGAAGCTGCTGGACACTGCTCAGCAGATCGTGTACAGAAATGTGATGCTGGAGAACTATA

AGAACCTGGTTCCCTGGGTTATCAGCTACTAAGCCAGATGTGATCCTCCGGTTGGAGAAG
GGAGAAGAGCCC

[Repr]

GGTGGGCGGACCCTGTTACTTCAGGATGTATTGTCGATTCACACGCGAGGAGTGGAA
ATTGTTGGATACTGCCAGCAGATTGTATACCGCAATGTAATGCTGAAAAGTACAAAAATC
TCGTGAGTCTCGGATATCAACTGACCAAGCCTGACGTTATCCTCCGATTGGAGAAAGGCAG
GAACCTGGGAGCGGAGGAAGGACGCTTGTACGTTAAGGATGTTTGACTTCACTCG
AGAGGAGTGGAAAGCTGTTGGATACTGCCAACAAATTGTATCGAACGTGATGCTCGAGA
ACTACAAGAACCTGTCCTTGGGCTATCAGCTGACTAACCTGATGTAATACTCCGCCTCG
AGAAAGGAGAGGAGCCTGGTAGTGGGGACGGACCCTGGTAACATTCAAGGATGATTG
GATTTCACCGGGAGAAATGAAACTCCTCGATACTGCCAACAGATAAGTGTATCGAAACGT
AATGCTCGAAAACACAAAAACTGGTCAGCCTCGGATACCAACTACAAACCTGATGTTA
TCCTCAGACTTGAGAAGGGCGAGGAACCC

VP64₂

GACGCATTGGACGATTGATCTGGATATGCTGGGAAGTGACGCCCTCGATGATTTGACCT
TGACATGCTGGTCGGATGCCCTTGATGACTTGACCTCGACATGCTCGCAGTGACGCCCT
TGATGATTGACCTGGACATGCTGGATCCGGTGGGACGCATTGGACGATTGATCTGG
ATATGCTGGGAAGTGACGCCCTCGATGATTGACCTTGACATGCTTGGTCGGATGCCCTG
ATGACTTGACCTCGACATGCTGGCAGTGACGCCCTGATGATTCGACCTGGACATGCTG

p65

CCTTCAGGGCAGATCAGCAACCAGGCCCTGGCTCTGGCCCTAGCTCCGCTCCAGTGCTGGCC
CAGACTATGGTGCCTCTAGTGCTATGGTGCCTCTGGCCAGCCACCTGCTCCAGGCCCTGTG
CTGACCCCAGGACCACCCAGTCACTGAGCGCTCCAGTGCCTACACAGGCCGGCAG
GGGACTCTGAGTGAAGCTCTGCTGCACCTGCAGTTGACGCTGATGAGGACCTGGAGCTCT
GCTGGGGACAGCACCGATCCGGAGTGTTACAGATCTGGCCTCCGGACAACCTTGAGTT
TCAGCAGCTGCTGAATCAGGGCTGTCATGTCATAGTACAGCCAACCAATGCTGATGG
AGTACCCCGAAGCCATTACCCGGCTGGTACCGGCAGCCAGCGGCCCCCGACCCGCTCAA
CTCCCCGGAACCAAGCGGCCCTGCCTAATGGGCTGTCCGGAGATGAAGACTTCTCAAGCATCG
CTGATATGGACTTAGTGCCCTGCTGTCACAGATTCTCTAGTGGCAG

sp65

AGCGGCCTGCCTAATGGGCTGTCCGGAGATGAAGACTTCTCAAGCATCGCTGATATGGACTT
TAGTGCCCTGCTGTCACAGATTCTCT

sp65₃

AGCGGGTTGCCTAATGGGTTGAGTGGTGACGAGGATTTAGCAGTATGCCGATATGGACTT
TTCAGCTCTCCTCAGCCAGATAAGCTCTGGAAGTAGTGGGCTTCAAATGGGCTAGCGGTG
ACGAAGATTCTCTAGTATAGCGGACATGGACTCTCAGCTGCTCTCCAGATTCTTCAG
GGTCCAGCGGCTGCCAACGGCCTCAGTGGGACGAGGATTTCTAGCATAGCAGACATG
GACTTTCCGCACTCCTCAGTCAGATTCTTCT

sp65p₃

AGCGGGTTGCCTAATGGGTTGGATGGTACGGAGGATTTAGCGATATGCCGATATGGACTT
TTCAGCTCTCCTCAGCCAGATAAGCTCTGGAAGTAGTGGGCTTCAAATGGGCTTGACGGTG
ACGAAGATTCTCTGATATAGCGGACATGGACTTCTCAGCTCTGCTCTCCAGATTCTTCAG
GGTCCAGCGGCTGCCAACGGCCTCGATGGCAGGAGATTCTGACATAGCAGACATG
GACTTTCCGACTCCTCAGTCAGATTCTTCT

HSF1

GGCTTCAGCGTGGACACCAGTGCCCTGCTGGACCTGTTCAGCCCCTCGGTGACCGTGCCGAC
ATGAGCCTGCCTGACCTTGACAGCAGCCTGCCAGTATCCAAGAGCTCCTGTCTCCCCAGGAG
CCCCCCAGGCCCTCCCGAGGCAGAGAACAGCAGCCGGATTCAAGGGAAAGCAGCTGGTGCAC
ACAGCGCAGCCGCTGTTCTGCTGGACCCCGCTCCGTGGACACCGGGAGCAACGACCTGCCG
GTGCTGTTGAGCTGGAGAGGGCTCCTACTTCTCCGAAGGGGACGGCTCGCCGAGGACCCC
ACCATCTCCCTGCTGACAGGCTGGAGCCTCCAAAGCCAAGGACCCCAGTCTCC

RtA

CGGGATTCCAGGGAAGGGATGTTTTGCCGAAGCCTGAGGCCGGCTCCGCTATTAGTGACGT
GTTTGAGGGCCGCGAGGTGTGCCAGCCAAAAGAATCCGGCCATTTCATCCTCCAGGAAGTCC
ATGGGCCAACCGCCCACCTCCCCGCCAGCCTCGCACCAACACCAACCGGTCCAGTACATGAGCC
AGTCGGGTCACTGACCCGGCACCAAGTCCCTCAGCCACTGGATCCAGCGCCCGCAGTACTCC
CGAGGCCAGTCACCTGTTGGAGGATCCCGATGAAGAGACGAGCCAGGCTGTCAAAGCCCTTC
GGGAGATGGCCGATACTGTGATTCCCCAGAAGGAAGAGGGCTGCAATCTGTGGCCAAATGGAC
CTTTCCCATCCGCCCAAGGGCCATCTGGATGAGCTGACAACCACACTGAGTCCATGACC
GAGGATCTGAACCTGGACTCACCCCTGACCCCGAATTGAACGAGATTCTGGATACTTCTG
AACGACGAGTGCCTTGCATGCCATGCATATCAGCACAGGACTGTCCATCTCGACACATCT
CTGT

[Activ]

GGTGGGGGTGGTCCAGCGGGTTGCCTAATGGGTTGGATGGTACGGAGGATTTAGCGATAT
GCCGATATGGACTTTCAGCTCTCAGCCAGATAAGCTCTGGAAGTAGTGGGCTTCAA
TGGGCTGACGGTACGAAGATTCTCTGATATAGCGGACATGGACTTCTCAGCTCTGCTCTC
CCAGATTCTTCAGGGTCCAGCGGCTTGCCAAACGGCCTCGATGGCAGCAGGAGTTTCTGA
CATAGCAGACATGGACTTTCCGCACTCCTCAGTCAGATTCTCTGGAGGCGGTGGAAGCGG
CTTCAGCGTGGACACCAGTGCCTGCTGGACCTGTTCAGCCCTCGGTGACCGTGCCGACAT
GAGCCTGCCTGACCTTGACAGCAGCCTGCCAGTATCCAAGAGCTCCTGTCTCCCCAGGAGCC
CCCCAGGCCTCCCGAGGCAGAGAACAGCAGCCGGATTCAAGGGAAAGCAGCTGGTGCAC
AGCGCAGCCGCTGTTCTGCTGGACCCGGCTCGTGGACACCGGGAGCAACGACCTGCCGGT
GCTGTTGAGCTGGAGAGGGCTCCTACTTCTCCGAAGGGGACGGCTCGCCGAGGACCCCAC
CATCTCCCTGCTGACAGGCTGGAGCCTCCAAAGCCAAGGACCCCAGTCTCC

Direct Repeat (DR)

AATTCTACTCTTGTAGAT

Gene editing

Gene	Target Sequence
CD47.1	ATTAATAGTAGCTGAGCTGATC
CD47.2	GCACTACTAAAGTCAGTGGGAC
CD47.3	GTAATGACACTGTCGTATTCCA
CD47.4	GAGCTCCATCAAAGGTGTAAATA
CD47.5	CGTATACTTCAGTAGTGTTTGT
CD47.6	GTAGTGCAAAAATTGAAGTCTCA
CD47.7	CTGTGTGTGAGACAGCATCACTC
CD47.8	GCTCGATGATCGTTCACCTTCT
CD47.9	GTGCCCTCATATTAGTAACAAAG
CD47.10	ATGGAGCTCTAACACAAGTCCACT
CD97.1	AGCAGGGCTTCCTCTGGAGCTTC
CD97.2	TTGTGGTGC CGGTGTTCCAAGGC
CD97.3	CTGGCCGCCTTCTGCTGGATGAG
CD97.4	CGTGA C T ACCGTCTGG A AGCTCA
CD166.1	TAGAGGATCTGAAGGCAATAAAT
CD166.2	AGGCACCTACAATAGTCAAGGTG
CD166.3	TGTGCATGCTAGTA ACT GAGGAC
CD166.4	ATCACTGATCCTTG CATTACTGA
DNMT1	CTGATGGTCCATGTCTGTTACTC
FANCF	GGCGGGGTCCAGTTCCGGGATTA
EMX1	TGGTTGCCACCCTAGTCATTGG
GRIN2B	GTGCTCAATGAAAGGAGATAAGG
VEGFA	CTAGGAATATTGAAGGGGGCAGG

Transcriptional activator

Gene	Target Sequence
ZFP42.1	TTGAGCGCTCACCAC
ZFP42.2	CGTGCGGGCCGGGTG
ASCL1.1	GGGAGTGGTGGGAG
ASCL1.2	CAATGGGACACCCAG
IL1B.1	CATGGTGATAACATT
IL1B.2	CTACTCCTGCCCTT
IL1R2.1	CTTGGCCACTTCCCC
IL1R2.2	CCTATTTTCTGTGA
ADRB2.1	GCAGTAAAGTCACAT
ADRB2.2	GTTACACTTCATGAA
CCR4.1	GCACATCTTCTTGGC
CCR4.2	ATTTTGAAAAAGATA
CCR10.1	CCCTACTCCACTTTG
CCR10.2	GTAAAATCCAGATCC
CHRM4.1	TCTCCCCTTCCTCCC
CHRM4.2	CATGTCTCCCCCAT
HBB.1	TCTACCATAATTCAAG
HBB.2	AAGTCCAACTCCTAA
HTR6.1	CCAACCTCTGGCTCC
HTR6.2	CCAGGGCGGCTTG

Transcriptional activator

Gene	Target Sequence
ASCL1.3 (15 bp)	GGGAGTGGGTGGGAG
ASCL1.3(20 bp)	GGGAGTGGGTGGGAGGAAGA
ASCL1.4(15 bp)	CAATGGGACACCCAG
ASCL1.4 (20 bp)	CAATGGGACACCCAGCCCCA
IL1B.3 (15 bp)	CATGGTGATACTT
IL1B.3 (20 bp)	CATGGTGATACTTGCAAA
IL1B.4 (15 bp)	CTACTCCTGCCCTT
IL1B.4 (20 bp)	CTACTCCTGCCCTCCATG
IL1R2.3 (15 bp)	CTTGGCCACTTCCCC
IL1R2.3 (20 bp)	CTTGGCCACTTCCCCATCTG
IL1R2.4 (15 bp)	CCTATTTTCTGTGA
IL1R2.4 (20 bp)	CCTATTTTCTGTGACTCGC
ZFP42.3 (15 bp)	TTGAGCGCTCAC
ZFP42.3 (20 bp)	TTGAGCGCTCACACGTGCC
ZFP42.4 (15 bp)	CGTGCAGGCCGGGTG
ZFP42.4 (20 bp)	CGTGCAGGCCGGGTGCCTGG

Transcriptional repression

Gene	Target Sequence
CHRM3.1	AGCCAACCCACCCA
CHRM3.2	GTCTCAAGCACGCAG
FZD1.1	TGCCTGAGTAGTGCC
FZD1.2	CGCCGGGAAGCCGGA
PLCB1.1	CCAGCCAGTTGGGAT
PLCB1.2	CACGCTGGGTCAAGC
PRKC1.1	ACAGCTCGCGTGAAA
PRKC1.2	TCTGCCCGTAAGG
RAB11A.1	AAGAGGTAGTCGTAC
RAB11A.2	AAGGTGAGGCCATGG
RAB9A.1	GTACTCGCTGTCGCC
RAB9A.2	CCTGGCCCCGCCCG
RAB7A.1	GTCTCCTCCTCGGCG
RAB7A.2	TAGCACGAGATCCAG
EEA1.1	ACAGAGGGTAAGAGA
EEA1.2	CAGCAGAAACTAGCA
PIK3C3.1	ACTACATCTATAGTT
PIK3C3.2	GGCGGGGAGTTCCGC
RAB5A.1	TCCTCCTCCGCCGCC
RAB5A.2	TTCGCGGGGCGGGGC

Transcriptional repression

Gene	Target Sequence
EEA1.3 (15 bp)	ACAGAGGGTAAGAGA
EEA1.3 (20 bp)	ACAGAGGGTAAGAGAGTGAA
EEA1.4 (15 bp)	ACCACCACCCGGCGC
EEA1.4 (20 bp)	ACCACCACCCGGCGCCGCCG
PIK3C3.3 (15 bp)	ACTACATCTATAGTT
PIK3C3.3 (20 bp)	ACTACATCTATAGTTGTGAC
PIK3C3.4 (15 bp)	CAGACGGTGCATGGGGAA
PIK3C3.4 (20 bp)	CAGACGGTGCATGGGGAA
RAB5A.3 (15 bp)	TCCTCCTCCGCCGCC
RAB5A.3 (20 bp)	TCCTCCTCCGCCGCCGCC
RAB5A.4 (15 bp)	TTCGCGGGCGGGGC
RAB5A.4 (20 bp)	TTCGCGGGCGGGCGAGGC
RAB5A.5 (15 bp)	GGTTCGTGAAGGAGCCGGCG
RAB5A.5 (20 bp)	GGTTCGTGAAGGAGCCGGCG
RAB7A.3 (15 bp)	GTCTCCTCCTCGGCG
RAB7A.3 (20 bp)	GTCTCCTCCTCGGCGGGAGC
RAB7A.4 (15 bp)	TGGCCAAGACTCCAGGCCG
RAB7A.4 (20 bp)	TGGCCAAGACTCCAGGCCG

Distance from promoter TSS

Gene	Target Sequence
HBB.1	CCAAAACCTAATAAGTAACT
HBB.2	TTAGCATGCATGAGCAAATT
HBB.3	GATTAAAACCTTCTGGTAAG
HBB.4	GTGCATCAACTTCTTATTG
HBB.5	GAATCACAGCTTGGTAAGCA
HBB.6	AAGTCCAACTCCTAACGCCAG
HBB.7	CTTCTGACACAACGTGTTTC
HBB.8	TGATAGGCACTGACTCTCTC
HBB.9	TTGCCATGAGCCTTCACCTT
ASCL1.3	GAGCTGAATGGGACATTAGA
ASCL1.4	ACATAGTCCAGCACTTTTT
ASCL1.5	CTCCAATTCTAGGGTCACC
ASCL1.6	CTTCAAGTTCTTAGTAGAAT
ASCL1.7	GGAAGGGGGTGGGGGGCGTC
ASCL1.8	CAAGGAGCGGGAGAAAGGAA
ASCL1.9	AATGGGACACCCAGCCCCAC
ASCL1.10	ACTGCCCTCCCTGGCCGGA
ASCL1.11	CTGCTGCTTCTGCTTTTTT
RAB5A.1	TCCTCCTCCGCCGCCGCCGCC
RAB5A.2	TTCGCGGGGCCGGCGAGGCAGG
RAB5A.4	GTACAGTAAAGAGCGAAGGGAAA
RAB5A.5	GGCTGGGGGTCTCTGGGCTCCT
RAB5A.6	GTTCGTGAAGGAGCCGGCGGCTG
RAB5A.7	GGGACTGACTGAGGGAGCGACGG
RAB11A.1	AAGAGGTAGTCGTACTCGTCGTC
RAB11A.2	AAGGTGAGGCCATGGCTCTCGC
RAB11A.4	GTCACTAAGTAATTGAACAACTA
RAB11A.5	CCCTTGAGCCTCCTTAGCGAC
RAB11A.6	GCGACTAAAGCTTGAAGCCCCAC
RAB11A.7	GCTCCTCGGCCGCGCAATGGGCA

qPCR Primer

Gene	sequence
ADRB2_forward	TTGCTGGCACCAATAGAAGC
ADRB2_reverse	CAGACGCTCGAACTTGGCA
ASCL1_forward	CCCAAGCAAGTCAAGCGACA
ASCL1_reverse	AAGCCGCTGAAGTTGAGCC
CCR4_forward	TCTCGCCAAGACACTGAACAG
CCR4_reverse	GGCCCTGCATTCTCAAGAAG
CHRM3_forward	GGCCTGTGCCGATCTGATTAT
CHRM3_reverse	CGGCCTCGTGATGGAAAAG
CHRM4_forward	CAGCTCGGGCAATCAGTCC
CHRM4_reverse	GCCTATGATGAGATCAGCACAC
EEA1_forward	AGCAACTCCTATAAACACAGTGG
EEA1_reverse	AGCAAGATTAGACTCTCCTCCAT
FZD1_forward	AGCCATCCAGTTGCACGAG
FZD1_reverse	GAGTCGGGCCACTTGAAGTT
HBB_forward	AGGAGAAAGTCTGCCGTTACTG
HBB_reverse	CCGAGCACTTCTTGCCATGA
HTR6_forward	GCAACACGTCCAACTTCTCC
HTR6_reverse	TGCAGCACATCACGTGAA
IL1B_forward	AAACAGATGAAGTGCTCCTTCC
IL1B_reverse	AAGATGAAGGGAAAGAAAGGTGC
IL1R2_forward	ATGTTGCGCTTGTACGTGTTG
IL1R2_reverse	CCCGCTTGTAAATGCCTCCC
PIK3C3_forward	CCTGGAAGACCCAATGTTGAAG
PIK3C3_reverse	CGGGACCATAACACATCCCCAT
PLCB1_forward	GGAAGCGGAAAAAGAAGCTC
PLCB1_reverse	CGTCGTCGTCACTTCCGT
PRKC1_forward	GACAACGAACAGCTCTTCACC
PRKC1_reverse	CCAGGACGTTCTGGTACACA
RAB5A_forward	AGACCCAACGGGCCAATAC
RAB5A_reverse	GCCCCAATGGTACTCTCTGAA
RAB7A_forward	GTGTTGCTGAAGGTTATCATCCT
RAB7A_reverse	GCTCCTATTGTGGCTTGTACTG
RAB9A_forward	AGGGACAACGGCGACTATC
RAB9A_reverse	TCTGACCTATCCTCGGTAGCA
RAB11A_forward	CAACAAGAAGCATCCAGGTTGA
RAB11A_reverse	GCACCTACAGCTCCACGATAAT
ZFP42_forward	AGAACACGGCAAAGACAAGAC
ZFP42_reverse	GCTGACAGGTTCTATTCCGC

NGS primer

CD47_forward ACACTTTCCCTACACGACGCTCTCCGATCT
NNAAGATCTTACAGTACAGACTTC

CD47_reverse GTGACTGGAGTTCAGACGTGTGCTCTCCGATC
NNCAGGACAAATAAAAAAAGAAGC

Indel analysis primer

ASCL1_forward	CGAGGAACCGAAGAGAATAACAGTGAG
ASCL1_reverse	CCGCTGGCGCCTTCTTGTTC
CD47_forward	TATCAGTTCAGCAAGTTCTATTAGCAGTGTGTT
CD47_reverse	AGTACATTACCCCAGGACCAATCAGCCAAA
DNMT1_forward	CTGGGACTCAGGCCGGTCAC
DNMT1_reverse	CCTCACACAACAGCTTCATGTCAGC
EMX1_forward	TGGATGCCCGTGTCAATTAAAGAGAGAGACTTT
EMX1_reverse	CCCTTCTGTGAATGTTAGACCCATGGGAGC
FANCF_forward	GTATTAGGGCTTTAACGTTGCCCAGAGTCAAGGA
FANCF_reverse	GTCTGTTAGCAGACCCAGATAGACAGGAGAC
GRIN2B_forward	GAATGCAGGGCTTGTACTTATAGCCCC
GRIN2B_reverse	ACAAATGCATGGTTAGTCCTCAGCACAAAC
IL1B_forward	CCATGAGATTGGCTAGGGTAACAGCA
IL1B_reverse	AGAGACAGAGAGACTCCCTAGCACC
PIK3C3_forward	GTGGGCGCCTTGTGCACATGC
PIK3C3_reverse	CACCTCCCGTGTCAATACACCATGTGCTC
RAB5A_forward	CGCCCCGCGAACAAACCTAGGC
RAB5A_reverse	CCAGGACGGAGACCAGGCGGAACC
VEGFA_forward	AAACTCCCCCCCACCCCCTTTCC
VEGFA_reverse	ATTCCAGCACCGAGCGCCC