



Other Journal Item

Updated Genome Sequence and Annotation for the Full Genome of *Pseudomonas protegens* CHA0

Author(s):

Smits, Theo H.M.; Rezzonico, Fabio; Frasson, David; Vesga, Pilar; Vacheron, Jordan; Blom, Jochen; Pothler, Joël F.; Keel, Christoph; Maurhofer, Monika; Sievers, Martin

Publication Date:

2019-09-26

Permanent Link:

<https://doi.org/10.3929/ethz-b-000368527> →

Originally published in:

Microbiology Resource Announcements 8(39), <http://doi.org/10.1128/MRA.01002-19> →


Rights / License:

[Creative Commons Attribution 4.0 International](#) →

This page was generated automatically upon download from the [ETH Zurich Research Collection](#). For more information please consult the [Terms of use](#).



Updated Genome Sequence and Annotation for the Full Genome of *Pseudomonas protegens* CHA0

Theo H. M. Smits,^a Fabio Rezzonico,^a David Frasson,^b Pilar Vesga,^c Jordan Vacheron,^d Jochen Blom,^e  Joël F. Pothier,^a Christoph Keel,^d Monika Maurhofer,^c Martin Sievers^b

^aEnvironmental Genomics and Systems Biology Research Group, Institute of Natural Resource Sciences, Zurich University of Applied Sciences (ZHAW), Wädenswil, Switzerland

^bMicrobiology and Molecular Biology Research Group, Institute of Chemistry and Biotechnology, Zurich University of Applied Sciences (ZHAW), Wädenswil, Switzerland

^cETH Zür, Plant Pathology, Institute of Integrative Biology, Zurich, Switzerland

^dDepartment of Fundamental Microbiology, Quartier UNIL-Sorge, University of Lausanne, Lausanne, Switzerland

^eBioinformatics and Systems Biology, Justus-Liebig-Universität, Giessen, Germany

ABSTRACT Minor differences in the previously obtained genome of *Pseudomonas protegens* CHA0 were detected after resequencing the strain. Based on this, the genome size slightly increased. Additionally, we performed a manual annotation of genes involved in biocontrol and insect pathogenicity. This annotation version will be the basis for upcoming genome studies.

Pseudomonas protegens CHA0 has a long history as a biocontrol agent. Many features and the regulation thereof have been described for this strain that are involved in the process of biocontrol against fungal and oomycete plant pathogens (1–3). Additionally, the organism has been recognized as an effective insect pathogen that can kill larvae of different plant pest insects after oral infection by the bacterium (4, 5). In addition, several features contributing to insect pathogenicity were described already (2, 4, 6). While the genome sequence of this strain was published a few years ago (7), the pathogen control and insect pathogenicity determinants were only poorly included.

We have resequenced the genome of *P. protegens* CHA0 starting with genomic DNA from its accession number CCOS 2 at the Culture Collection of Switzerland (CCOS). The strain was grown in LB broth at 28°C for 1 day. Total DNA was extracted from the pure culture using the DNeasy blood and tissue kit (Qiagen, Hilden, Germany). Genomic library preparation and genome sequencing were outsourced to GATC Biotech, AG (Constance, Germany). Libraries were prepared using a SPRIworks fragment library system I (Beckman Coulter, Brea, CA), following the manufacturer's instructions. The TruSeq paired-end (PE) cluster kit v3-cBot-HS (Illumina, San Diego, CA) was used for cluster generation. Sequencing was performed on a HiSeq 2000 Illumina sequencer with 2 × 50-bp paired-end reads using the TruSeq SBS kit v3-HS (Illumina). A total of 97,357,690 quality-filtered reads were obtained from GATC, giving an approximate coverage of 700×. For *de novo* assembly using SeqMan NGen v12.2 (DNASTar, Madison, WI) with standard settings, only 8,500,000 reads (55× coverage) were used. Repeated cycles of read mapping with the SeqMan NGen software and inspection in different subroutines of the Lasergene package (DNASTar) yielded a complete genome of 6,868,156 bp with a G+C content of 63.39%. Based on a small region close to an rRNA region, the genome was 176 bp larger than the previous version (7). Additionally, few indels mainly in homopolymer regions were observed.

Annotation of the genome sequence was done in GenDB (8), with manual improvements. Comparative genomics was done in EDGAR v2.3 (9) using the parameters defined by Smits et al. (10). A comparison of the annotations indicated a difference

Citation Smits THM, Rezzonico F, Frasson D, Vesga P, Vacheron J, Blom J, Pothier JF, Keel C, Maurhofer M, Sievers M. 2019. Updated genome sequence and annotation for the full genome of *Pseudomonas protegens* CHA0. *Microbiol Resour Announc* 8:e01002-19. <https://doi.org/10.1128/MRA.01002-19>.

Editor Irene L. G. Newton, Indiana University, Bloomington

Copyright © 2019 Smits et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Joël F. Pothier, joel.pothier@zhaw.ch.

Received 16 August 2019

Accepted 30 August 2019

Published 26 September 2019

between the two genome sequences. The two genomes share 5,995 genes, whereas 142 and 120 singletons were observed for our version, respectively, to the previous one, with the majority representing hypothetical proteins. Furthermore, manual annotation of all known biocontrol features and insect pathogenicity factors was performed. This version of the genome is now suited for use in comparative genomics studies to study different aspects of biocontrol and insect pathogenicity.

Data availability. The genome sequence of *P. protegens* CHA0 (CCOS 2) was deposited at DDBJ/EMBL/GenBank under the BioProject number [PRJEB28440](https://www.ncbi.nlm.nih.gov/bioproject/PRJEB28440) and accession number [LS999205](https://www.ncbi.nlm.nih.gov/nuclseq/LS999205). The version described in this paper is version LS999205.1. Raw sequence reads (Illumina) have been deposited at the EMBL under accession number [ERR3047520](https://www.ncbi.nlm.nih.gov/nuclseq/ERR3047520).

ACKNOWLEDGMENTS

This study was supported by the Department of Life Sciences and Facility Management of the Zurich University of Applied Sciences (ZHAW) in Wädenswil, Switzerland, and by grant 31003A-159520 from the Swiss National Foundation for Scientific Research.

REFERENCES

1. Haas D, Défago G. 2005. Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nat Rev Microbiol* 3:307–319. <https://doi.org/10.1038/nrmicro1129>.
2. Flury P, Aellen N, Ruffner B, Péchy-Tarr M, Fataar S, Metla Z, Dominguez-Ferreras A, Bloemberg G, Frey J, Goesmann A, Raaijmakers JM, Duffy B, Höfte M, Blom J, Smits THM, Keel C, Maurhofer M. 2016. Insect pathogenicity in plant-beneficial pseudomonads: phylogenetic distribution and comparative genomics. *ISME J* 10:2527–2542. <https://doi.org/10.1038/ismej.2016.5>.
3. Kupferschmied P, Maurhofer M, Keel C. 2013. Promise for plant pest control: root-associated pseudomonads with insecticidal activities. *Front Plant Sci* 4:287. <https://doi.org/10.3389/fpls.2013.00287>.
4. Péchy-Tarr M, Bruck DJ, Maurhofer M, Fischer E, Vogne C, Henkels MD, Donahue KM, Grunder J, Loper JE, Keel C. 2008. Molecular analysis of a novel gene cluster encoding an insect toxin in plant-associated strains of *Pseudomonas fluorescens*. *Environ Microbiol* 10:2368–2386. <https://doi.org/10.1111/j.1462-2920.2008.01662.x>.
5. Ruffner B, Péchy-Tarr M, Ryffel F, Hoegger P, Obrist C, Rindlisbacher A, Keel C, Maurhofer M. 2013. Oral insecticidal activity of plant-associated pseudomonads. *Environ Microbiol* 15:751–763. <https://doi.org/10.1111/j.1462-2920.2012.02884.x>.
6. Kupferschmied P, Péchy-Tarr M, Imperiali N, Maurhofer M, Keel C. 2014. Domain shuffling in a sensor protein contributed to the evolution of insect pathogenicity in plant-beneficial *Pseudomonas protegens*. *PLoS Pathog* 10:e1003964. <https://doi.org/10.1371/journal.ppat.1003964>.
7. Jousset A, Schuldes J, Keel C, Maurhofer M, Daniel R, Scheu S, Thuerner A. 2014. Full-genome sequence of the plant growth-promoting bacterium *Pseudomonas protegens* CHA0. *Genome Announc* 2:e00322-14. <https://doi.org/10.1128/genomeA.00322-14>.
8. Meyer F, Goesmann A, McHardy AC, Bartels D, Bekel T, Clausen J, Kalinowski J, Linke B, Rupp O, Giegerich R, Pühler A. 2003. GenDB—an open source genome annotation system for prokaryote genomes. *Nucleic Acids Res* 31:2187–2195. <https://doi.org/10.1093/nar/gkg312>.
9. Blom J, Kreis J, Spänig S, Juhre T, Bertelli C, Ernst C, Goesmann A. 2016. EDGAR 2.0: an enhanced software platform for comparative gene content analyses. *Nucleic Acids Res* 44:W22–W28. <https://doi.org/10.1093/nar/gkw255>.
10. Smits THM, Rezzonico F, Kamber T, Blom J, Goesmann A, Frey JE, Duffy B. 2010. Complete genome sequence of the fire blight pathogen *Erwinia amylovora* CFBP 1430 and comparison to other *Erwinia* spp. *Mol Plant Microbe Interact* 23:384–393. <https://doi.org/10.1094/MPMI-23-4-0384>.