

Adoption of pesticide-free wheat production in Switzerland (dataset)

Dataset

Author(s):

Möhring, Niklas (i); Finger, Robert (i)

Publication date:

2020-11-09

Permanent link:

https://doi.org/10.3929/ethz-b-000450297

Rights / license:

In Copyright - Non-Commercial Use Permitted

Description of dataset on the adoption of pesticide-free wheat production in Switzerland

Niklas Möhring and Robert Finger, Agricultural Economics and Policy Group, ETH Zurich, 2020

Abstract

The here presented dataset provides information on i) actual and planned participation decisions of Swiss «Extenso» wheat producers in a program for pesticide-free wheat production of the producer organization IP-SUISSE and ii) a wide range of potential determinants for program adoption. The dataset consists of survey data, as well as external data from a range of relevant data sources, matched based on farm location. The online survey was sent out to all IP-SUISSE wheat producers in December 2019 and was online for 5 weeks (until the beginning of January 2020). Two reminders were sent out to participants, each after two weeks, respectively. Survey data includes complete responses of wheat producers (1105 responses; sample size 4749; 23.3 % participation rate). Data was collected on the actual program participation decision (in 2018/19 and 2019/20) and the willingness to participate in the program in future growing seasons. Producers were further asked to elicit the importance of a range of determinants for participation, state their participation in federal and cantonal direct payment schemes for reduced pesticide use and soil conservation and report their experience with pesticide-free wheat cultivation. Concerning their expectations in the case of adoption, they were asked to state their preferred weed control strategies, availability of necessary machinery and give their expectations regarding expected long-term changes in yield and production risks. Additionally, data was collected with regard to farm and farmers' characteristics (workforce, leased land, income diversification, education, age, farm succession). Finally, domain specific risk preferences, production goals, environmental and health preferences, pesticide use attitudes, locus of control and self-efficacy were elicited via self-assessment questions. The dataset further includes matched data on climate (from MeteoSuisse, see Frei (2014) and Frei et al. (2006)), soil suitability (Swiss Federal Office for Agriculture, 2009), weed pressure (InfoFlora, 2019) and herbicide resistances per municipality (from Agroscope (2019), see Tschuy and Wirth (2015)).

When using the dataset please refer to:

Acknowledgments

We would like to thank all IP-SUISSE producers participating in the survey, as well as extension service experts, farmers and IP-SUISSE board members for feedback on survey design. We would further like to thank Agroscope for providing data on herbicide resistances, MeteoSwiss for providing weather and climate data for Switzerland, InfoFlora for providing data on weed pressure and the Swiss federal Office for Agriculture for providing data on soil suitability. We thank Leonie Vidensky for support with translation and data preparation.

References

Swiss Federal Office for Agriculture (2009). Swiss Federal Office for Agriculture (Ed.), Bodeneignungskarte der Schweiz – Datenbeschreibung, Bundesamt für Landwirtschaft BLW – Fachbereich Agrarinformationssystem, Bern.

Frei, C., Schöll, R., Fukutome, S., Schmidli, J., & Vidale, P. L. (2006). Future change of precipitation extremes in Europe: Intercomparison of scenarios from regional climate models. *Journal of Geophysical Research: Atmospheres*, 111(D6).

Frei, C. (2014). Interpolation of temperature in a mountainous region using nonlinear profiles and non-Euclidean distances. *International Journal of Climatology*, *34*(5), 1585-1605.

Info Flora (2019). Info Flora Verbreitungskarten Schweiz. Chambésy-Genève, Switzerland.

Tschuy, F., Wirth, J. (2015). Die aktuelle Situation der Herbizidresistenzen in der Schweiz. *Agrarforschung Schweiz*, 6(11–12), 516–523.