

Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting

Journal Article

Author(s):

CMS Collaboration; Khachatryan, Vardan; Bachmair, Felix; Bäni, Lukas; Bianchini, Lorenzo; Casal, Bruno; Dissertori, Günther; Dittmar, Michael; Donegà, Mauro; Eller, Philipp; Grab, Christoph; Heidegger, Constantin; Hits, Dmitry; Hoss, Jan; Kasieczka, Gregor; Lecomte, Pierre; Lustermann, Werner; Mangano, Boris; Marionneau, Matthieu; Martinez Ruiz del Arbol, Pablo; Masciovecchio, Mario; Meinhard, Maren T.; Meister, Daniel; Micheli, Francesco; Musella, Pasquale; Nessi-Tedaldi, Francesca; Pandolfi, Francesco; Pata, Joosep; Paus, Felicitas; Perrin, Gaël; Perrozzi, Luca; Quittnat, Milena; Rossini, Marco; Schönenberger, Myriam; Starodumov, Andrey; Takahashi, Maiko; Tavaloro, Vittorio R.; Theofilatos, Konstantinos; Wallny, Rainer; et al.

Publication date:

2016-07

Permanent link:

<https://doi.org/10.3929/ethz-b-000119196>

Rights / license:

[Creative Commons Attribution 3.0 Unported](#)

Originally published in:

Physical Review Letters 117(3), <https://doi.org/10.1103/PhysRevLett.117.031802>

Search for Narrow Resonances in Dijet Final States at $\sqrt{s} = 8$ TeV with the Novel CMS Technique of Data Scouting

V. Khachatryan *et al.**

(CMS Collaboration)

(Received 29 April 2016; published 14 July 2016)

A search for narrow resonances decaying into dijet final states is performed on data from proton-proton collisions at a center-of-mass energy of 8 TeV, corresponding to an integrated luminosity of 18.8 fb^{-1} . The data were collected with the CMS detector using a novel technique called data scouting, in which the information associated with these selected events is much reduced, permitting collection of larger data samples. This technique enables CMS to record events containing jets at a rate of 1 kHz, by collecting the data from the high-level-trigger system. In this way, the sensitivity to low-mass resonances is increased significantly, allowing previously inaccessible couplings of new resonances to quarks and gluons to be probed. The resulting dijet mass distribution yields no evidence of narrow resonances. Upper limits are presented on the resonance cross sections as a function of mass, and compared with a variety of models predicting narrow resonances. The limits are translated into upper limits on the coupling of a leptophobic resonance Z'_B to quarks, improving on the results obtained by previous experiments for the mass range from 500 to 800 GeV.

DOI: [10.1103/PhysRevLett.117.031802](https://doi.org/10.1103/PhysRevLett.117.031802)

Deep inelastic proton-proton (pp) collisions often result in the production of two or more jets of particles, emitted with large transverse momentum p_T relative to the incoming beams. Within the framework of the standard model, the distribution of the invariant mass of the pair of jets having the largest values of p_T (the dijet) is expected to decrease smoothly with increasing mass. Many proposed extensions of the standard model predict the existence of new states coupling to quarks and gluons, which would manifest themselves as resonances in the dijet mass spectrum. The first results on this topic were presented by the UA1 [1] and UA2 [2,3] experiments, collecting data at the Sp \bar{p} S at a center-of-mass energy of 630 GeV. These results were later extended to larger values of resonance masses, by the Fermilab experiments CDF [4–8] and D0 [9] with $\sqrt{s} = 1.8$ and 1.96 TeV proton-antiproton ($p\bar{p}$) collisions at the Tevatron, and then by the CERN experiments ATLAS [10–14] and CMS [15–19] with $\sqrt{s} = 7$ and 8 TeV pp collisions at the LHC. Searches for dijet resonances with mass above ~ 1.2 TeV were recently performed by ATLAS [20] and CMS [21] using pp collisions at $\sqrt{s} = 13$ TeV. No significant excess was found in any of these searches. A review of the results below 8 TeV can be found in Ref. [22].

Results obtained at different collider energies can be compared by translating the upper limits on the quark-quark resonance cross sections into upper bounds on the coupling constants g of the new resonance to a pair of partons for a given model, as reported in Ref. [23]. That study shows that these searches are not sensitive to the presence of low-mass ($\lesssim 1$ TeV) resonances with small couplings ($g \lesssim 1$) to quarks. Similar conclusions can be obtained for quark-gluon and gluon-gluon resonances. The main experimental difficulties originate from the large cross section of multijet events at low dijet mass and the limited resources for processing and storing this data. Thus, the experiments are forced to increase the thresholds of their triggers, in order to keep an acceptable data volume despite the increasing collision rate. Since the ultimate technical limitation is the available bandwidth at which events can be recorded on disk, an alternative strategy is reducing the event size in order to increase the recorded event rate. This approach, first implemented at the LHC by the CMS experiment in 2011, is referred to as *data scouting* [24]. A similar data collection strategy has also been recently introduced by the LHCb experiment [25].

This Letter presents a search for narrow resonances decaying into two jets using pp interactions at $\sqrt{s} = 8$ TeV. The study is performed on the scouting data collected with the CMS detector during 2012. The data set corresponds to an integrated luminosity of 18.8 fb^{-1} .

The analysis strategy follows a similar search performed on the standard data streams [19], which is only sensitive to resonance masses above 1200 GeV. Using data scouting, the present study extends the results of Ref. [19] down to 500 GeV.

*Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 3.0 License](https://creativecommons.org/licenses/by/3.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter, and a brass and scintillator hadron calorimeters, each composed of a barrel and two endcap sections. Forward calorimeters extend the pseudorapidity (η) coverage provided by the barrel and endcap detectors. Muons are measured in gas-ionization detectors embedded in the steel flux-return yoke outside the solenoid. A more detailed description of the CMS detector, its coordinate system, and the main kinematic variables used in the analysis can be found in Ref. [26].

Like events in the standard data stream, data scouting events selected by the Level-1 (L1) trigger are processed online in the high-level trigger (HLT) computer farm. Jets are reconstructed from the energy deposits in the calorimeters. A momentum value is assigned to every calorimeter tower, with the magnitude equal to the measured energy and the direction given by the line from the center of the CMS detector to the center of the tower. Using the FASTJET software [27], these momenta are clustered into jets with the anti- k_T algorithm [28] with a size parameter of 0.5. The HLT selection requires the scalar sum of the jet transverse momenta (p_T) to be $\sum_{\text{jet}} p_T > 250$ GeV, where only jets with $p_T > 40$ GeV and $|\eta| < 3$ are considered in the sum. This selection criterion translates into an accepted event rate of about 1 kHz at the HLT, at the highest instantaneous luminosity of 7.7 Hz/nb reached by the LHC in 2012. Scouting data are stored immediately after this selection. This event rate is comparable with the total allocated rate for the rest of the CMS physics program in the standard data stream. In order to sustain such a high rate in the data scouting stream, the amount of information stored for each of these HLT events is reduced to about 10 kB, consisting mainly of the four-momenta of the calorimeter jets reconstructed online, compared with an event size of about 500 kB for normal data taking. Thus the 1 kHz of data scouting events consumes only about 2% of the resources. Since no raw data are stored in the data scouting stream, it is not possible to perform an offline reconstruction of these events.

The scouting events are analyzed using standard CMS software tools. Jet momenta are corrected using the calibration constants derived from simulations, test beam results, and pp collision data [29]. The energy density ρ in the event in a unit of area $\Delta\eta \times \Delta\phi$ is also stored in the scouting record. Energies from additional collisions in the same or adjacent bunch crossings (pileup) are subtracted from the jet energies using an event-by-event and jet-area based correction [30]. All jets in this analysis are required to have $p_T > 30$ GeV and $|\eta| < 2.5$ and to pass a jet quality selection, based on the transverse distribution and magnitude of the energy deposits in the electromagnetic and hadron calorimeters. Additional requirements are applied to remove events where electronic noise mimics jets. Finally,

the azimuthal angle between the two highest p_T jets is required to be $\Delta\phi > \pi/3$. The latter requirement enforces the dijet event topology and suppresses the instrumental background originating in the calorimeters.

As in previous CMS dijet searches [16–19], geometrically close jets are combined into “wide jets.” In this process, the two leading jets are used as seeds and the four-momenta of all other jets are then added to the closest leading jet, if they satisfy the condition $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} < 1.1$, to obtain two wide jets, which then form the dijet system. By recovering the final state radiation from quarks and gluons, the wide-jet algorithm improves the dijet mass resolution.

The background from t -channel dijet events is suppressed by requiring the pseudorapidity separation of the two wide jets to satisfy $|\Delta\eta_{jj}| < 1.3$. This requirement maximizes the search sensitivity for isotropic decays of dijet resonances in the presence of QCD multijet background. We select events with $m_{jj} > 390$ GeV, for which the combined L1 trigger and HLT are found to be fully efficient.

Figure 1 shows the measured differential cross section as a function of dijet mass in bins of variable width




FIG. 1. The reconstructed dijet mass distribution (black points) fitted with the function of Eq. (1) (red solid line). The bottom panel compares the data and the fit result, normalized by the statistical uncertainty in the data, for each bin. The predicted distributions of narrow resonance signals for a hypothetical leptophobic resonance Z'_B [31,32] with two different mass and coupling values are shown in both panels (dash-dotted curves). This dijet mass distribution complements that observed at higher mass [19].

corresponding to the dijet mass resolution [15]. The plot is limited to the mass range relevant for this study. To test the smoothness of the measured cross section, a binned maximum likelihood fit to the data is performed with the parametrization:

$$\frac{d\sigma}{dm_{jj}} = \frac{P_0(1-x)^{P_1}}{x^{P_2+P_3 \ln(x)}}, \quad (1)$$

where $x = m_{jj}/\sqrt{s}$ and P_i ($i = 0, 1, 2, 3$) are free parameters. This functional form was used previously to describe both data and QCD predictions [8,10–19]. The fit to data yields a χ^2 of 31 for 22 degrees of freedom. The difference between the data and the best fit function is shown at the bottom of Fig. 1, normalized to the statistical uncertainty of the data in each bin. No significant excess of events above the background fit is observed.

This search focuses on narrow resonances with intrinsic widths smaller than the dijet mass resolution. Three varieties of narrow resonances associated with representative simplified models are considered: Randall–Sundrum (RS) gravitons [33] coupling either to quark-antiquark ($q\bar{q}$) or to gluon-gluon (gg) pairs with coupling $k/M_{\text{Pl}} = 0.1$, and excited quarks [34,35] coupling to quark-gluon (qg) pairs with compositeness scales that are equal to the excited quark masses. The distribution of the dijet mass for signal events is modeled using the PYTHIA 8.2 [36] generator with tune 4C [37] for the description of the underlying event. The generated events are processed through a GEANT4 [38] model of the CMS detector. The jet energies in the simulated signal samples are corrected in order to match the energy scale observed in the online reconstruction in the following way: a small fraction of the scouting data, corresponding approximately to one million events, is also saved in the standard data record, to allow a jet-by-jet comparison of the offline and online reconstruction performances. The corrections are derived from this subset of the data sample by comparing the energy of jets reconstructed offline with the energy of the corresponding jets reconstructed at the HLT, calculated as a function of p_T and η of the offline reconstructed jet. The energies of online and offline reconstructed jets agree within $\sim 2\%$ in the kinematic phase-space of this analysis. Figure 2 shows the $q\bar{q}$, qg , and gg signal shapes for a resonance with mass of 900 GeV. The predicted mass distributions have Gaussian cores due to both QCD radiation and jet energy resolution and tails towards lower mass values primarily from QCD radiation. The contribution of this low-mass tail to the line shape depends on the parton content of the resonance. Resonances containing gluons, which emit QCD radiation more strongly than quarks, have a more pronounced tail. Neglecting the tails, the approximate width of the reconstructed dijet mass peak varies with resonance mass from 11% at 500 GeV to 7% at 1600 GeV.




FIG. 2. The reconstructed dijet mass distributions for simulated RS gravitons decaying to quark-antiquark, excited quarks decaying to quark-gluon, and RS gravitons decaying to gluon-gluon, for a resonance mass of 900 GeV.

A Bayesian analysis [39] is used to set upper limits on the signal cross section. A uniform prior for the positive signal cross section is assumed. We calculate the posterior probability density as a function of the resonance cross section for resonance masses between 500 and 1600 GeV, in 100 GeV steps. At each considered mass value, a signal-plus-background fit to the data is performed, with the signal production cross section left as a free parameter. The contribution of the background is taken to be the distribution given by the background component of the fitted function. The likelihood is formed using the following inputs: the reconstructed dijet mass distribution in data, the background estimate from the best fit of the background hypothesis to the data, and the simulated m_{jj} distribution for the resonance that is a histogram normalized to the resonance cross section.

The dominant sources of systematic uncertainty are the jet energy scale and resolution, the luminosity, and the estimation of the background. The uncertainty of 5% in the jet energy scale is derived from the results reported in Ref. [29] and from dedicated studies performed for the data scouting analysis. This uncertainty is propagated to the limits by scaling the dijet signal distribution by 5% up and down. The observed limits change by few percent when varying the jet energy scale uncertainty from 5% to 1%. The uncertainty in the jet energy resolution translates into an uncertainty of $\pm 10\%$ in the resolution of the signal distribution [29], and is propagated to the limits by increasing and decreasing the width of the simulated dijet mass distribution shape for the signal by 10%. The uncertainty in the normalization of the signal resulting

from the uncertainty in the integrated luminosity is $\pm 2.6\%$ [40]. Uncertainties in the values of the parameters describing the background also contribute to the uncertainty in the signal strength and are taken into account in the limit setting procedure, as described below.

The above systematic uncertainties are incorporated in the limit calculation as nuisance parameters. Log-normal priors are used to model the jet energy scale, jet energy resolution, and luminosity uncertainties, while uniform priors are used for the parameters of the background function. The posterior function for the signal cross section is obtained by marginalizing over these nuisance parameters. The integration is performed independently for each of the background nuisance parameters in a range around the best-fit values that is large enough to accommodate a decrease in the likelihood by a factor of 1000 from its maximum value.

Figure 3 shows the observed model-independent upper limits at 95% confidence level (CL) on σBA , i.e. the product of the signal cross section (σ), the branching fraction to jets (B), and the acceptance (A) for the kinematic requirements $|\Delta\eta_{jj}| < 1.3$ and $|\eta| < 2.5$. The effect of the $m_{jj} > 390$ GeV requirement has been taken into account by correcting the limits, and therefore does not appear in the acceptance. In Table I, the limits are reported separately for narrow qq , qg , and gg resonances, in the mass range between 500 and 1600 GeV. The data scouting exclusions for masses between 1200 and 1600 GeV overlap with those from the high-mass search performed with the standard

data stream [19]. In the overlapping mass interval, the sensitivity of the data scouting search is found to be almost identical with the high-mass search sensitivity, and the results are found to be compatible with those of the high-mass search within ± 2 standard deviations.

Additionally, we apply our search results to the following models of s -channel dijet resonances: excited quarks [34,35]; axigluons [41,42]; scalar diquarks [43]; new gauge bosons (W' and Z') [44]; and RS gravitons [33]. More details on the specific choices of couplings for the models considered can be found in Ref. [17]. The upper limits presented are compared to the parton-level predictions of σBA without any detector simulation, in order to determine mass limits on new particles. The model predictions shown in Fig. 3 are calculated in the narrow-width approximation [22] using CTEQ6L1 PDFs [45] at leading order and a next-to-leading-order k factor is included for the W' , Z' , and axigluon models [42]. New particles are excluded at 95% CL in mass regions for which the theoretical curve lies at or above the observed upper limit for the appropriate final state in Fig. 3. The RS graviton cross section can be compared to the average of the upper limits for qq and gg final states.

We exclude excited quarks, axigluons, scalar diquarks, W' and Z' bosons, and RS gravitons with masses between 500 and 1600 GeV. These limits cover regions not excluded by previous dijet resonance searches at hadron colliders, as follows: scalar diquarks with masses between 630 and 970 GeV [22]; W' bosons with masses between 840 and 1000 GeV [22]; Z' bosons with masses between 740 and 1000 GeV [17,22]; RS gravitons with masses between 500 and 1000 GeV [22].

Following the theoretical framework of Ref. [23], the model-independent upper limits on the cross section of qq resonances are translated into 95% CL upper limits on the coupling g_B of a hypothetical leptophobic resonance




FIG. 3. Observed 95% CL upper limits on σBA for a narrow resonance decaying to gluon-gluon final states (open circles), quark-gluon final states (solid circles), and quark-quark final states (open triangles) compared with theoretical predictions for various resonance models.

TABLE I. Observed upper limits at 95% C.L. on σBA for resonances decaying to qq , qg , and gg final states as a function of the resonance mass.

Mass [GeV]	Upper limit on σBA [pb]		
	qq	qg	gg
500	3.0	11	11
600	1.3	3.4	3.7
700	0.66	1.1	1.5
800	1.0	1.5	2.1
900	0.50	1.4	2.2
1000	0.44	0.65	0.85
1100	0.40	0.66	1.0
1200	0.25	0.49	0.70
1300	0.19	0.30	0.40
1400	0.10	0.19	0.29
1500	0.07	0.10	0.14
1600	0.05	0.07	0.10




FIG. 4. Observed 95% CL upper limits on the coupling g_B of a hypothetical leptophobic resonance $Z'_B \rightarrow q\bar{q}$ [23] as a function of its mass. The results from this study are compared to results obtained with similar searches at different collider energies [14,23].

$Z'_B \rightarrow q\bar{q}$ as a function of its mass. The Z'_B production cross section scales with the square of the coupling g_B . Figure 4 shows the upper limits obtained with the data scouting technique in the mass region from 500 to 1200 GeV, extending the coverage of previous CMS searches to below 1200 GeV. Previous exclusions obtained with similar searches at various collider energies are also shown. As a result of the large data set collected by the data scouting stream, the bound on g_B is improved by up to a factor of 3 for resonance masses between 500 and 800 GeV, compared to previous searches. This corresponds to an order-of-magnitude improvement in the cross section limit.

In summary, a search for narrow resonances decaying into two jets was performed using data from proton-proton collisions recorded by the CMS experiment at $\sqrt{s} = 8$ TeV, corresponding to an integrated luminosity of 18.8 fb^{-1} . The novel technique of data scouting was used; by reducing the information stored per event, multijet events could be collected in sufficiently large samples that a sensitive search for dijet resonances down to masses as low as 500 GeV was possible. No evidence for a narrow resonance is found. Model-independent upper limits on production cross sections are derived for quark-quark, quark-gluon, and gluon-gluon resonances. Based on these results, new limits are set on an extensive selection of narrow s -channel resonances over mass ranges not excluded by previous searches at hadron colliders. Bounds on the coupling of a hypothetical leptophobic resonance decaying to quark-antiquark are also provided, as a function of the resonance mass. The limits obtained are the most stringent to date in the dijet final state for narrow resonance masses between about 500 and 800 GeV.

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and

thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC and the CMS detector provided by the following funding agencies: BMWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES and CSF (Croatia); RPF (Cyprus); MoER, ERC IUT and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); LAS (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MBIE (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Dubna); MON, RosAtom, RAS and RFBR (Russia); MESTD (Serbia); SEIDI and CPAN (Spain); Swiss Funding Agencies (Switzerland); MST (Taipei); ThEPCenter, IPST, STAR and NSTDA (Thailand); TUBITAK and TAEK (Turkey); NASU and SFFR (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

-
- [1] C. Albajar *et al.* (UA1 Collaboration), Two-jet mass distributions at the CERN proton-antiproton collider, *Phys. Lett. B* **209**, 127 (1988).
 - [2] J. Alitti *et al.* (UA2 Collaboration), A measurement of two jet decays of the W and Z bosons at the CERN $p\bar{p}$ collider, *Z. Phys. C* **49**, 17 (1991).
 - [3] J. Alitti *et al.* (UA2 Collaboration), A search for new intermediate vector bosons and excited quarks decaying to two-jets at the CERN $p\bar{p}$ collider, *Nucl. Phys. B* **400**, 3 (1993).
 - [4] F. Abe *et al.* (CDF Collaboration), Two-jet invariant mass distribution at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **41**, 1722 (1990).
 - [5] F. Abe *et al.* (CDF Collaboration), Search for Quark Compositeness, Axigluons and Heavy Particles Using the Dijet Invariant Mass Spectrum Observed in $p\bar{p}$ Collisions, *Phys. Rev. Lett.* **71**, 2542 (1993).
 - [6] F. Abe *et al.* (CDF Collaboration), Search for New Particles Decaying to Dijets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **74**, 3538 (1995).
 - [7] F. Abe *et al.* (CDF Collaboration), Search for new particles decaying to dijets at CDF, *Phys. Rev. D* **55**, R5263 (1997).
 - [8] T. Aaltonen *et al.* (CDF Collaboration), Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **79**, 112002 (2009).

- [9] V.M. Abazov *et al.* (D0 Collaboration), Search for new particles in the two jet decay channel with the D0 detector, *Phys. Rev. D* **69**, 111101 (2004).
- [10] ATLAS Collaboration, Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC, *Phys. Rev. Lett.* **105**, 161801 (2010).
- [11] ATLAS Collaboration, Search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector, *New J. Phys.* **13**, 053044 (2011).
- [12] ATLAS Collaboration, Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at $\sqrt{s} = 7$ TeV collected by the ATLAS detector, *Phys. Lett. B* **708**, 37 (2012).
- [13] ATLAS Collaboration, ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **01** (2013) 029.
- [14] ATLAS Collaboration, Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Phys. Rev. D* **91**, 052007 (2015).
- [15] CMS Collaboration, Search for Dijet Resonances in 7 TeV pp Collisions at CMS, *Phys. Rev. Lett.* **105**, 211801 (2010); **106**, 029902(E) (2010).
- [16] CMS Collaboration, Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS, *Phys. Lett. B* **704**, 123 (2011).
- [17] CMS Collaboration, Search for narrow resonances and quantum black holes in inclusive and b -tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **01** (2013) 013.
- [18] CMS Collaboration, Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8$ TeV, *Phys. Rev. D* **87**, 114015 (2013).
- [19] CMS Collaboration, Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV, *Phys. Rev. D* **91**, 052009 (2015).
- [20] ATLAS Collaboration, Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13$ TeV with the atlas detector, *Phys. Lett. B* **754**, 302 (2016).
- [21] CMS Collaboration, Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **116**, 071801 (2016).
- [22] R. M. Harris and K. Kousouris, Searches for dijet resonances at hadron colliders, *Int. J. Mod. Phys. A* **26**, 5005 (2011).
- [23] B. A. Dobrescu and F. Yu, Coupling-mass mapping of dijet peak searches, *Phys. Rev. D* **88**, 035021 (2013).
- [24] CMS Collaboration, Data Parking and Data Scouting at the CMS Experiment, CMS Detector Performance Summary Report No. CMS-DP-2012-022, 2012, <https://cds.cern.ch/record/1480607>.
- [25] S. Benson, V. Gligorov, M. A. Vesterinen, and J. Michael Williams, The LHCb turbo stream, *J. Phys. Conf. Ser.* **664**, 082004 (2015).
- [26] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* **3**, S08004 (2008).
- [27] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, *Eur. Phys. J. C* **72**, 1896 (2012).
- [28] M. Cacciari, G. P. Salam, and G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063.
- [29] CMS Collaboration, Determination of jet energy calibration and transverse momentum resolution in CMS, *J. Instrum.* **6**, P11002 (2011).
- [30] M. Cacciari and G. P. Salam, Pileup subtraction using jet areas, *Phys. Lett. B* **659**, 119 (2008).
- [31] P. F. Pérez and M. B. Wise, Baryon and lepton number as local gauge symmetries, *Phys. Rev. D* **82**, 011901 (2010).
- [32] M. Duerr, P. F. Pérez, and M. B. Wise, Gauge Theory for Baryon and Lepton Numbers with Leptoquarks, *Phys. Rev. Lett.* **110**, 231801 (2013).
- [33] L. Randall and R. Sundrum, An Alternative to Compactification, *Phys. Rev. Lett.* **83**, 4690 (1999).
- [34] U. Baur, I. Hinchliffe, and D. Zeppenfeld, Excited quark production at hadron colliders, *Int. J. Mod. Phys. A* **02**, 1285 (1987).
- [35] U. Baur, M. Spira, and P. M. Zerwas, Excited quark and lepton production at hadron colliders, *Phys. Rev. D* **42**, 815 (1990).
- [36] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* **178**, 852 (2008).
- [37] R. Corke and T. Sjöstrand, Interleaved parton showers and tuning prospects, *J. High Energy Phys.* **03** (2011) 032.
- [38] S. Agostinelli *et al.* (GEANT4 Collaboration), GEANT4—A simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [39] K. A. Olive *et al.* (Particle Data Group), Review of particle physics, *Chin. Phys. C* **38**, 090001 (2014).
- [40] CMS Collaboration, CERN Report No. CMS-PAS-LUM-13-001, 2013, <http://cds.cern.ch/record/1598864>.
- [41] P. H. Frampton and S. L. Glashow, Chiral color: an alternative to the standard model, *Phys. Lett. B* **190**, 157 (1987).
- [42] R. S. Chivukula, E. H. Simmons, A. Farzinnia, and J. Ren, Hadron collider production of massive color-octet vector bosons at next-to-leading order, *Phys. Rev. D* **87**, 094011 (2013).
- [43] J. L. Hewett and T. G. Rizzo, Low-energy phenomenology of superstring inspired E(6) models, *Phys. Rep.* **183**, 193 (1989).
- [44] E. Eichten, I. Hinchliffe, K. D. Lane, and C. Quigg, Supercollider physics, *Rev. Mod. Phys.* **56**, 579 (1984); **58**, 1065(E) (1986).
- [45] J. Pumplin, D. R. Stump, J. Huston, H. L. Lai, P. M. Nadolsky, and W. K. Tung, New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* **07** (2002) 012.

V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² E. Asilar,² T. Bergauer,² J. Brandstetter,² E. Brondolin,² M. Dragicevic,² J. Erö,² M. Flechl,² M. Friedl,² R. Frühwirth,^{2,b} V. M. Ghete,² C. Hartl,² N. Hörmann,² J. Hrubec,² M. Jeitler,^{2,b} A. König,² I. Krätschmer,² D. Liko,² T. Matsushita,² I. Mikulec,² D. Rabady,² N. Rad,² B. Rahbaran,² H. Rohringer,² J. Schieck,^{2,b} J. Strauss,² W. Treberer-Treberspurig,² W. Waltenberger,² C.-E. Wulz,^{2,b} V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Alderweireldt,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ A. Knutsson,⁴ J. Lauwers,⁴ M. Van De Klundert,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ A. Van Spilbeeck,⁴ S. Abu Zeid,⁵ F. Blekman,⁵ J. D'Hondt,⁵ N. Daci,⁵ I. De Bruyn,⁵ K. Deroover,⁵ N. Heracleous,⁵ S. Lowette,⁵ S. Moortgat,⁵ L. Moreels,⁵ A. Olbrechts,⁵ Q. Python,⁵ S. Tavernier,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ I. Van Parijs,⁵ H. Brun,⁶ C. Caillol,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ H. Delannoy,⁶ G. Fasanella,⁶ L. Favart,⁶ R. Goldouzian,⁶ A. Grebenyuk,⁶ G. Karapostoli,⁶ T. Lenzi,⁶ A. Léonard,⁶ J. Luetic,⁶ T. Maerschalk,⁶ A. Marinov,⁶ A. Randle-conde,⁶ T. Seva,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ R. Yonamine,⁶ F. Zenoni,⁶ F. Zhang,^{6,c} A. Cimmino,⁷ T. Cornelis,⁷ D. Dobur,⁷ A. Fagot,⁷ G. Garcia,⁷ M. Gul,⁷ J. McCartin,⁷ D. Poyraz,⁷ S. Salva,⁷ R. Schöfbeck,⁷ M. Tytgat,⁷ W. Van Driessche,⁷ E. Yazgan,⁷ N. Zaganidis,⁷ C. Beluffi,^{8,d} O. Bondu,⁸ S. Brochet,⁸ G. Bruno,⁸ A. Caudron,⁸ L. Ceard,⁸ S. De Visscher,⁸ C. Delaere,⁸ M. Delcourt,⁸ L. Forthomme,⁸ B. Francois,⁸ A. Giammanco,⁸ A. Jafari,⁸ P. Jez,⁸ M. Komm,⁸ V. Lemaitre,⁸ A. Magitteri,⁸ A. Mertens,⁸ M. Musich,⁸ C. Nuttens,⁸ K. Piotrkowski,⁸ L. Quertenmont,⁸ M. Selvaggi,⁸ M. Vidal Marono,⁸ S. Wertz,⁸ N. Belii,⁹ W. L. Aldá Júnior,¹⁰ F. L. Alves,¹⁰ G. A. Alves,¹⁰ L. Brito,¹⁰ M. Correa Martins Junior,¹⁰ C. Hensel,¹⁰ A. Moraes,¹⁰ M. E. Pol,¹⁰ P. Rebello Teles,¹⁰ E. Belchior Batista Das Chagas,¹¹ W. Carvalho,¹¹ J. Chinellato,^{11,e} A. Custódio,¹¹ E. M. Da Costa,¹¹ G. G. Da Silveira,¹¹ D. De Jesus Damiao,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ L. M. Huertas Guativa,¹¹ H. Malbousson,¹¹ D. Matos Figueiredo,¹¹ C. Mora Herrera,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ A. Sznajder,¹¹ E. J. Tonelli Manganote,^{11,e} A. Vilela Pereira,¹¹ S. Ahuja,^{12a} C. A. Bernardes,^{12b} S. Dogra,^{12a} T. R. Fernandez Perez Tomei,^{12a} E. M. Gregores,^{12b} P. G. Mercadante,^{12b} C. S. Moon,^{12a,f} S. F. Novaes,^{12a} Sandra S. Padula,^{12a} D. Romero Abad,^{12b} J. C. Ruiz Vargas,^{12a} A. Aleksandrov,¹³ R. Hadjiiska,¹³ P. Iaydjiev,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ M. Vutova,¹³ A. Dimitrov,¹⁴ I. Glushkov,¹⁴ L. Litov,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ W. Fang,^{15,g} M. Ahmad,¹⁶ J. G. Bian,¹⁶ G. M. Chen,¹⁶ H. S. Chen,¹⁶ M. Chen,¹⁶ Y. Chen,^{16,h} T. Cheng,¹⁶ R. Du,¹⁶ C. H. Jiang,¹⁶ D. Leggat,¹⁶ Z. Liu,¹⁶ F. Romeo,¹⁶ S. M. Shaheen,¹⁶ A. Spiezia,¹⁶ J. Tao,¹⁶ C. Wang,¹⁶ Z. Wang,¹⁶ H. Zhang,¹⁶ J. Zhao,¹⁶ C. Asawatangtrakuldee,¹⁷ Y. Ban,¹⁷ Q. Li,¹⁷ S. Liu,¹⁷ Y. Mao,¹⁷ S. J. Qian,¹⁷ D. Wang,¹⁷ Z. Xu,¹⁷ C. Avila,¹⁸ A. Cabrera,¹⁸ L. F. Chaparro Sierra,¹⁸ C. Florez,¹⁸ J. P. Gomez,¹⁸ C. F. González Hernández,¹⁸ J. D. Ruiz Alvarez,¹⁸ J. C. Sanabria,¹⁸ N. Godinovic,¹⁹ D. Lelas,¹⁹ I. Puljak,¹⁹ P. M. Ribeiro Cipriano,¹⁹ Z. Antunovic,²⁰ M. Kovac,²⁰ V. Brigljevic,²¹ D. Ferencek,²¹ K. Kadija,²¹ S. Micanovic,²¹ L. Sudic,²¹ A. Attikis,²² G. Mavromanolakis,²² J. Mousa,²² C. Nicolaou,²² F. Ptochos,²² P. A. Razis,²² H. Rykaczewski,²² M. Finger,^{23,i} M. Finger Jr.,^{23,i} E. Carrera Jarrin,²⁴ S. Elgammal,^{25,j} A. Mohamed,^{25,k} Y. Mohammed,^{25,l} E. Salama,^{25,j,m} B. Calpas,²⁶ M. Kadastik,²⁶ M. Murumaa,²⁶ L. Perrini,²⁶ M. Raidal,²⁶ A. Tiko,²⁶ C. Veelken,²⁶ P. Eerola,²⁷ J. Pekkanen,²⁷ M. Voutilainen,²⁷ J. Härkönen,²⁸ V. Karimäki,²⁸ R. Kinnunen,²⁸ T. Lampén,²⁸ K. Lassila-Perini,²⁸ S. Lehti,²⁸ T. Lindén,²⁸ P. Luukka,²⁸ T. Peltola,²⁸ J. Tuominiemi,²⁸ E. Tuovinen,²⁸ L. Wendland,²⁸ J. Talvitie,²⁹ T. Tuuva,²⁹ M. Besancon,³⁰ F. Couderc,³⁰ M. DeJardin,³⁰ D. Denegri,³⁰ B. Fabbro,³⁰ J. L. Faure,³⁰ C. Favaro,³⁰ F. Ferri,³⁰ S. Ganjour,³⁰ S. Ghosh,³⁰ A. Givernaud,³⁰ P. Gras,³⁰ G. Hamel de Monchenault,³⁰ P. Jarry,³⁰ I. Kucher,³⁰ E. Locci,³⁰ M. Mached,³⁰ J. Malcles,³⁰ J. Rander,³⁰ A. Rosowsky,³⁰ M. Titov,³⁰ A. Zghiche,³⁰ A. Abdulsalam,³¹ I. Antropov,³¹ S. Baffioni,³¹ F. Beaudette,³¹ P. Busson,³¹ L. Cadamuro,³¹ E. Chapon,³¹ C. Charlot,³¹ O. Davignon,³¹ R. Granier de Cassagnac,³¹ M. Jo,³¹ S. Lisniak,³¹ P. Miné,³¹ I. N. Naranjo,³¹ M. Nguyen,³¹ C. Ochando,³¹ G. Ortona,³¹ P. Paganini,³¹ P. Pigard,³¹ S. Regnard,³¹ R. Salerno,³¹ Y. Sirois,³¹ T. Strebler,³¹ Y. Yilmaz,³¹ A. Zabi,³¹ J.-L. Agram,^{32,n} J. Andrea,³² A. Aubin,³² D. Bloch,³² J.-M. Brom,³² M. Buttignol,³² E. C. Chabert,³² N. Chanon,³² C. Collard,³² E. Conte,^{32,n} X. Coubez,³² J.-C. Fontaine,^{32,n} D. Gelé,³² U. Goerlach,³² A.-C. Le Bihan,³² J. A. Merlin,^{32,o} K. Skovpen,³² P. Van Hove,³² S. Gadrat,³³ S. Beauceron,³⁴ C. Bernet,³⁴ G. Boudoul,³⁴ E. Bouvier,³⁴ C. A. Carrillo Montoya,³⁴ R. Chierici,³⁴ D. Contardo,³⁴ B. Courbon,³⁴ P. Depasse,³⁴ H. El Mamouni,³⁴ J. Fan,³⁴ J. Fay,³⁴ S. Gascon,³⁴ M. Gouzevitch,³⁴ G. Grenier,³⁴ B. Ille,³⁴ F. Lagarde,³⁴ I. B. Laktineh,³⁴ M. Lethuillier,³⁴ L. Mirabito,³⁴ A. L. Pequegnot,³⁴ S. Perries,³⁴ A. Popov,^{34,p} D. Sabes,³⁴ V. Sordini,³⁴ M. Vander Donckt,³⁴ P. Verdier,³⁴ S. Viret,³⁴ T. Toriashvili,^{35,q} D. Lomidze,³⁶ C. Autermann,³⁷ S. Beranek,³⁷ L. Feld,³⁷ A. Heister,³⁷ M. K. Kiesel,³⁷ K. Klein,³⁷ M. Lipinski,³⁷ A. Ostapchuk,³⁷ M. Preuten,³⁷ F. Raupach,³⁷ S. Schael,³⁷ C. Schomakers,³⁷ J. F. Schulte,³⁷ J. Schulz,³⁷ T. Verlage,³⁷ H. Weber,³⁷ V. Zhukov,^{37,p} M. Brodski,³⁸ E. Dietz-Laursonn,³⁸ D. Duchardt,³⁸ M. Endres,³⁸ M. Erdmann,³⁸ S. Erdweg,³⁸ T. Esch,³⁸ R. Fischer,³⁸ A. Güth,³⁸ T. Hebbeker,³⁸ C. Heidemann,³⁸ K. Hoepfner,³⁸ S. Knutzen,³⁸

M. Merschmeyer,³⁸ A. Meyer,³⁸ P. Millet,³⁸ S. Mukherjee,³⁸ M. Olschewski,³⁸ K. Padeken,³⁸ P. Papacz,³⁸ T. Pook,³⁸ M. Radziej,³⁸ H. Reithler,³⁸ M. Rieger,³⁸ F. Scheuch,³⁸ L. Sonnenschein,³⁸ D. Teyssier,³⁸ S. Thüer,³⁸ V. Cherepanov,³⁹ Y. Erdogan,³⁹ G. Flügge,³⁹ F. Hoehle,³⁹ B. Kargoll,³⁹ T. Kress,³⁹ A. Künsken,³⁹ J. Lingemann,³⁹ A. Nehr Korn,³⁹ A. Nowack,³⁹ I. M. Nugent,³⁹ C. Pistone,³⁹ O. Pooth,³⁹ A. Stahl,^{39,o} M. Aldaya Martin,⁴⁰ I. Asin,⁴⁰ K. Beernaert,⁴⁰ O. Behnke,⁴⁰ U. Behrens,⁴⁰ A. A. Bin Anuar,⁴⁰ K. Borrás,^{40,r} A. Campbell,⁴⁰ P. Connor,⁴⁰ C. Contreras-Campana,⁴⁰ F. Costanza,⁴⁰ C. Diez Pardos,⁴⁰ G. Dolinska,⁴⁰ G. Eckerlin,⁴⁰ D. Eckstein,⁴⁰ T. Eichhorn,⁴⁰ E. Gallo,^{40,s} J. Garay Garcia,⁴⁰ A. Geiser,⁴⁰ A. Gizhko,⁴⁰ J. M. Grados Luyando,⁴⁰ P. Gunnellini,⁴⁰ A. Harb,⁴⁰ J. Hauk,⁴⁰ M. Hempel,^{40,t} H. Jung,⁴⁰ A. Kalogeropoulos,⁴⁰ O. Karacheban,^{40,t} M. Kasemann,⁴⁰ J. Keaveney,⁴⁰ J. Kieseler,⁴⁰ C. Kleinwort,⁴⁰ I. Korol,⁴⁰ W. Lange,⁴⁰ A. Lelek,⁴⁰ J. Leonard,⁴⁰ K. Lipka,⁴⁰ A. Lobanov,⁴⁰ W. Lohmann,^{40,t} R. Mankel,⁴⁰ I.-A. Melzer-Pellmann,⁴⁰ A. B. Meyer,⁴⁰ G. Mittag,⁴⁰ J. Mnich,⁴⁰ A. Mussgiller,⁴⁰ E. Ntomari,⁴⁰ D. Pitzl,⁴⁰ R. Placakyte,⁴⁰ A. Raspereza,⁴⁰ B. Roland,⁴⁰ M. Ö. Sahin,⁴⁰ P. Saxena,⁴⁰ T. Schoerner-Sadenius,⁴⁰ C. Seitz,⁴⁰ S. Spannagel,⁴⁰ N. Stefaniuk,⁴⁰ K. D. Trippkewitz,⁴⁰ G. P. Van Onsem,⁴⁰ R. Walsh,⁴⁰ C. Wissing,⁴⁰ V. Blobel,⁴¹ M. Centis Vignali,⁴¹ A. R. Draeger,⁴¹ T. Dreyer,⁴¹ J. Erfle,⁴¹ E. Garutti,⁴¹ K. Goebel,⁴¹ D. Gonzalez,⁴¹ M. Görner,⁴¹ J. Haller,⁴¹ M. Hoffmann,⁴¹ R. S. Höing,⁴¹ A. Junkes,⁴¹ R. Klanner,⁴¹ R. Kogler,⁴¹ N. Kovalchuk,⁴¹ T. Lapsien,⁴¹ T. Lenz,⁴¹ I. Marchesini,⁴¹ D. Marconi,⁴¹ M. Meyer,⁴¹ M. Niedziela,⁴¹ D. Nowatschin,⁴¹ J. Ott,⁴¹ F. Pantaleo,^{41,o} T. Peiffer,⁴¹ A. Perieanu,⁴¹ N. Pietsch,⁴¹ J. Poehlsen,⁴¹ C. Sander,⁴¹ C. Scharf,⁴¹ P. Schleper,⁴¹ E. Schlieckau,⁴¹ A. Schmidt,⁴¹ S. Schumann,⁴¹ J. Schwandt,⁴¹ H. Stadie,⁴¹ G. Steinbrück,⁴¹ F. M. Stober,⁴¹ M. Stöver,⁴¹ H. Tholen,⁴¹ D. Troendle,⁴¹ E. Usai,⁴¹ L. Vanelderden,⁴¹ A. Vanhoefer,⁴¹ B. Vormwald,⁴¹ C. Barth,⁴² C. Baus,⁴² J. Berger,⁴² E. Butz,⁴² T. Chwalek,⁴² F. Colombo,⁴² W. De Boer,⁴² A. Dierlamm,⁴² S. Fink,⁴² R. Friese,⁴² M. Giffels,⁴² A. Gilbert,⁴² D. Haitz,⁴² F. Hartmann,^{42,o} S. M. Heindl,⁴² U. Husemann,⁴² I. Katkov,^{42,p} A. Kornmayer,^{42,o} P. Lobelle Pardo,⁴² B. Maier,⁴² H. Mildner,⁴² M. U. Mozer,⁴² T. Müller,⁴² Th. Müller,⁴² M. Plagge,⁴² G. Quast,⁴² K. Rabbertz,⁴² S. Röcker,⁴² F. Roscher,⁴² M. Schröder,⁴² G. Sieber,⁴² H. J. Simonis,⁴² R. Ulrich,⁴² J. Wagner-Kuhr,⁴² S. Wayand,⁴² M. Weber,⁴² T. Weiler,⁴² S. Williamson,⁴² C. Wöhrmann,⁴² R. Wolf,⁴² G. Anagnostou,⁴³ G. Daskalakis,⁴³ T. Gerasis,⁴³ V. A. Giakoumopoulou,⁴³ A. Kyriakis,⁴³ D. Loukas,⁴³ I. Topsis-Giotis,⁴³ A. Agapitos,⁴⁴ S. Kesisoglou,⁴⁴ A. Panagiotou,⁴⁴ N. Saoulidou,⁴⁴ E. Tziaferi,⁴⁴ I. Evangelou,⁴⁵ G. Flouris,⁴⁵ C. Foudas,⁴⁵ P. Kokkas,⁴⁵ N. Loukas,⁴⁵ N. Manthos,⁴⁵ I. Papadopoulos,⁴⁵ E. Paradas,⁴⁵ N. Filipovic,⁴⁶ G. Bencze,⁴⁷ C. Hajdu,⁴⁷ P. Hidas,⁴⁷ D. Horvath,^{47,u} F. Sikler,⁴⁷ V. Veszpremi,⁴⁷ G. Vesztergombi,^{47,v} A. J. Zsigmond,⁴⁷ N. Beni,⁴⁸ S. Czellar,⁴⁸ J. Karancsi,^{48,w} J. Molnar,⁴⁸ Z. Szillasi,⁴⁸ M. Bartók,^{49,v} A. Makovec,⁴⁹ P. Raics,⁴⁹ Z. L. Trocsanyi,⁴⁹ B. Ujvari,⁴⁹ S. Bahinipati,⁵⁰ S. Choudhury,^{50,x} P. Mal,⁵⁰ K. Mandal,⁵⁰ A. Nayak,^{50,y} D. K. Sahoo,⁵⁰ N. Sahoo,⁵⁰ S. K. Swain,⁵⁰ S. Bansal,⁵¹ S. B. Beri,⁵¹ V. Bhatnagar,⁵¹ R. Chawla,⁵¹ R. Gupta,⁵¹ U. Bhawandeep,⁵¹ A. K. Kalsi,⁵¹ A. Kaur,⁵¹ M. Kaur,⁵¹ R. Kumar,⁵¹ A. Mehta,⁵¹ M. Mittal,⁵¹ J. B. Singh,⁵¹ G. Walia,⁵¹ Ashok Kumar,⁵² A. Bhardwaj,⁵² B. C. Choudhary,⁵² R. B. Garg,⁵² S. Keshri,⁵² A. Kumar,⁵² S. Malhotra,⁵² M. Naimuddin,⁵² N. Nishu,⁵² K. Ranjan,⁵² R. Sharma,⁵² V. Sharma,⁵² R. Bhattacharya,⁵³ S. Bhattacharya,⁵³ K. Chatterjee,⁵³ S. Dey,⁵³ S. Dutt,⁵³ S. Dutta,⁵³ S. Ghosh,⁵³ N. Majumdar,⁵³ A. Modak,⁵³ K. Mondal,⁵³ S. Mukhopadhyay,⁵³ S. Nandan,⁵³ A. Purohit,⁵³ A. Roy,⁵³ D. Roy,⁵³ S. Roy Chowdhury,⁵³ S. Sarkar,⁵³ M. Sharan,⁵³ S. Thakur,⁵³ P. K. Behera,⁵⁴ R. Chudasama,⁵⁵ D. Dutta,⁵⁵ V. Jha,⁵⁵ V. Kumar,⁵⁵ A. K. Mohanty,^{55,o} P. K. Netrakanti,⁵⁵ L. M. Pant,⁵⁵ P. Shukla,⁵⁵ A. Topkar,⁵⁵ T. Aziz,⁵⁶ S. Dugad,⁵⁶ G. Kole,⁵⁶ B. Mahakud,⁵⁶ S. Mitra,⁵⁶ G. B. Mohanty,⁵⁶ N. Sur,⁵⁶ B. Sutar,⁵⁶ S. Banerjee,⁵⁷ S. Bhowmik,^{57,z} R. K. Dewanjee,⁵⁷ S. Ganguly,⁵⁷ M. Guchait,⁵⁷ Sa. Jain,⁵⁷ S. Kumar,⁵⁷ M. Maity,^{57,z} G. Majumder,⁵⁷ K. Mazumdar,⁵⁷ B. Parida,⁵⁷ T. Sarkar,^{57,z} N. Wickramage,^{57,aa} S. Chauhan,⁵⁸ S. Dube,⁵⁸ A. Kapoor,⁵⁸ K. Kotheekar,⁵⁸ A. Rane,⁵⁸ S. Sharma,⁵⁸ H. Bakhshiansohi,⁵⁹ H. Behnamian,⁵⁹ S. Chenarani,^{59,bb} E. Eskandari Tadavani,⁵⁹ S. M. Etesami,^{59,bb} A. Fahim,^{59,cc} M. Khakzad,⁵⁹ M. Mohammadi Najafabadi,⁵⁹ M. Naseri,⁵⁹ S. Paktinat Mehdiabadi,⁵⁹ F. Rezaei Hosseinabadi,⁵⁹ B. Safarzadeh,^{59,dd} M. Zeinali,⁵⁹ M. Felcini,⁶⁰ M. Grunewald,⁶⁰ M. Abbrescia,^{61a,61b} C. Calabria,^{61a,61b} C. Caputo,^{61a,61b} A. Colaleo,^{61a} D. Creanza,^{61a,61c} L. Cristella,^{61a,61b} N. De Filippis,^{61a,61c} M. De Palma,^{61a,61b} L. Fiore,^{61a} G. Iaselli,^{61a,61c} G. Maggi,^{61a,61c} M. Maggi,^{61a} G. Miniello,^{61a,61b} S. My,^{61a,61b} S. Nuzzo,^{61a,61b} A. Pompili,^{61a,61b} G. Pugliese,^{61a,61c} R. Radogna,^{61a,61b} A. Ranieri,^{61a} G. Selvaggi,^{61a,61b} L. Silvestris,^{61a,o} R. Venditti,^{61a,61b} G. Abbiendi,^{62a} C. Battilana,^{62a} D. Bonacorsi,^{62a,62b} S. Braibant-Giacomelli,^{62a,62b} L. Brigliadori,^{62a,62b} R. Campanini,^{62a,62b} P. Capiluppi,^{62a,62b} A. Castro,^{62a,62b} F. R. Cavallo,^{62a} S. S. Chhibra,^{62a,62b} G. Codispoti,^{62a,62b} M. Cuffiani,^{62a,62b} G. M. Dallavalle,^{62a} F. Fabbri,^{62a} A. Fanfani,^{62a,62b} D. Fasanella,^{62a,62b} P. Giacomelli,^{62a} C. Grandi,^{62a} L. Guiducci,^{62a,62b} S. Marcellini,^{62a} G. Masetti,^{62a} A. Montanari,^{62a} F. L. Navarria,^{62a,62b} A. Perrotta,^{62a} A. M. Rossi,^{62a,62b} T. Rovelli,^{62a,62b} G. P. Siroli,^{62a,62b} N. Tosi,^{62a,62b,o} S. Albergo,^{63a,63b} M. Chiorboli,^{63a,63b} S. Costa,^{63a,63b} A. Di Mattia,^{63a} F. Giordano,^{63a,63b} R. Potenza,^{63a,63b} A. Tricomi,^{63a,63b} C. Tuve,^{63a,63b} G. Barbagli,^{64a}

V. Ciulli,^{64a,64b} C. Civinini,^{64a} R. D'Alessandro,^{64a,64b} E. Focardi,^{64a,64b} V. Gori,^{64a,64b} P. Lenzi,^{64a,64b} M. Meschini,^{64a} S. Paoletti,^{64a} G. Sguazzoni,^{64a} L. Viliani,^{64a,64b,o} L. Benussi,⁶⁵ S. Bianco,⁶⁵ F. Fabbri,⁶⁵ D. Piccolo,⁶⁵ F. Primavera,^{65,o} V. Calvelli,^{66a,66b} F. Ferro,^{66a} M. Lo Vetere,^{66a,66b} M. R. Monge,^{66a,66b} E. Robutti,^{66a} S. Tosi,^{66a,66b} L. Brianza,^{67a} M. E. Dinardo,^{67a,67b} S. Fiorendi,^{67a,67b} S. Gennai,^{67a} A. Ghezzi,^{67a,67b} P. Govoni,^{67a,67b} S. Malvezzi,^{67a} R. A. Manzoni,^{67a,67b,o} B. Marzocchi,^{67a,67b} D. Menasce,^{67a} L. Moroni,^{67a} M. Paganoni,^{67a,67b} D. Pedrini,^{67a} S. Pigazzini,^{67a} S. Ragazzi,^{67a,67b} T. Tabarelli de Fatis,^{67a,67b} S. Buontempo,^{68a} N. Cavallo,^{68a,68c} G. De Nardo,^{68a} S. Di Guida,^{68a,68d,o} M. Esposito,^{68a,68b} F. Fabozzi,^{68a,68c} A. O. M. Iorio,^{68a,68b} G. Lanza,^{68a} L. Lista,^{68a} S. Meola,^{68a,68d,o} M. Merola,^{68a} P. Paolucci,^{68a,o} C. Sciacca,^{68a,68b} F. Thyssen,^{68a} P. Azzi,^{69a,o} N. Bacchetta,^{69a} L. Benato,^{69a,69b} D. Bisello,^{69a,69b} A. Boletti,^{69a,69b} R. Carlin,^{69a,69b} A. Carvalho Antunes De Oliveira,^{69a,69b} P. Checchia,^{69a} M. Dall'Osso,^{69a,69b} P. De Castro Manzano,^{69a} T. Dorigo,^{69a} U. Dosselli,^{69a} F. Gasparini,^{69a,69b} U. Gasparini,^{69a,69b} A. Gozzelino,^{69a} S. Lacaprara,^{69a} M. Margoni,^{69a,69b} A. T. Meneguzzo,^{69a,69b} J. Pazzini,^{69a,69b,o} N. Pozzobon,^{69a,69b} P. Ronchese,^{69a,69b} F. Simonetto,^{69a,69b} E. Torassa,^{69a} M. Tosi,^{69a,69b} M. Zanetti,^{69a} P. Zotto,^{69a,69b} A. Zucchetta,^{69a,69b} G. Zumerle,^{69a,69b} A. Braghieri,^{70a} A. Magnani,^{70a,70b} P. Montagna,^{70a,70b} S. P. Ratti,^{70a,70b} V. Re,^{70a} C. Riccardi,^{70a,70b} P. Salvini,^{70a} I. Vai,^{70a,70b} P. Vitulo,^{70a,70b} L. Alunni Solestizi,^{71a,71b} G. M. Bilei,^{71a} D. Ciangottini,^{71a,71b} L. Fanò,^{71a,71b} P. Lariccia,^{71a,71b} R. Leonardi,^{71a,71b} G. Mantovani,^{71a,71b} M. Menichelli,^{71a} A. Saha,^{71a} A. Santocchia,^{71a,71b} K. Androsov,^{72a,ee} P. Azzurri,^{72a,o} G. Bagliesi,^{72a} J. Bernardini,^{72a} T. Boccali,^{72a} R. Castaldi,^{72a} M. A. Ciocci,^{72a,ee} R. Dell'Orso,^{72a} S. Donato,^{72a,72c} G. Fedi,^{72a} A. Giassi,^{72a} M. T. Grippo,^{72a,ee} F. Ligabue,^{72a,72c} T. Lomtadze,^{72a} L. Martini,^{72a,72b} A. Messineo,^{72a,72b} F. Palla,^{72a} A. Rizzi,^{72a,72b} A. Savoy-Navarro,^{72a,ff} P. Spagnolo,^{72a} R. Tenchini,^{72a} G. Tonelli,^{72a,72b} A. Venturi,^{72a} P. G. Verdini,^{72a} L. Barone,^{73a,73b} F. Cavallari,^{73a} M. Cipriani,^{73a,73b} G. D'imperio,^{73a,73b,o} D. Del Re,^{73a,73b,o} M. Diemoz,^{73a} S. Gelli,^{73a,73b} C. Jorda,^{73a} E. Longo,^{73a,73b} F. Margaroli,^{73a,73b} P. Meridiani,^{73a} G. Organtini,^{73a,73b} R. Paramatti,^{73a} F. Preiato,^{73a,73b} S. Rahatlou,^{73a,73b} C. Rovelli,^{73a} F. Santanastasio,^{73a,73b} N. Amapane,^{74a,74b} R. Arcidiacono,^{74a,74c,o} S. Argiro,^{74a,74b} M. Arneodo,^{74a,74c} N. Bartosik,^{74a} R. Bellan,^{74a,74b} C. Biino,^{74a} N. Cartiglia,^{74a} M. Costa,^{74a,74b} R. Covarelli,^{74a,74b} A. Degano,^{74a,74b} N. Demaria,^{74a} L. Finco,^{74a,74b} B. Kiani,^{74a,74b} C. Mariotti,^{74a} S. Maselli,^{74a} E. Migliore,^{74a,74b} V. Monaco,^{74a,74b} E. Monteil,^{74a,74b} M. M. Obertino,^{74a,74b} L. Pacher,^{74a,74b} N. Pastrone,^{74a} M. Pelliccioni,^{74a} G. L. Pinna Angioni,^{74a,74b} F. Ravera,^{74a,74b} A. Romero,^{74a,74b} M. Ruspá,^{74a,74b} R. Sacchi,^{74a,74b} K. Shchelina,^{74a,74b} V. Sola,^{74a} A. Solano,^{74a,74b} A. Staiano,^{74a} P. Traczyk,^{74a,74b} S. Belforte,^{75a} V. Candelise,^{75a,75b} M. Casarsa,^{75a} F. Cossutti,^{75a} G. Della Ricca,^{75a,75b} C. La Licata,^{75a,75b} A. Schizzi,^{75a,75b} A. Zanetti,^{75a} D. H. Kim,⁷⁶ G. N. Kim,⁷⁶ M. S. Kim,⁷⁶ S. Lee,⁷⁶ S. W. Lee,⁷⁶ Y. D. Oh,⁷⁶ S. Sekmen,⁷⁶ D. C. Son,⁷⁶ Y. C. Yang,⁷⁶ H. Kim,⁷⁷ A. Lee,⁷⁷ J. A. Brochero Cifuentes,⁷⁸ T. J. Kim,⁷⁸ S. Cho,⁷⁹ S. Choi,⁷⁹ Y. Go,⁷⁹ D. Gyun,⁷⁹ S. Ha,⁷⁹ B. Hong,⁷⁹ Y. Jo,⁷⁹ Y. Kim,⁷⁹ B. Lee,⁷⁹ K. Lee,⁷⁹ K. S. Lee,⁷⁹ S. Lee,⁷⁹ J. Lim,⁷⁹ S. K. Park,⁷⁹ Y. Roh,⁷⁹ J. Almond,⁸⁰ J. Kim,⁸⁰ S. B. Oh,⁸⁰ S. h. Seo,⁸⁰ U. K. Yang,⁸⁰ H. D. Yoo,⁸⁰ G. B. Yu,⁸⁰ M. Choi,⁸¹ H. Kim,⁸¹ H. Kim,⁸¹ J. H. Kim,⁸¹ J. S. H. Lee,⁸¹ I. C. Park,⁸¹ G. Ryu,⁸¹ M. S. Ryu,⁸¹ Y. Choi,⁸² J. Goh,⁸² D. Kim,⁸² E. Kwon,⁸² J. Lee,⁸² I. Yu,⁸² V. Dudenás,⁸³ A. Juodagalvis,⁸³ J. Vaitkus,⁸³ I. Ahmed,⁸⁴ Z. A. Ibrahim,⁸⁴ J. R. Komaragiri,⁸⁴ M. A. B. Md Ali,^{84,gg} F. Mohamad Idris,^{84,hh} W. A. T. Wan Abdullah,⁸⁴ M. N. Yusli,⁸⁴ Z. Zolkapli,⁸⁴ E. Casimiro Linares,⁸⁵ H. Castilla-Valdez,⁸⁵ E. De La Cruz-Burelo,⁸⁵ I. Heredia-De La Cruz,^{85,ii} A. Hernandez-Almada,⁸⁵ R. Lopez-Fernandez,⁸⁵ J. Mejia Guisao,⁸⁵ A. Sanchez-Hernandez,⁸⁵ S. Carrillo Moreno,⁸⁶ F. Vazquez Valencia,⁸⁶ I. Pedraza,⁸⁷ H. A. Salazar Ibarguen,⁸⁷ C. Uribe Estrada,⁸⁷ A. Morelos Pineda,⁸⁸ D. Krofcheck,⁸⁹ P. H. Butler,⁹⁰ A. Ahmad,⁹¹ M. Ahmad,⁹¹ Q. Hassan,⁹¹ H. R. Hoorani,⁹¹ W. A. Khan,⁹¹ S. Qazi,⁹¹ M. Shoaib,⁹¹ M. Waqas,⁹¹ H. Bialkowska,⁹² M. Bluj,⁹² B. Boimska,⁹² T. Frueboes,⁹² M. Górski,⁹² M. Kazana,⁹² K. Nawrocki,⁹² K. Romanowska-Rybinska,⁹² M. Szeleper,⁹² P. Zalewski,⁹² K. Bunkowski,⁹³ A. Byszuk,^{93,ij} K. Doroba,⁹³ A. Kalinowski,⁹³ M. Konecki,⁹³ J. Krolikowski,⁹³ M. Misiura,⁹³ M. Olszewski,⁹³ M. Walczak,⁹³ P. Bargassa,⁹⁴ C. Beirão Da Cruz E Silva,⁹⁴ A. Di Francesco,⁹⁴ P. Faccioli,⁹⁴ P. G. Ferreira Parracho,⁹⁴ M. Gallinaro,⁹⁴ J. Hollar,⁹⁴ N. Leonardo,⁹⁴ L. Lloret Iglesias,⁹⁴ M. V. Nemallapudi,⁹⁴ J. Rodrigues Antunes,⁹⁴ J. Seixas,⁹⁴ O. Toldaiev,⁹⁴ D. Vadrucchio,⁹⁴ J. Varela,⁹⁴ P. Vischia,⁹⁴ P. Bunin,⁹⁵ M. Gavrilenko,⁹⁵ I. Golutvin,⁹⁵ N. Gorbounov,⁹⁵ I. Gorbunov,⁹⁵ V. Karjavin,⁹⁵ G. Kozlov,⁹⁵ A. Lanev,⁹⁵ A. Malakhov,⁹⁵ V. Matveev,^{95,kk,ll} P. Moisenz,⁹⁵ V. Palichik,⁹⁵ V. Perelygin,⁹⁵ M. Savina,⁹⁵ S. Shmatov,⁹⁵ S. Shulha,⁹⁵ N. Skatchkov,⁹⁵ V. Smirnov,⁹⁵ A. Zarubin,⁹⁵ L. Chtchipounov,⁹⁶ V. Golovtsov,⁹⁶ Y. Ivanov,⁹⁶ V. Kim,^{96,mm} E. Kuznetsova,^{96,nn} V. Murzin,⁹⁶ V. Oreshkin,⁹⁶ V. Sulimov,⁹⁶ A. Vorobyev,⁹⁶ Yu. Andreev,⁹⁷ A. Dermenev,⁹⁷ S. Gninenko,⁹⁷ N. Golubev,⁹⁷ A. Karneyev,⁹⁷ M. Kirsanov,⁹⁷ N. Krasnikov,⁹⁷ A. Pashenkov,⁹⁷ D. Tlisov,⁹⁷ A. Toropin,⁹⁷ V. Epshteyn,⁹⁸ V. Gavrilov,⁹⁸ N. Lychkovskaya,⁹⁸ V. Popov,⁹⁸ I. Pozdnyakov,⁹⁸ G. Safronov,⁹⁸ A. Spiridonov,⁹⁸ M. Toms,⁹⁸ E. Vlasov,⁹⁸ A. Zhokin,⁹⁸ M. Chadeeva,⁹⁹ M. Danilov,⁹⁹ E. Zhemchugov,⁹⁹ V. Andreev,¹⁰⁰ M. Azarkin,^{100,ll} I. Dremin,^{100,ll} M. Kirakosyan,¹⁰⁰ A. Leonidov,^{100,ll} S. V. Rusakov,¹⁰⁰

A. Terkulov,¹⁰⁰ A. Baskakov,¹⁰¹ A. Belyaev,¹⁰¹ E. Boos,¹⁰¹ M. Dubinin,^{101,oo} L. Dudko,¹⁰¹ A. Ershov,¹⁰¹ A. Gribushin,¹⁰¹
V. Klyukhin,¹⁰¹ O. Kodolova,¹⁰¹ I. Lokhtin,¹⁰¹ I. Miagkov,¹⁰¹ S. Obratsov,¹⁰¹ S. Petrushanko,¹⁰¹ V. Savrin,¹⁰¹
A. Snigirev,¹⁰¹ I. Azhgirey,¹⁰² I. Bayshev,¹⁰² S. Bitioukov,¹⁰² D. Elumakhov,¹⁰² V. Kachanov,¹⁰² A. Kalinin,¹⁰²
D. Konstantinov,¹⁰² V. Krychkin,¹⁰² V. Petrov,¹⁰² R. Ryutin,¹⁰² A. Sobol,¹⁰² S. Troshin,¹⁰² N. Tyurin,¹⁰² A. Uzunian,¹⁰²
A. Volkov,¹⁰² P. Adzic,^{103,pp} P. Cirkovic,¹⁰³ D. Devetak,¹⁰³ J. Milosevic,¹⁰³ V. Rekovic,¹⁰³ J. Alcaraz Maestre,¹⁰⁴ E. Calvo,¹⁰⁴
M. Cerrada,¹⁰⁴ M. Chamizo Llatas,¹⁰⁴ N. Colino,¹⁰⁴ B. De La Cruz,¹⁰⁴ A. Delgado Peris,¹⁰⁴ A. Escalante Del Valle,¹⁰⁴
C. Fernandez Bedoya,¹⁰⁴ J. P. Fernández Ramos,¹⁰⁴ J. Flix,¹⁰⁴ M. C. Fouz,¹⁰⁴ P. Garcia-Abia,¹⁰⁴ O. Gonzalez Lopez,¹⁰⁴
S. Goy Lopez,¹⁰⁴ J. M. Hernandez,¹⁰⁴ M. I. Josa,¹⁰⁴ E. Navarro De Martino,¹⁰⁴ A. Pérez-Calero Yzquierdo,¹⁰⁴
J. Puerta Pelayo,¹⁰⁴ A. Quintario Olmeda,¹⁰⁴ I. Redondo,¹⁰⁴ L. Romero,¹⁰⁴ M. S. Soares,¹⁰⁴ J. F. de Trocóniz,¹⁰⁵
M. Missiroli,¹⁰⁵ D. Moran,¹⁰⁵ J. Cuevas,¹⁰⁶ J. Fernandez Menendez,¹⁰⁶ I. Gonzalez Caballero,¹⁰⁶ E. Palencia Cortezon,¹⁰⁶
S. Sanchez Cruz,¹⁰⁶ J. M. Vizan Garcia,¹⁰⁶ I. J. Cabrillo,¹⁰⁷ A. Calderon,¹⁰⁷ J. R. Castiñeiras De Saa,¹⁰⁷ E. Curras,¹⁰⁷
M. Fernandez,¹⁰⁷ J. Garcia-Ferrero,¹⁰⁷ G. Gomez,¹⁰⁷ A. Lopez Virto,¹⁰⁷ J. Marco,¹⁰⁷ C. Martinez Rivero,¹⁰⁷ F. Matorras,¹⁰⁷
J. Piedra Gomez,¹⁰⁷ T. Rodrigo,¹⁰⁷ A. Ruiz-Jimeno,¹⁰⁷ L. Scodellaro,¹⁰⁷ N. Trevisani,¹⁰⁷ I. Vila,¹⁰⁷ R. Vilar Cortabitarte,¹⁰⁷
D. Abbaneo,¹⁰⁸ E. Auffray,¹⁰⁸ G. Auzinger,¹⁰⁸ M. Bachtis,¹⁰⁸ P. Baillon,¹⁰⁸ A. H. Ball,¹⁰⁸ D. Barney,¹⁰⁸ P. Bloch,¹⁰⁸
A. Bocci,¹⁰⁸ A. Bonato,¹⁰⁸ C. Botta,¹⁰⁸ T. Camporesi,¹⁰⁸ R. Castello,¹⁰⁸ M. Cepeda,¹⁰⁸ G. Cerminara,¹⁰⁸ M. D'Alfonso,¹⁰⁸
D. d'Enterria,¹⁰⁸ A. Dabrowski,¹⁰⁸ V. Daponte,¹⁰⁸ A. David,¹⁰⁸ M. De Gruttola,¹⁰⁸ F. De Guio,¹⁰⁸ A. De Roeck,¹⁰⁸
E. Di Marco,^{108,qq} M. Dobson,¹⁰⁸ M. Dordevic,¹⁰⁸ B. Dorney,¹⁰⁸ T. du Pree,¹⁰⁸ D. Duggan,¹⁰⁸ M. Dünser,¹⁰⁸ N. Dupont,¹⁰⁸
A. Elliott-Peisert,¹⁰⁸ S. Fartoukh,¹⁰⁸ G. Franzoni,¹⁰⁸ J. Fulcher,¹⁰⁸ W. Funk,¹⁰⁸ D. Gigi,¹⁰⁸ K. Gill,¹⁰⁸ M. Girone,¹⁰⁸
F. Glege,¹⁰⁸ S. Gundacker,¹⁰⁸ M. Guthoff,¹⁰⁸ J. Hammer,¹⁰⁸ P. Harris,¹⁰⁸ J. Hegeman,¹⁰⁸ V. Innocente,¹⁰⁸ P. Janot,¹⁰⁸
H. Kirschenmann,¹⁰⁸ V. Knünz,¹⁰⁸ M. J. Kortelainen,¹⁰⁸ K. Kousouris,¹⁰⁸ M. Krammer,^{108,b} P. Lecoq,¹⁰⁸ C. Lourenço,¹⁰⁸
M. T. Lucchini,¹⁰⁸ N. Magini,¹⁰⁸ L. Malgeri,¹⁰⁸ M. Mannelli,¹⁰⁸ A. Martelli,¹⁰⁸ F. Meijers,¹⁰⁸ S. Mersi,¹⁰⁸ E. Meschi,¹⁰⁸
F. Moortgat,¹⁰⁸ S. Morovic,¹⁰⁸ M. Mulders,¹⁰⁸ H. Neugebauer,¹⁰⁸ S. Orfanelli,^{108,rr} L. Orsini,¹⁰⁸ L. Pape,¹⁰⁸ E. Perez,¹⁰⁸
M. Peruzzi,¹⁰⁸ A. Petrilli,¹⁰⁸ G. Petrucciani,¹⁰⁸ A. Pfeiffer,¹⁰⁸ M. Pierini,¹⁰⁸ A. Racz,¹⁰⁸ T. Reis,¹⁰⁸ G. Rolandi,^{108,ss}
M. Rovere,¹⁰⁸ M. Ruan,¹⁰⁸ H. Sakulin,¹⁰⁸ J. B. Sauvan,¹⁰⁸ C. Schäfer,¹⁰⁸ C. Schwick,¹⁰⁸ M. Seidel,¹⁰⁸ A. Sharma,¹⁰⁸
P. Silva,¹⁰⁸ M. Simon,¹⁰⁸ P. Sphicas,^{108,tt} J. Steggemann,¹⁰⁸ M. Stoye,¹⁰⁸ Y. Takahashi,¹⁰⁸ D. Treille,¹⁰⁸ A. Triossi,¹⁰⁸
A. Tsirou,¹⁰⁸ V. Veckalns,^{108,uu} G. I. Veres,^{108,v} N. Wardle,¹⁰⁸ A. Zagozdinska,^{108,jj} W. D. Zeuner,¹⁰⁸ W. Bertl,¹⁰⁹
K. Deiters,¹⁰⁹ W. Erdmann,¹⁰⁹ R. Horisberger,¹⁰⁹ Q. Ingram,¹⁰⁹ H. C. Kaestli,¹⁰⁹ D. Kotlinski,¹⁰⁹ U. Langenegger,¹⁰⁹
T. Rohe,¹⁰⁹ F. Bachmair,¹¹⁰ L. Bäni,¹¹⁰ L. Bianchini,¹¹⁰ B. Casal,¹¹⁰ G. Dissertori,¹¹⁰ M. Dittmar,¹¹⁰ M. Donegà,¹¹⁰
P. Eller,¹¹⁰ C. Grab,¹¹⁰ C. Heidegger,¹¹⁰ D. Hits,¹¹⁰ J. Hoss,¹¹⁰ G. Kasieczka,¹¹⁰ P. Lecomte,^{110,a} W. Lustermann,¹¹⁰
B. Mangano,¹¹⁰ M. Marionneau,¹¹⁰ P. Martinez Ruiz del Arbol,¹¹⁰ M. Masciovecchio,¹¹⁰ M. T. Meinhard,¹¹⁰ D. Meister,¹¹⁰
F. Micheli,¹¹⁰ P. Musella,¹¹⁰ F. Nessi-Tedaldi,¹¹⁰ F. Pandolfi,¹¹⁰ J. Pata,¹¹⁰ F. Pauss,¹¹⁰ G. Perrin,¹¹⁰ L. Perrozzi,¹¹⁰
M. Quittnat,¹¹⁰ M. Rossini,¹¹⁰ M. Schönenberger,¹¹⁰ A. Starodumov,^{110,vv} M. Takahashi,¹¹⁰ V. R. Tavolaro,¹¹⁰
K. Theofilatos,¹¹⁰ R. Wallny,¹¹⁰ T. K. Aarrestad,¹¹¹ C. AMSler,^{111,ww} L. Caminada,¹¹¹ M. F. Canelli,¹¹¹ V. Chiochia,¹¹¹
A. De Cosa,¹¹¹ C. Galloni,¹¹¹ A. Hinzmann,¹¹¹ T. Hreus,¹¹¹ B. Kilminster,¹¹¹ C. Lange,¹¹¹ J. Ngadiuba,¹¹¹ D. Pinna,¹¹¹
G. Rauco,¹¹¹ P. Robmann,¹¹¹ D. Salerno,¹¹¹ Y. Yang,¹¹¹ T. H. Doan,¹¹² Sh. Jain,¹¹² R. Khurana,¹¹² M. Konyushikhin,¹¹²
C. M. Kuo,¹¹² W. Lin,¹¹² Y. J. Lu,¹¹² A. Pozdnyakov,¹¹² S. S. Yu,¹¹² Arun Kumar,¹¹³ P. Chang,¹¹³ Y. H. Chang,¹¹³
Y. W. Chang,¹¹³ Y. Chao,¹¹³ K. F. Chen,¹¹³ P. H. Chen,¹¹³ C. Dietz,¹¹³ F. Fiori,¹¹³ W.-S. Hou,¹¹³ Y. Hsiung,¹¹³ Y. F. Liu,¹¹³
R.-S. Lu,¹¹³ M. Miñano Moya,¹¹³ E. Paganis,¹¹³ A. Psallidas,¹¹³ J. f. Tsai,¹¹³ Y. M. Tzeng,¹¹³ B. Asavapibhop,¹¹⁴
G. Singh,¹¹⁴ N. Srimanobhas,¹¹⁴ N. Suwonjandee,¹¹⁴ A. Adiguzel,¹¹⁵ S. Cerci,^{115,xx} S. Damarseckin,¹¹⁵ Z. S. Demiroglu,¹¹⁵
C. Dozen,¹¹⁵ I. Dumanoglu,¹¹⁵ S. Girgis,¹¹⁵ G. Gokbulut,¹¹⁵ Y. Guler,¹¹⁵ E. Garpinar,¹¹⁵ I. Hos,¹¹⁵ E. E. Kangal,^{115,yy}
G. Onengut,^{115,zz} K. Ozdemir,^{115,aaa} D. Sunar Cerci,^{115,xx} B. Tali,^{115,xx} H. Topakli,^{115,bbb} C. Zorbilmez,¹¹⁵ B. Bilin,¹¹⁶
S. Bilmis,¹¹⁶ B. Isildak,^{116,ccc} G. Karapinar,^{116,ddd} M. Yalvac,¹¹⁶ M. Zeyrek,¹¹⁶ E. Gülmez,¹¹⁷ M. Kaya,^{117,eee} O. Kaya,^{117,fff}
E. A. Yetkin,^{117,ggg} T. Yetkin,^{117,hhh} A. Akir,¹¹⁸ K. Cankocak,¹¹⁸ S. Sen,^{118,iii} F. I. Vardarli,¹¹⁸ B. Grynyov,¹¹⁹ L. Levchuk,¹²⁰
P. Sorokin,¹²⁰ R. Aggleton,¹²¹ F. Ball,¹²¹ L. Beck,¹²¹ J. J. Brooke,¹²¹ D. Burns,¹²¹ E. Clement,¹²¹ D. Cussans,¹²¹
H. Flacher,¹²¹ J. Goldstein,¹²¹ M. Grimes,¹²¹ G. P. Heath,¹²¹ H. F. Heath,¹²¹ J. Jacob,¹²¹ L. Kreczko,¹²¹ C. Lucas,¹²¹
Z. Meng,¹²¹ D. M. Newbold,^{121,jjj} S. Paramesvaran,¹²¹ A. Poll,¹²¹ T. Sakuma,¹²¹ S. Seif El Nasr-storey,¹²¹ S. Senkin,¹²¹
D. Smith,¹²¹ V. J. Smith,¹²¹ K. W. Bell,¹²² A. Belyaev,^{122,kkk} C. Brew,¹²² R. M. Brown,¹²² L. Calligaris,¹²² D. Cieri,¹²²
D. J. A. Cockerill,¹²² J. A. Coughlan,¹²² K. Harder,¹²² S. Harper,¹²² E. Olaiya,¹²² D. Petyt,¹²²
C. H. Shepherd-Themistocleous,¹²² A. Thea,¹²² I. R. Tomalin,¹²² T. Williams,¹²² M. Baber,¹²³ R. Bainbridge,¹²³

O. Buchmuller,¹²³ A. Bundock,¹²³ D. Burton,¹²³ S. Casasso,¹²³ M. Citron,¹²³ D. Colling,¹²³ L. Corpe,¹²³ P. Dauncey,¹²³ G. Davies,¹²³ A. De Wit,¹²³ M. Della Negra,¹²³ P. Dunne,¹²³ A. Elwood,¹²³ D. Futyan,¹²³ Y. Haddad,¹²³ G. Hall,¹²³ G. Iles,¹²³ R. Lane,¹²³ C. Laner,¹²³ R. Lucas,^{123,ijj} L. Lyons,¹²³ A.-M. Magnan,¹²³ S. Malik,¹²³ L. Mastrolorenzo,¹²³ J. Nash,¹²³ A. Nikitenko,^{123,uv} J. Pela,¹²³ B. Penning,¹²³ M. Pesaresi,¹²³ D. M. Raymond,¹²³ A. Richards,¹²³ A. Rose,¹²³ C. Seez,¹²³ A. Tapper,¹²³ K. Uchida,¹²³ M. Vazquez Acosta,^{123,iii} T. Virdee,^{123,o} S. C. Zenz,¹²³ J. E. Cole,¹²⁴ P. R. Hobson,¹²⁴ A. Khan,¹²⁴ P. Kyberd,¹²⁴ D. Leslie,¹²⁴ I. D. Reid,¹²⁴ P. Symonds,¹²⁴ L. Teodorescu,¹²⁴ M. Turner,¹²⁴ A. Borzou,¹²⁵ K. Call,¹²⁵ J. Dittmann,¹²⁵ K. Hatakeyama,¹²⁵ H. Liu,¹²⁵ N. Pastika,¹²⁵ O. Charaf,¹²⁶ S. I. Cooper,¹²⁶ C. Henderson,¹²⁶ P. Rumerio,¹²⁶ D. Arcaro,¹²⁷ A. Avetisyan,¹²⁷ T. Bose,¹²⁷ D. Gastler,¹²⁷ D. Rankin,¹²⁷ C. Richardson,¹²⁷ J. Rohlf,¹²⁷ L. Sulak,¹²⁷ D. Zou,¹²⁷ G. Benelli,¹²⁸ E. Berry,¹²⁸ D. Cutts,¹²⁸ A. Ferapontov,¹²⁸ A. Garabedian,¹²⁸ J. Hakala,¹²⁸ U. Heintz,¹²⁸ O. Jesus,¹²⁸ E. Laird,¹²⁸ G. Landsberg,¹²⁸ Z. Mao,¹²⁸ M. Narain,¹²⁸ S. Piperov,¹²⁸ S. Sagir,¹²⁸ E. Spencer,¹²⁸ R. Syarif,¹²⁸ R. Breedon,¹²⁹ G. Breto,¹²⁹ D. Burns,¹²⁹ M. Calderon De La Barca Sanchez,¹²⁹ S. Chauhan,¹²⁹ M. Chertok,¹²⁹ J. Conway,¹²⁹ R. Conway,¹²⁹ P. T. Cox,¹²⁹ R. Erbacher,¹²⁹ C. Flores,¹²⁹ G. Funk,¹²⁹ M. Gardner,¹²⁹ W. Ko,¹²⁹ R. Lander,¹²⁹ C. Mclean,¹²⁹ M. Mulhearn,¹²⁹ D. Pellett,¹²⁹ J. Pilot,¹²⁹ F. Ricci-Tam,¹²⁹ S. Shalhout,¹²⁹ J. Smith,¹²⁹ M. Squires,¹²⁹ D. Stolp,¹²⁹ M. Tripathi,¹²⁹ S. Wilbur,¹²⁹ R. Yohay,¹²⁹ R. Cousins,¹³⁰ P. Everaerts,¹³⁰ A. Florent,¹³⁰ J. Hauser,¹³⁰ M. Ignatenko,¹³⁰ D. Saltzberg,¹³⁰ E. Takasugi,¹³⁰ V. Valuev,¹³⁰ M. Weber,¹³⁰ K. Burt,¹³¹ R. Clare,¹³¹ J. Ellison,¹³¹ J. W. Gary,¹³¹ G. Hanson,¹³¹ J. Heilman,¹³¹ P. Jandir,¹³¹ E. Kennedy,¹³¹ F. Lacroix,¹³¹ O. R. Long,¹³¹ M. Malberti,¹³¹ M. Olmedo Negrete,¹³¹ M. I. Paneva,¹³¹ A. Shrinivas,¹³¹ H. Wei,¹³¹ S. Wimpenny,¹³¹ B. R. Yates,¹³¹ J. G. Branson,¹³² G. B. Cerati,¹³² S. Cittolin,¹³² R. T. D'Agnolo,¹³² M. Derdzinski,¹³² R. Gerosa,¹³² A. Holzner,¹³² R. Kelley,¹³² D. Klein,¹³² J. Letts,¹³² I. Macneill,¹³² D. Olivito,¹³² S. Padhi,¹³² M. Pieri,¹³² M. Sani,¹³² V. Sharma,¹³² S. Simon,¹³² M. Tadel,¹³² A. Vartak,¹³² S. Wasserbaech,^{132,mmm} C. Welke,¹³² J. Wood,¹³² F. Würthwein,¹³² A. Yagil,¹³² G. Zevi Della Porta,¹³² R. Bhandari,¹³³ J. Bradmiller-Feld,¹³³ C. Campagnari,¹³³ A. Dishaw,¹³³ V. Dutta,¹³³ K. Flowers,¹³³ M. Franco Sevilla,¹³³ P. Geffert,¹³³ C. George,¹³³ F. Golf,¹³³ L. Gouskos,¹³³ J. Gran,¹³³ R. Heller,¹³³ J. Incandela,¹³³ N. Mccoll,¹³³ S. D. Mullin,¹³³ A. Ovcharova,¹³³ J. Richman,¹³³ D. Stuart,¹³³ I. Suarez,¹³³ C. West,¹³³ J. Yoo,¹³³ D. Anderson,¹³⁴ A. Apresyan,¹³⁴ J. Bendavid,¹³⁴ A. Bornheim,¹³⁴ J. Bunn,¹³⁴ Y. Chen,¹³⁴ J. Duarte,¹³⁴ A. Mott,¹³⁴ H. B. Newman,¹³⁴ C. Pena,¹³⁴ M. Spiropulu,¹³⁴ J. R. Vlimant,¹³⁴ S. Xie,¹³⁴ R. Y. Zhu,¹³⁴ M. B. Andrews,¹³⁵ V. Azzolini,¹³⁵ A. Calamba,¹³⁵ B. Carlson,¹³⁵ T. Ferguson,¹³⁵ M. Paulini,¹³⁵ J. Russ,¹³⁵ M. Sun,¹³⁵ H. Vogel,¹³⁵ I. Vorobiev,¹³⁵ J. P. Cumalat,¹³⁶ W. T. Ford,¹³⁶ F. Jensen,¹³⁶ A. Johnson,¹³⁶ M. Krohn,¹³⁶ T. Mulholland,¹³⁶ K. Stenson,¹³⁶ S. R. Wagner,¹³⁶ J. Alexander,¹³⁷ J. Chaves,¹³⁷ J. Chu,¹³⁷ S. Dittmer,¹³⁷ N. Mirman,¹³⁷ G. Nicolas Kaufman,¹³⁷ J. R. Patterson,¹³⁷ A. Rinkevicius,¹³⁷ A. Ryd,¹³⁷ L. Skinnari,¹³⁷ W. Sun,¹³⁷ S. M. Tan,¹³⁷ Z. Tao,¹³⁷ J. Thom,¹³⁷ J. Tucker,¹³⁷ P. Wittich,¹³⁷ D. Winn,¹³⁸ S. Abdullin,¹³⁹ M. Albrow,¹³⁹ G. Apollinari,¹³⁹ S. Banerjee,¹³⁹ L. A. T. Bauerdick,¹³⁹ A. Beretvas,¹³⁹ J. Berryhill,¹³⁹ P. C. Bhat,¹³⁹ G. Bolla,¹³⁹ K. Burkett,¹³⁹ J. N. Butler,¹³⁹ H. W. K. Cheung,¹³⁹ F. Chlebana,¹³⁹ S. Cihangir,¹³⁹ M. Cremonesi,¹³⁹ V. D. Elvira,¹³⁹ I. Fisk,¹³⁹ J. Freeman,¹³⁹ E. Gottschalk,¹³⁹ L. Gray,¹³⁹ D. Green,¹³⁹ S. Grünendahl,¹³⁹ O. Gutsche,¹³⁹ D. Hare,¹³⁹ R. M. Harris,¹³⁹ S. Hasegawa,¹³⁹ J. Hirschauer,¹³⁹ Z. Hu,¹³⁹ B. Jayatilaka,¹³⁹ S. Jindariani,¹³⁹ M. Johnson,¹³⁹ U. Joshi,¹³⁹ B. Klima,¹³⁹ B. Kreis,¹³⁹ S. Lammel,¹³⁹ J. Linacre,¹³⁹ D. Lincoln,¹³⁹ R. Lipton,¹³⁹ T. Liu,¹³⁹ R. Lopes De Sá,¹³⁹ J. Lykken,¹³⁹ K. Maeshima,¹³⁹ J. M. Marraffino,¹³⁹ S. Maruyama,¹³⁹ D. Mason,¹³⁹ P. McBride,¹³⁹ P. Merkel,¹³⁹ S. Mrenna,¹³⁹ S. Nahn,¹³⁹ C. Newman-Holmes,^{139,a} V. O'Dell,¹³⁹ K. Pedro,¹³⁹ O. Prokofyev,¹³⁹ G. Rakness,¹³⁹ L. Ristori,¹³⁹ E. Sexton-Kennedy,¹³⁹ A. Soha,¹³⁹ W. J. Spalding,¹³⁹ L. Spiegel,¹³⁹ S. Stoynev,¹³⁹ N. Strobbe,¹³⁹ L. Taylor,¹³⁹ S. Tkaczyk,¹³⁹ N. V. Tran,¹³⁹ L. Uplegger,¹³⁹ E. W. Vaandering,¹³⁹ C. Vernieri,¹³⁹ M. Verzocchi,¹³⁹ R. Vidal,¹³⁹ M. Wang,¹³⁹ H. A. Weber,¹³⁹ A. Whitbeck,¹³⁹ D. Acosta,¹⁴⁰ P. Avery,¹⁴⁰ P. Bortignon,¹⁴⁰ D. Bourilkov,¹⁴⁰ A. Brinkerhoff,¹⁴⁰ A. Carnes,¹⁴⁰ M. Carver,¹⁴⁰ D. Curry,¹⁴⁰ S. Das,¹⁴⁰ R. D. Field,¹⁴⁰ I. K. Furic,¹⁴⁰ J. Konigsberg,¹⁴⁰ A. Korytov,¹⁴⁰ P. Ma,¹⁴⁰ K. Matchev,¹⁴⁰ H. Mei,¹⁴⁰ P. Milenovic,^{140,nnn} G. Mitselmakher,¹⁴⁰ D. Rank,¹⁴⁰ L. Shchutska,¹⁴⁰ D. Sperka,¹⁴⁰ L. Thomas,¹⁴⁰ J. Wang,¹⁴⁰ S. Wang,¹⁴⁰ J. Yelton,¹⁴⁰ S. Linn,¹⁴¹ P. Markowitz,¹⁴¹ G. Martinez,¹⁴¹ J. L. Rodriguez,¹⁴¹ A. Ackert,¹⁴² J. R. Adams,¹⁴² T. Adams,¹⁴² A. Askew,¹⁴² S. Bein,¹⁴² B. Diamond,¹⁴² S. Hagopian,¹⁴² V. Hagopian,¹⁴² K. F. Johnson,¹⁴² A. Khatiwada,¹⁴² H. Prosper,¹⁴² A. Santra,¹⁴² M. Weinberg,¹⁴² M. M. Baarmand,¹⁴³ V. Bhopatkar,¹⁴³ S. Colafranceschi,^{143,ooo} M. Hohlmann,¹⁴³ H. Kalakhety,¹⁴³ D. Noonan,¹⁴³ T. Roy,¹⁴³ F. Yumiceva,¹⁴³ M. R. Adams,¹⁴⁴ L. Apanasevich,¹⁴⁴ D. Berry,¹⁴⁴ R. R. Betts,¹⁴⁴ I. Bucinskaite,¹⁴⁴ R. Cavanaugh,¹⁴⁴ O. Evdokimov,¹⁴⁴ L. Gauthier,¹⁴⁴ C. E. Gerber,¹⁴⁴ D. J. Hofman,¹⁴⁴ P. Kurt,¹⁴⁴ C. O'Brien,¹⁴⁴ I. D. Sandoval Gonzalez,¹⁴⁴ P. Turner,¹⁴⁴ N. Varelas,¹⁴⁴ Z. Wu,¹⁴⁴ M. Zakaria,¹⁴⁴ J. Zhang,¹⁴⁴ B. Bilki,^{145,ppp} W. Clarida,¹⁴⁵ K. Dilsiz,¹⁴⁵ S. Durgut,¹⁴⁵ R. P. Gandrajula,¹⁴⁵ M. Haytmyradov,¹⁴⁵ V. Khristenko,¹⁴⁵ J.-P. Merlo,¹⁴⁵ H. Mermerkaya,^{145,qqq} A. Mestvirishvili,¹⁴⁵ A. Moeller,¹⁴⁵ J. Nachtman,¹⁴⁵ H. Ogul,¹⁴⁵ Y. Onel,¹⁴⁵ F. Ozok,^{145,rrr}

A. Penzo,¹⁴⁵ C. Snyder,¹⁴⁵ E. Tiras,¹⁴⁵ J. Wetzel,¹⁴⁵ K. Yi,¹⁴⁵ I. Anderson,¹⁴⁶ B. Blumenfeld,¹⁴⁶ A. Cocoros,¹⁴⁶ N. Eminizer,¹⁴⁶ D. Fehling,¹⁴⁶ L. Feng,¹⁴⁶ A. V. Gritsan,¹⁴⁶ P. Maksimovic,¹⁴⁶ M. Osherson,¹⁴⁶ J. Roskes,¹⁴⁶ U. Sarica,¹⁴⁶ M. Swartz,¹⁴⁶ M. Xiao,¹⁴⁶ Y. Xin,¹⁴⁶ C. You,¹⁴⁶ A. Al-bataineh,¹⁴⁷ P. Baringer,¹⁴⁷ A. Bean,¹⁴⁷ J. Bowen,¹⁴⁷ C. Bruner,¹⁴⁷ J. Castle,¹⁴⁷ R. P. Kenny III,¹⁴⁷ A. Kropivnitskaya,¹⁴⁷ D. Majumder,¹⁴⁷ W. Mcbrayer,¹⁴⁷ M. Murray,¹⁴⁷ S. Sanders,¹⁴⁷ R. Stringer,¹⁴⁷ J. D. Tapia Takaki,¹⁴⁷ Q. Wang,¹⁴⁷ A. Ivanov,¹⁴⁸ K. Kaadze,¹⁴⁸ S. Khalil,¹⁴⁸ M. Makouski,¹⁴⁸ Y. Maravin,¹⁴⁸ A. Mohammadi,¹⁴⁸ L. K. Saini,¹⁴⁸ N. Skhirtladze,¹⁴⁸ S. Toda,¹⁴⁸ D. Lange,¹⁴⁹ F. Rebassoo,¹⁴⁹ D. Wright,¹⁴⁹ C. Anelli,¹⁵⁰ A. Baden,¹⁵⁰ O. Baron,¹⁵⁰ A. Belloni,¹⁵⁰ B. Calvert,¹⁵⁰ S. C. Eno,¹⁵⁰ C. Ferraioli,¹⁵⁰ J. A. Gomez,¹⁵⁰ N. J. Hadley,¹⁵⁰ S. Jabeen,¹⁵⁰ R. G. Kellogg,¹⁵⁰ T. Kolberg,¹⁵⁰ J. Kunkle,¹⁵⁰ Y. Lu,¹⁵⁰ A. C. Mignerey,¹⁵⁰ Y. H. Shin,¹⁵⁰ A. Skuja,¹⁵⁰ M. B. Tonjes,¹⁵⁰ S. C. Tonwar,¹⁵⁰ A. Apyan,¹⁵¹ R. Barbieri,¹⁵¹ A. Baty,¹⁵¹ R. Bi,¹⁵¹ K. Bierwagen,¹⁵¹ S. Brandt,¹⁵¹ W. Busza,¹⁵¹ I. A. Cali,¹⁵¹ Z. Demiragli,¹⁵¹ L. Di Matteo,¹⁵¹ G. Gomez Ceballos,¹⁵¹ M. Goncharov,¹⁵¹ D. Gulhan,¹⁵¹ D. Hsu,¹⁵¹ Y. Iiyama,¹⁵¹ G. M. Innocenti,¹⁵¹ M. Klute,¹⁵¹ D. Kovalskiy,¹⁵¹ K. Krajczar,¹⁵¹ Y. S. Lai,¹⁵¹ Y.-J. Lee,¹⁵¹ A. Levin,¹⁵¹ P. D. Luckey,¹⁵¹ A. C. Marini,¹⁵¹ C. McGinn,¹⁵¹ C. Mironov,¹⁵¹ S. Narayanan,¹⁵¹ X. Niu,¹⁵¹ C. Paus,¹⁵¹ C. Roland,¹⁵¹ G. Roland,¹⁵¹ J. Salfeld-Nebgen,¹⁵¹ G. S. F. Stephans,¹⁵¹ K. Sumorok,¹⁵¹ K. Tatar,¹⁵¹ M. Varma,¹⁵¹ D. Velicanu,¹⁵¹ J. Veverka,¹⁵¹ J. Wang,¹⁵¹ T. W. Wang,¹⁵¹ B. Wyslouch,¹⁵¹ M. Yang,¹⁵¹ V. Zhukova,¹⁵¹ A. C. Benvenuti,¹⁵² R. M. Chatterjee,¹⁵² B. Dahmes,¹⁵² A. Evans,¹⁵² A. Finkel,¹⁵² A. Gude,¹⁵² P. Hansen,¹⁵² S. Kalafut,¹⁵² S. C. Kao,¹⁵² K. Klapoetke,¹⁵² Y. Kubota,¹⁵² Z. Lesko,¹⁵² J. Mans,¹⁵² S. Nourbakhsh,¹⁵² N. Ruckstuhl,¹⁵² R. Rusack,¹⁵² N. Tambe,¹⁵² J. Turkewitz,¹⁵² J. G. Acosta,¹⁵³ S. Oliveros,¹⁵³ E. Avdeeva,¹⁵⁴ R. Bartek,¹⁵⁴ K. Bloom,¹⁵⁴ S. Bose,¹⁵⁴ D. R. Claes,¹⁵⁴ A. Dominguez,¹⁵⁴ C. Fangmeier,¹⁵⁴ R. Gonzalez Suarez,¹⁵⁴ R. Kamalieddin,¹⁵⁴ D. Knowlton,¹⁵⁴ I. Kravchenko,¹⁵⁴ F. Meier,¹⁵⁴ J. Monroy,¹⁵⁴ J. E. Siado,¹⁵⁴ G. R. Snow,¹⁵⁴ B. Stieger,¹⁵⁴ M. Alyari,¹⁵⁵ J. Dolen,¹⁵⁵ J. George,¹⁵⁵ A. Godshalk,¹⁵⁵ C. Harrington,¹⁵⁵ I. Iashvili,¹⁵⁵ J. Kaisen,¹⁵⁵ A. Kharchilava,¹⁵⁵ A. Kumar,¹⁵⁵ A. Parker,¹⁵⁵ S. Rappoccio,¹⁵⁵ B. Roozbahani,¹⁵⁵ G. Alverson,¹⁵⁶ E. Barberis,¹⁵⁶ D. Baumgartel,¹⁵⁶ M. Chasco,¹⁵⁶ A. Hortiangtham,¹⁵⁶ A. Massironi,¹⁵⁶ D. M. Morse,¹⁵⁶ D. Nash,¹⁵⁶ T. Orimoto,¹⁵⁶ R. Teixeira De Lima,¹⁵⁶ D. Trocino,¹⁵⁶ R.-J. Wang,¹⁵⁶ D. Wood,¹⁵⁶ S. Bhattacharya,¹⁵⁷ K. A. Hahn,¹⁵⁷ A. Kubik,¹⁵⁷ J. F. Low,¹⁵⁷ N. Mucia,¹⁵⁷ N. Odell,¹⁵⁷ B. Pollack,¹⁵⁷ M. H. Schmitt,¹⁵⁷ K. Sung,¹⁵⁷ M. Trovato,¹⁵⁷ M. Velasco,¹⁵⁷ N. Dev,¹⁵⁸ M. Hildreth,¹⁵⁸ K. Hurtado Anampa,¹⁵⁸ C. Jessop,¹⁵⁸ D. J. Karmgard,¹⁵⁸ N. Kellams,¹⁵⁸ K. Lannon,¹⁵⁸ N. Marinelli,¹⁵⁸ F. Meng,¹⁵⁸ C. Mueller,¹⁵⁸ Y. Musienko,^{158,kk} M. Planer,¹⁵⁸ A. Reinsvold,¹⁵⁸ R. Ruchti,¹⁵⁸ N. Rupprecht,¹⁵⁸ G. Smith,¹⁵⁸ S. Taroni,¹⁵⁸ N. Valls,¹⁵⁸ M. Wayne,¹⁵⁸ M. Wolf,¹⁵⁸ A. Woodard,¹⁵⁸ J. Alimena,¹⁵⁹ L. Antonelli,¹⁵⁹ J. Brinson,¹⁵⁹ B. Bylsma,¹⁵⁹ L. S. Durkin,¹⁵⁹ S. Flowers,¹⁵⁹ B. Francis,¹⁵⁹ A. Hart,¹⁵⁹ C. Hill,¹⁵⁹ R. Hughes,¹⁵⁹ W. Ji,¹⁵⁹ B. Liu,¹⁵⁹ W. Luo,¹⁵⁹ D. Puigh,¹⁵⁹ M. Rodenburg,¹⁵⁹ B. L. Winer,¹⁵⁹ H. W. Wulsin,¹⁵⁹ S. Cooperstein,¹⁶⁰ O. Driga,¹⁶⁰ P. Elmer,¹⁶⁰ J. Hardenbrook,¹⁶⁰ P. Hebda,¹⁶⁰ J. Luo,¹⁶⁰ D. Marlow,¹⁶⁰ T. Medvedeva,¹⁶⁰ M. Mooney,¹⁶⁰ J. Olsen,¹⁶⁰ C. Palmer,¹⁶⁰ P. Piroué,¹⁶⁰ D. Stickland,¹⁶⁰ C. Tully,¹⁶⁰ A. Zuranski,¹⁶⁰ S. Malik,¹⁶¹ A. Barker,¹⁶² V. E. Barnes,¹⁶² D. Benedetti,¹⁶² S. Folgueras,¹⁶² L. Gutay,¹⁶² M. K. Jha,¹⁶² M. Jones,¹⁶² A. W. Jung,¹⁶² K. Jung,¹⁶² D. H. Miller,¹⁶² N. Neumeister,¹⁶² B. C. Radburn-Smith,¹⁶² X. Shi,¹⁶² J. Sun,¹⁶² A. Svyatkovskiy,¹⁶² F. Wang,¹⁶² W. Xie,¹⁶² L. Xu,¹⁶² N. Parashar,¹⁶³ J. Stupak,¹⁶³ A. Adair,¹⁶⁴ B. Akgun,¹⁶⁴ Z. Chen,¹⁶⁴ K. M. Ecklund,¹⁶⁴ F. J. M. Geurts,¹⁶⁴ M. Guilbaud,¹⁶⁴ W. Li,¹⁶⁴ B. Michlin,¹⁶⁴ M. Northup,¹⁶⁴ B. P. Padley,¹⁶⁴ R. Redjimi,¹⁶⁴ J. Roberts,¹⁶⁴ J. Rorie,¹⁶⁴ Z. Tu,¹⁶⁴ J. Zabel,¹⁶⁴ B. Betchart,¹⁶⁵ A. Bodek,¹⁶⁵ P. de Barbaro,¹⁶⁵ R. Demina,¹⁶⁵ Y. t. Duh,¹⁶⁵ T. Ferbel,¹⁶⁵ M. Galanti,¹⁶⁵ A. Garcia-Bellido,¹⁶⁵ J. Han,¹⁶⁵ O. Hindrichs,¹⁶⁵ A. Khukhunaishvili,¹⁶⁵ K. H. Lo,¹⁶⁵ P. Tan,¹⁶⁵ M. Verzetti,¹⁶⁵ J. P. Chou,¹⁶⁶ E. Contreras-Campana,¹⁶⁶ Y. Gershtein,¹⁶⁶ T. A. Gómez Espinosa,¹⁶⁶ E. Halkiadakis,¹⁶⁶ M. Heindl,¹⁶⁶ D. Hidas,¹⁶⁶ E. Hughes,¹⁶⁶ S. Kaplan,¹⁶⁶ R. Kunnawalkam Elayavalli,¹⁶⁶ S. Kyriacou,¹⁶⁶ A. Lath,¹⁶⁶ K. Nash,¹⁶⁶ H. Saka,¹⁶⁶ S. Salur,¹⁶⁶ S. Schnetzer,¹⁶⁶ D. Sheffield,¹⁶⁶ S. Somalwar,¹⁶⁶ R. Stone,¹⁶⁶ S. Thomas,¹⁶⁶ P. Thomassen,¹⁶⁶ M. Walker,¹⁶⁶ M. Foerster,¹⁶⁷ J. Heideman,¹⁶⁷ G. Riley,¹⁶⁷ K. Rose,¹⁶⁷ S. Spanier,¹⁶⁷ K. Thapa,¹⁶⁷ O. Bouhali,^{168,sss} A. Castaneda Hernandez,^{168,sss} A. Celik,¹⁶⁸ M. Dalchenko,¹⁶⁸ M. De Mattia,¹⁶⁸ A. Delgado,¹⁶⁸ S. Dildick,¹⁶⁸ R. Eusebi,¹⁶⁸ J. Gilmore,¹⁶⁸ T. Huang,¹⁶⁸ E. Juska,¹⁶⁸ T. Kamon,^{168,ttt} V. Krutelyov,¹⁶⁸ R. Mueller,¹⁶⁸ Y. Pakhotin,¹⁶⁸ R. Patel,¹⁶⁸ A. Perloff,¹⁶⁸ L. Perniè,¹⁶⁸ D. Rathjens,¹⁶⁸ A. Rose,¹⁶⁸ A. Safonov,¹⁶⁸ A. Tatarinov,¹⁶⁸ K. A. Ulmer,¹⁶⁸ N. Akchurin,¹⁶⁹ C. Cowden,¹⁶⁹ J. Damgov,¹⁶⁹ C. Dragoiu,¹⁶⁹ P. R. Duerdo,¹⁶⁹ J. Faulkner,¹⁶⁹ S. Kunori,¹⁶⁹ K. Lamichhane,¹⁶⁹ S. W. Lee,¹⁶⁹ T. Libeiro,¹⁶⁹ S. Undleeb,¹⁶⁹ I. Volobouev,¹⁶⁹ Z. Wang,¹⁶⁹ A. G. Delannoy,¹⁷⁰ S. Greene,¹⁷⁰ A. Gurrola,¹⁷⁰ R. Janjam,¹⁷⁰ W. Johns,¹⁷⁰ C. Maguire,¹⁷⁰ A. Melo,¹⁷⁰ H. Ni,¹⁷⁰ P. Sheldon,¹⁷⁰ S. Tuo,¹⁷⁰ J. Velkovska,¹⁷⁰ Q. Xu,¹⁷⁰ M. W. Arenton,¹⁷¹ P. Barria,¹⁷¹ B. Cox,¹⁷¹ J. Goodell,¹⁷¹ R. Hirosky,¹⁷¹ A. Ledovskoy,¹⁷¹ H. Li,¹⁷¹ C. Neu,¹⁷¹ T. Sinthuprasith,¹⁷¹ X. Sun,¹⁷¹ Y. Wang,¹⁷¹ E. Wolfe,¹⁷¹ F. Xia,¹⁷¹ C. Clarke,¹⁷² R. Harr,¹⁷² P. E. Karchin,¹⁷² P. Lamichhane,¹⁷² J. Sturdy,¹⁷² D. A. Belknap,¹⁷³ S. Dasu,¹⁷³ L. Dodd,¹⁷³ S. Duric,¹⁷³ B. Gomber,¹⁷³ M. Grothe,¹⁷³

M. Herndon,¹⁷³ A. Hervé,¹⁷³ P. Klabbers,¹⁷³ A. Lanaro,¹⁷³ A. Levine,¹⁷³ K. Long,¹⁷³ R. Loveless,¹⁷³ I. Ojalvo,¹⁷³ T. Perry,¹⁷³
 G. A. Pierro,¹⁷³ G. Polese,¹⁷³ T. Ruggles,¹⁷³ A. Savin,¹⁷³ A. Sharma,¹⁷³ N. Smith,¹⁷³ W. H. Smith,¹⁷³ D. Taylor,¹⁷³
 P. Verwilligen,¹⁷³ and N. Woods¹⁷³

(CMS Collaboration)

- ¹*Yerevan Physics Institute, Yerevan, Armenia*
²*Institut für Hochenergiephysik der OeAW, Wien, Austria*
³*National Centre for Particle and High Energy Physics, Minsk, Belarus*
⁴*Universiteit Antwerpen, Antwerpen, Belgium*
⁵*Vrije Universiteit Brussel, Brussel, Belgium*
⁶*Université Libre de Bruxelles, Bruxelles, Belgium*
⁷*Ghent University, Ghent, Belgium*
⁸*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*
⁹*Université de Mons, Mons, Belgium*
¹⁰*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*
¹¹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
^{12a}*Universidade Estadual Paulista, São Paulo, Brazil*
^{12b}*Universidade Federal do ABC, São Paulo, Brazil*
¹³*Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria*
¹⁴*University of Sofia, Sofia, Bulgaria*
¹⁵*Beihang University, Beijing, China*
¹⁶*Institute of High Energy Physics, Beijing, China*
¹⁷*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
¹⁸*Universidad de Los Andes, Bogota, Colombia*
¹⁹*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
²⁰*University of Split, Faculty of Science, Split, Croatia*
²¹*Institute Rudjer Boskovic, Zagreb, Croatia*
²²*University of Cyprus, Nicosia, Cyprus*
²³*Charles University, Prague, Czech Republic*
²⁴*Universidad San Francisco de Quito, Quito, Ecuador*
²⁵*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
²⁶*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
²⁷*Department of Physics, University of Helsinki, Helsinki, Finland*
²⁸*Helsinki Institute of Physics, Helsinki, Finland*
²⁹*Lappeenranta University of Technology, Lappeenranta, Finland*
³⁰*DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France*
³¹*Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France*
³²*Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France*
³³*Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France*
³⁴*Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France*
³⁵*Georgian Technical University, Tbilisi, Georgia*
³⁶*Tbilisi State University, Tbilisi, Georgia*
³⁷*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
³⁸*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
³⁹*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
⁴⁰*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
⁴¹*University of Hamburg, Hamburg, Germany*
⁴²*Institut für Experimentelle Kernphysik, Karlsruhe, Germany*
⁴³*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
⁴⁴*National and Kapodistrian University of Athens, Athens, Greece*
⁴⁵*University of Ioánnina, Ioánnina, Greece*
⁴⁶*MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University*
⁴⁷*Wigner Research Centre for Physics, Budapest, Hungary*
⁴⁸*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
⁴⁹*University of Debrecen, Debrecen, Hungary*
⁵⁰*National Institute of Science Education and Research, Bhubaneswar, India*

- ⁵¹*Panjab University, Chandigarh, India*
⁵²*University of Delhi, Delhi, India*
⁵³*Saha Institute of Nuclear Physics, Kolkata, India*
⁵⁴*Indian Institute of Technology Madras, Madras, India*
⁵⁵*Bhabha Atomic Research Centre, Mumbai, India*
⁵⁶*Tata Institute of Fundamental Research-A, Mumbai, India*
⁵⁷*Tata Institute of Fundamental Research-B, Mumbai, India*
⁵⁸*Indian Institute of Science Education and Research (IISER), Pune, India*
⁵⁹*Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
⁶⁰*University College Dublin, Dublin, Ireland*
^{61a}*INFN Sezione di Bari, Bari, Italy*
^{61b}*Università di Bari, Bari, Italy*
^{61c}*Politecnico di Bari, Bari, Italy*
^{62a}*INFN Sezione di Bologna, Bologna, Italy*
^{62b}*Università di Bologna, Bologna, Italy*
^{63a}*INFN Sezione di Catania, Catania, Italy*
^{63b}*Università di Catania, Catania, Italy*
^{64a}*INFN Sezione di Firenze, Firenze, Italy*
^{64b}*Università di Firenze, Firenze, Italy*
⁶⁵*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
^{66a}*INFN Sezione di Genova, Genova, Italy*
^{66b}*Università di Genova, Genova, Italy*
^{67a}*INFN Sezione di Milano-Bicocca, Milano, Italy*
^{67b}*Università di Milano-Bicocca, Milano, Italy*
^{68a}*INFN Sezione di Napoli, Roma, Italy*
^{68b}*Università di Napoli 'Federico II', Roma, Italy*
^{68c}*Università della Basilicata, Roma, Italy*
^{68d}*Università G. Marconi, Roma, Italy*
^{69a}*INFN Sezione di Padova, Trento, Italy*
^{69b}*Università di Padova, Trento, Italy*
^{69c}*Università di Trento, Trento, Italy*
^{70a}*INFN Sezione di Pavia, Pavia, Italy*
^{70b}*Università di Pavia, Pavia, Italy*
^{71a}*INFN Sezione di Perugia, Perugia, Italy*
^{71b}*Università di Perugia, Perugia, Italy*
^{72a}*INFN Sezione di Pisa, Pisa, Italy*
^{72b}*Università di Pisa, Pisa, Italy*
^{72c}*Scuola Normale Superiore di Pisa, Pisa, Italy*
^{73a}*INFN Sezione di Roma*
^{73b}*Università di Roma*
^{74a}*INFN Sezione di Torino, Novara, Italy*
^{74b}*Università di Torino, Novara, Italy*
^{74c}*Università del Piemonte Orientale, Novara, Italy*
^{75a}*INFN Sezione di Trieste, Trieste, Italy*
^{75b}*Università di Trieste, Trieste, Italy*
⁷⁶*Kyungpook National University, Daegu, Korea*
⁷⁷*Chonbuk National University, Jeonju, Korea*
⁷⁸*Hanyang University, Seoul, Korea*
⁷⁹*Korea University, Seoul, Korea*
⁸⁰*Seoul National University, Seoul, Korea*
⁸¹*University of Seoul, Seoul, Korea*
⁸²*Sungkyunkwan University, Suwon, Korea*
⁸³*Vilnius University, Vilnius, Lithuania*
⁸⁴*National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*
⁸⁵*Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*
⁸⁶*Universidad Iberoamericana, Mexico City, Mexico*
⁸⁷*Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*
⁸⁸*Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico*
⁸⁹*University of Auckland, Auckland, New Zealand*
⁹⁰*University of Canterbury, Christchurch, New Zealand*

- ⁹¹National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
⁹²National Centre for Nuclear Research, Swierk, Poland
⁹³Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
⁹⁴Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
⁹⁵Joint Institute for Nuclear Research, Dubna, Russia
⁹⁶Petersburg Nuclear Physics Institute, Gatchina (St. Petersburg), Russia
⁹⁷Institute for Nuclear Research, Moscow, Russia
⁹⁸Institute for Theoretical and Experimental Physics, Moscow, Russia
⁹⁹National Research Nuclear University 'Moscow Engineering Physics Institute' (MEPhI), Moscow, Russia
¹⁰⁰P.N. Lebedev Physical Institute, Moscow, Russia
¹⁰¹Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
¹⁰²State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia
¹⁰³University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
¹⁰⁴Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
¹⁰⁵Universidad Autónoma de Madrid, Madrid, Spain
¹⁰⁶Universidad de Oviedo, Oviedo, Spain
¹⁰⁷Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
¹⁰⁸CERN, European Organization for Nuclear Research, Geneva, Switzerland
¹⁰⁹Paul Scherrer Institut, Villigen, Switzerland
¹¹⁰Institute for Particle Physics, ETH Zurich, Zurich, Switzerland
¹¹¹Universität Zürich, Zurich, Switzerland
¹¹²National Central University, Chung-Li, Taiwan
¹¹³National Taiwan University (NTU), Taipei, Taiwan
¹¹⁴Chulalongkorn University, Faculty of Science, Department of Physics, Bangkok, Thailand
¹¹⁵Cukurova University, Adana, Turkey
¹¹⁶Middle East Technical University, Physics Department, Ankara, Turkey
¹¹⁷Bogazici University, Istanbul, Turkey
¹¹⁸Istanbul Technical University, Istanbul, Turkey
¹¹⁹Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkov, Ukraine
¹²⁰National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine
¹²¹University of Bristol, Bristol, United Kingdom
¹²²Rutherford Appleton Laboratory, Didcot, United Kingdom
¹²³Imperial College, London, United Kingdom
¹²⁴Brunel University, Uxbridge, United Kingdom
¹²⁵Baylor University, Waco, Texas, USA
¹²⁶The University of Alabama, Tuscaloosa, Alabama, USA
¹²⁷Boston University, Boston, Massachusetts, USA
¹²⁸Brown University, Providence, Rhode Island, USA
¹²⁹University of California, Davis, Davis, California, USA
¹³⁰University of California, Los Angeles, California, USA
¹³¹University of California, Riverside, Riverside, California, USA
¹³²University of California, San Diego, La Jolla, California, USA
¹³³University of California, Santa Barbara, Santa Barbara, California, USA
¹³⁴California Institute of Technology, Pasadena, California, USA
¹³⁵Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
¹³⁶University of Colorado Boulder, Boulder, Colorado, USA
¹³⁷Cornell University, Ithaca, New York, USA
¹³⁸Fairfield University, Fairfield, Connecticut, USA
¹³⁹Fermi National Accelerator Laboratory, Batavia, Illinois, USA
¹⁴⁰University of Florida, Gainesville, Florida, USA
¹⁴¹Florida International University, Miami, Florida, USA
¹⁴²Florida State University, Tallahassee, Florida, USA
¹⁴³Florida Institute of Technology, Melbourne, Florida, USA
¹⁴⁴University of Illinois at Chicago (UIC), Chicago, USA
¹⁴⁵The University of Iowa, Iowa City, Iowa, USA
¹⁴⁶Johns Hopkins University, Baltimore, Maryland, USA
¹⁴⁷The University of Kansas, Lawrence, Kansas, USA
¹⁴⁸Kansas State University, Manhattan, Kansas, USA
¹⁴⁹Lawrence Livermore National Laboratory, Livermore, California, USA
¹⁵⁰University of Maryland, College Park, Maryland, USA

- ¹⁵¹*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
¹⁵²*University of Minnesota, Minneapolis, Minnesota, USA*
¹⁵³*University of Mississippi, Oxford, Mississippi, USA*
¹⁵⁴*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
¹⁵⁵*State University of New York at Buffalo, Buffalo, New York, USA*
¹⁵⁶*Northeastern University, Boston, Massachusetts, USA*
¹⁵⁷*Northwestern University, Evanston, Illinois, USA*
¹⁵⁸*University of Notre Dame, Notre Dame, Indiana, USA*
¹⁵⁹*The Ohio State University, Columbus, Ohio, USA*
¹⁶⁰*Princeton University, Princeton, New Jersey, USA*
¹⁶¹*University of Puerto Rico, Mayaguez, Puerto Rico*
¹⁶²*Purdue University, West Lafayette, Indiana, USA*
¹⁶³*Purdue University Calumet, Hammond, Indiana, USA*
¹⁶⁴*Rice University, Houston, Texas, USA*
¹⁶⁵*University of Rochester, Rochester, New York, USA*
¹⁶⁶*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
¹⁶⁷*University of Tennessee, Knoxville, Tennessee, USA*
¹⁶⁸*Texas A&M University, College Station, Texas, USA*
¹⁶⁹*Texas Tech University, Lubbock, Texas, USA*
¹⁷⁰*Vanderbilt University, Nashville, Tennessee, USA*
¹⁷¹*University of Virginia, Charlottesville, Virginia, USA*
¹⁷²*Wayne State University, Detroit, Michigan, USA*
¹⁷³*University of Wisconsin—Madison, Madison, Wisconsin, USA*

^aDeceased.

^bAlso at Vienna University of Technology, Vienna, Austria.

^cAlso at State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China.

^dAlso at Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France.

^eAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^fAlso at Centre National de la Recherche Scientifique (CNRS)-IN2P3, Paris, France.

^gAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

^hAlso at Deutsches Elektronen-Synchrotron, Hamburg, Germany.

ⁱAlso at Joint Institute for Nuclear Research, Dubna, Russia.

^jAlso at British University in Egypt, Cairo, Egypt.

^kAlso at Zewail City of Science and Technology, Zewail, Egypt.

^lAlso at Fayoum University, El-Fayoum, Egypt.

^mAlso at Ain Shams University, Cairo, Egypt.

ⁿAlso at Université de Haute Alsace, Mulhouse, France.

^oAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^pAlso at Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia.

^qAlso at Tbilisi State University, Tbilisi, Georgia.

^rAlso at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.

^sAlso at University of Hamburg, Hamburg, Germany.

^tAlso at Brandenburg University of Technology, Cottbus, Germany.

^uAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^vAlso at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University.

^wAlso at University of Debrecen, Debrecen, Hungary.

^xAlso at Indian Institute of Science Education and Research, Bhopal, India.

^yAlso at Institute of Physics, Bhubaneswar, India.

^zAlso at University of Visva-Bharati, Santiniketan, India.

^{aa}Also at University of Ruhuna, Matara, Sri Lanka.

^{bb}Also at Isfahan University of Technology, Isfahan, Iran.

^{cc}Also at University of Tehran, Department of Engineering Science, Tehran, Iran.

^{dd}Also at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Tehran, Iran.

^{ee}Also at Università degli Studi di Siena, Siena, Italy.

^{ff}Also at Purdue University, West Lafayette, IN, USA.

^{gg}Also at International Islamic University of Malaysia, Kuala Lumpur, Malaysia.

^{hh}Also at Malaysian Nuclear Agency, MOSTI, Kajang, Malaysia.

ⁱⁱAlso at Consejo Nacional de Ciencia y Tecnología, Mexico city, Mexico.

- ^{jj} Also at Warsaw University of Technology, Institute of Electronic Systems, Warsaw, Poland.
- ^{kk} Also at Institute for Nuclear Research, Moscow, Russia.
- ^{ll} Also at National Research Nuclear University 'Moscow Engineering Physics Institute' (MEPhI), Moscow, Russia.
- ^{mm} Also at St. Petersburg State Polytechnical University, St. Petersburg, Russia.
- ⁿⁿ Also at University of Florida, Gainesville, FL, USA.
- ^{oo} Also at California Institute of Technology, Pasadena, CA, USA.
- ^{pp} Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia.
- ^{qq} Also at INFN Sezione di Roma, Università di Roma, Roma, Italy.
- ^{rr} Also at National Technical University of Athens, Athens, Greece.
- ^{ss} Also at Scuola Normale e Sezione dell'INFN, Pisa, Italy.
- ^{tt} Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{uu} Also at Riga Technical University, Riga, Latvia.
- ^{vv} Also at Institute for Theoretical and Experimental Physics, Moscow, Russia.
- ^{ww} Also at Albert Einstein Center for Fundamental Physics, Bern, Switzerland.
- ^{xx} Also at Adiyaman University, Adiyaman, Turkey.
- ^{yy} Also at Mersin University, Mersin, Turkey.
- ^{zz} Also at Cag University, Mersin, Turkey.
- ^{aaa} Also at Piri Reis University, Istanbul, Turkey.
- ^{bbb} Also at Gaziosmanpasa University, Tokat, Turkey.
- ^{ccc} Also at Ozyegin University, Istanbul, Turkey.
- ^{ddd} Also at Izmir Institute of Technology, Izmir, Turkey.
- ^{eee} Also at Marmara University, Istanbul, Turkey.
- ^{fff} Also at Kafkas University, Kars, Turkey.
- ^{ggg} Also at Istanbul Bilgi University, Istanbul, Turkey.
- ^{hhh} Also at Yildiz Technical University, Istanbul, Turkey.
- ⁱⁱⁱ Also at Hacettepe University, Ankara, Turkey.
- ^{jjj} Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^{kkk} Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{lll} Also at Instituto de Astrofísica de Canarias, La Laguna, Spain.
- ^{mmm} Also at Utah Valley University, Orem, UT, USA.
- ⁿⁿⁿ Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.
- ^{ooo} Also at Facoltà Ingegneria, Università di Roma, Roma, Italy.
- ^{ppp} Also at Argonne National Laboratory, Argonne, IL, USA.
- ^{qqq} Also at Erzincan University, Erzincan, Turkey.
- ^{rrr} Also at Mimar Sinan University, Istanbul, Istanbul, Turkey.
- ^{sss} Also at Texas A&M University at Qatar, Doha, Qatar.
- ^{ttt} Also at Kyungpook National University, Daegu, Korea.