ETH zürich

Search for B0s \rightarrow µ+µ- and B0 \rightarrow µ +µ- Decays in pp Collisions at $\sqrt{s}=7$ TeV

Journal Article

Author(s):

CMS Collaboration; Chatrchyan, Serguei; Bäni, Lukas; Bortignon, Pierluigi; Caminada, Lea; Casal Laraña, Bruno; Chanon, Nicolas; Chen, Zhiling; Cittolin, Sergio; Dissertori, Günther; Dittmar, Michael; Eugster, Jürg; Freudenreich, Klaus; Grab, Christoph; Hintz, Wieland; Lecomte, Pierre; Lustermann, Werner; Marchica, Carmelo; Martinez Ruiz del Arbol, Pablo; Milenovic, Predrag; Moortgat, Filip; Nägeli, Christoph; Nef, Pascal; Nessi-Tedaldi, Francesca; Pape, Luc; Pauss, Felicitas; Punz, Thomas; Rizzi, Andrea; Ronga, Frédéric J.; Rossini, Marco; Sala, Leonardo; Sanchez, Ann-Karin; Sawley, Marie-Christine; Starodumov, Andrey; Stieger, Benjamin; Takahashi, Maiko; Tauscher, Ludwig; Thea, Alessandro; Theofilatos, Konstantinos; Treille, Daniel; Urscheler, Christina; Wallny, Rainer; Weber, Matthias; Wehrli, Lukas; Weng, Joanna; et al.

Publication date:

2011-11

Permanent link: https://doi.org/10.3929/ethz-b-000042777

Rights / license: Creative Commons Attribution 3.0 Unported

Originally published in:

Physical Review Letters 107(19), https://doi.org/10.1103/PhysRevLett.107.191802

Search for $B_s^0 \to \mu^+ \mu^-$ and $B^0 \to \mu^+ \mu^-$ Decays in *pp* Collisions at $\sqrt{s} = 7$ TeV

S. Chatrchyan et al.*

(CMS Collaboration)

(Received 29 July 2011; published 1 November 2011)

A search for the rare decays $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ is performed in *pp* collisions at $\sqrt{s} =$ 7 TeV, with a data sample corresponding to an integrated luminosity of 1.14 fb⁻¹, collected by the CMS experiment at the LHC. In both cases, the number of events observed after all selection requirements is consistent with expectations from background and standard-model signal predictions. The resulting upper limits on the branching fractions are $\mathcal{B}(B_s^0 \rightarrow \mu^+ \mu^-) < 1.9 \times 10^{-8}$ and $\mathcal{B}(B^0 \rightarrow \mu^+ \mu^-) < 4.6 \times 10^{-9}$, at 95% confidence level.

DOI: 10.1103/PhysRevLett.107.191802

PACS numbers: 13.20.He

In the standard model (SM) of particle physics, flavorchanging neutral current (FCNC) decays are forbidden at tree level and can only proceed through higher-order loop diagrams. The decays $B_{d(s)} \rightarrow \ell^+ \ell^-$ (where $\ell = e, \mu$), besides involving $b \rightarrow s(d)$ FCNC transitions through penguin and box diagrams, are helicity suppressed by factors of $(m_{\ell}/m_B)^2$, where m_{ℓ} and m_B are the masses of the lepton and *B* meson, respectively. They also require an internal quark annihilation within the *B* meson that further reduces the decay rate by $(f_B/m_B)^2$, where f_B is the decay constant of the *B* meson.

The SM-predicted branching fractions, $\mathcal{B}(B_s^0 \rightarrow \mu^+ \mu^-) = (3.2 \pm 0.2) \times 10^{-9}$ and $\mathcal{B}(B^0 \rightarrow \mu^+ \mu^-) = (1.0 \pm 0.1) \times 10^{-10}$ [1], are significantly enhanced in several extensions of the SM, although in some cases the decay rates are lowered [2]. For example, in the minimal supersymmetric extension of the SM, the rates are strongly enhanced at large values of $\tan\beta$ [3,4]. In specific models involving leptoquarks [5] and in supersymmetric models with nonuniversal Higgs boson masses [6], the $B_s^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ branching fractions can be enhanced by different factors and, therefore, both channels must be studied in parallel. Several experiments have published upper limits at 95% confidence level (C.L.) on these decays: $\mathcal{B}(B_s^0 \rightarrow \mu^+\mu^-) < 5.1 \times 10^{-8}$ by D0 [7]; $\mathcal{B}(B_s^0 \rightarrow \mu^+\mu^-) < 5.8 \times 10^{-8}$ and $\mathcal{B}(B^0 \rightarrow \mu^+\mu^-) < 1.8 \times 10^{-8}$ by CDF [8]; $\mathcal{B}(B_s^0 \rightarrow \mu^+\mu^-) < 5.6 \times 10^{-8}$ and $\mathcal{B}(B^0 \rightarrow \mu^+\mu^-) < 6.0 \times 10^{-9}$ and an excess of $B_s^0 \rightarrow \mu^+\mu^-$ events, corresponding to $\mathcal{B}(B_s^0 \rightarrow \mu^+\mu^-) = (1.8^{+0.1}_{-0.9}) \times 10^{-8}$ [10].

In this Letter, a simultaneous search for the $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ decays is presented, using a

data sample of pp collisions at $\sqrt{s} = 7$ TeV, corresponding to an integrated luminosity of (1.14 ± 0.07) fb⁻¹, collected in the first half of 2011 by the Compact Muon Solenoid (CMS) experiment at the Large Hadron Collider (LHC). An event-counting experiment is performed in dimuon mass regions around the B_s^0 and B^0 masses. To avoid any possible bias, the signal region was kept blind until after all selection criteria were established. The backgrounds are evaluated from the yields measured in data mass sidebands and from Monte Carlo (MC) simulations for rare hadronic two-body B decays. The MC event samples are generated with PYTHIA 6.409 [11], the unstable particles are decayed via EVTGEN [12], and the detector response is simulated with GEANT4 [13]. Events of the type $B^+ \to J/\psi K^+$, $J/\psi \to \mu^+ \mu^-$ are used as a normalization sample to minimize uncertainties related to the $b\bar{b}$ production cross section and to the integrated luminosity. The signal and normalization efficiencies are determined with MC simulation studies. A control sample of reconstructed $B_s^0 \rightarrow J/\psi \phi, J/\psi \rightarrow \mu^+ \mu^-$ events is used to validate the MC simulation (such as the B_s^0 transverse momentum p_T spectrum) and to evaluate potential effects resulting from differences in fragmentation between B^+ and B_s^0 . The analysis is not affected by multiple *pp* collisions in the same bunch crossing (pileup) because the spatial vertex resolution is good enough to correctly identify the *pp* vertex from which signal candidates originate. In the present data set, an average of 5.5 primary vertices are reconstructed per event.

A detailed description of the CMS experiment can be found in Ref. [14]. The main subdetectors used in this analysis are the silicon tracker, composed of pixel and strip layers immersed in a 3.8 T axial magnetic field, and the muon stations, made of gas-ionization detectors embedded in the steel return yoke, and divided into a barrel section and two end caps. The muons are tracked within the pseudorapidity region $|\eta| < 2.4$, where $\eta =$ $-\ln[\tan(\theta/2)]$ and θ is the polar angle with respect to the counterclockwise beam direction. A muon p_T resolution of about 1.5% is obtained for muons in this analysis.

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

The events are selected with a two-level trigger system. The first level only requires two muon candidates, without an explicit p_T requirement, while the high-level trigger (HLT) uses additional information from the silicon tracker. The HLT selection for the signal data sample requires two muons each with $p_T > 2$ GeV, dimuon $p_T > 4$ GeV, invariant mass within $4.8 < m_{\mu\mu} < 6.0$ GeV, and a 3D distance of closest approach to each other $d'_{ca} < 5$ mm.

The normalization $(B^+ \rightarrow J/\psi K^+)$ and control $(B_s^0 \rightarrow J/\psi K^+)$ $J/\psi\phi$) samples were collected with HLT requirements gradually tightened as the LHC luminosity increased. This time evolution does not affect the analysis presented here, which uses selection criteria significantly tighter than any trigger requirements. More than 95% of the normalization and control sample events were collected by requiring two muons each with $p_T > 3$ GeV, dimuon $p_T >$ 6.9 GeV, invariant mass within $2.9 < m_{\mu\mu} < 3.3$ GeV, $d'_{\rm ca} < 5$ mm, and a larger than 0.5% probability of the χ^2 per degree of freedom (d.o.f.) of the dimuon vertex fit. Two additional trigger requirements, measured in the transverse plane, significantly reduce the rate of prompt J/ψ candidates: the significance of the flight distance $\ell_{xy}/\sigma(\ell_{xy})$ must be larger than 3, where ℓ_{xy} is the distance between the primary and dimuon vertices and $\sigma(\ell_{xy})$ is its uncertainty, and the pointing angle α_{xy} between the *B* candidate momentum and the vector from the primary vertex to the dimuon vertex must fulfill $\cos \alpha_{xy} > 0.9$. The average trigger efficiency, calculated after all other selection criteria have been applied, for events in the signal and normalization samples is about 80%, as determined from MC simulation. The uncertainty on the ratio of trigger efficiencies between the signal and normalization samples is estimated to be 2% by comparing these ratios in simulation studies and in data.

Muon candidates are required to be reconstructed by two different algorithms, one matching silicon-tracker tracks to segments in the muon stations and the other performing global fits using tracks in both detector systems [15]. The uncertainty on the ratio of muon identification efficiencies between the signal and normalization samples is estimated to be 5%.

The $B \rightarrow \mu^+ \mu^-$ candidates require two oppositely charged muons with an invariant mass in the region 4.9 < $m_{\mu\mu} < 5.9$ GeV, after constraining their tracks to come from a common vertex. The *B* candidate momentum and vertex position are used to choose a primary vertex based on the distance of closest approach. Since the background level depends significantly on the pseudorapidity of the *B* candidate, the events are separated into two categories: the "barrel channel" contains the candidates where both muons have $|\eta| < 1.4$ and the "end cap channel" contains those where at least one muon has $|\eta| > 1.4$. An isolation variable $I = p_T(B)/(p_T(B) + \sum_{trk} p_T)$ is calculated from the transverse momentum of the *B* candidate $p_T(B)$ and the transverse momenta of all other charged tracks satisfying $\Delta R = \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2} < 1$, where $\Delta \eta$ and $\Delta \phi$ are the differences in pseudorapidity and azimuthal angle between a charged track and the B candidate momentum. The sum includes all tracks with $p_T > 0.9$ GeV that are consistent with originating from the same primary vertex as the Bcandidate or have a distance of closest approach $d_{ca} <$ 0.5 mm with respect to the *B* vertex. The minimum distance of closest approach with respect to the B vertex among all tracks in the event, d_{ca}^{min} , is also determined as a complementary isolation variable. Figure 1 illustrates the transverse momentum, the 3D pointing angle α_{3D} , the 3D flight length significance $\ell_{\rm 3D}/\sigma(\ell_{\rm 3D})$, and the isolation distributions for signal MC events and for sideband background data events. The sideband covers the range 4.9 < $m_{\mu\mu} < 5.9$ GeV, excluding the signal window 5.2 < $m_{\mu\mu} < 5.45$ GeV.

The following selection requirements were optimized for the best expected upper limit using MC signal events and data sideband events. The requirements were established before observing the number of data events in the signal region. The optimized requirements include $p_T >$ 4.5 GeV on one muon and $p_T > 4.0$ GeV on the other, *B* candidate $p_T > 6.5$ GeV, I > 0.75, and *B*-vertex fit $\chi^2/d.o.f. < 1.6$. Two requirements are different for the barrel and end cap channels: $\alpha_{3D} < 0.050$ (0.025) and



FIG. 1 (color online). Comparison of MC signal and sideband data distributions, for the transverse momentum (top left), the 3D pointing angle (top right), the flight length significance (bottom left), and the isolation (bottom right). The MC histograms are normalized to the number of events in the data.

TABLE I. The event selection efficiencies for signal events ε_{tot} , the SM-predicted number of signal events $N_{\text{signal}}^{\text{exp}}$, the expected number of combinatorial background events $N_{\text{comb}}^{\text{exp}}$ and peaking background events $N_{\text{peak}}^{\text{exp}}$, and the number of observed events N_{obs} in the barrel and end cap channels for $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$.

	Barrel		End cap	
	$B^0 o \mu^+ \mu^-$	$B^0_s ightarrow \mu^+ \mu^-$	$B^0 o \mu^+ \mu^-$	$B_s^0 \rightarrow \mu^+ \mu^-$
$\varepsilon_{\rm tot}$	$(3.6 \pm 0.4) \times 10^{-3}$	$(3.6 \pm 0.4) \times 10^{-3}$	$(2.1 \pm 0.2) \times 10^{-3}$	$(2.1 \pm 0.2) \times 10^{-3}$
$N_{\rm signal}^{\rm exp}$	0.065 ± 0.011	0.80 ± 0.16	0.025 ± 0.004	0.36 ± 0.07
$N_{\rm comb}^{\rm exp}$	0.40 ± 0.23	0.60 ± 0.35	0.53 ± 0.27	0.80 ± 0.40
$N_{\rm peak}^{\rm exp}$	0.25 ± 0.06	0.07 ± 0.02	0.16 ± 0.04	0.04 ± 0.01
Nobs	0	2	1	1

 $\ell_{\rm 3D}/\sigma(\ell_{\rm 3d}) > 15.0$ (20.0) for the barrel (end cap). Furthermore, for events in the end cap there is an additional requirement, $d_{\rm ca}^{\rm min} > 0.15$ mm. The signal efficiencies $\varepsilon_{\rm tot}$ of these selections are provided in Table I. The dimuon mass resolution for signal events depends on the pseudorapidity of the *B* candidate and ranges from 36 MeV for $\eta \approx 0$ to 85 MeV for $|\eta| > 1.8$, as determined from simulated signal.

The reconstruction of $B^+ \rightarrow J/\psi K^+ \rightarrow \mu^+ \mu^- K^{\pm}$ $(B_s^0 \rightarrow J/\psi \phi \rightarrow \mu^+ \mu^- K^+ K^-)$ candidates requires two oppositely charged muons with an invariant mass in the range 3.0-3.2 GeV, which are combined with one (two) track(s), assumed to be (a) kaon(s), fulfilling $p_T >$ 0.5 GeV and $|\eta| < 2.4$. To ensure a well-measured trigger efficiency, the selected candidates must have dimuon $p_T >$ 7 GeV and the two muons must bend away from each other in the magnetic field (to avoid spurious detector-induced pair correlations). The d'_{ca} between all pairs among the three (four) tracks is required to be less than 1 mm. For $B_s^0 \rightarrow J/\psi \phi$ candidates the two assumed kaon tracks must have an invariant mass in the range 0.995-1.045 GeV and $\Delta R(K^+, K^-) < 0.25$. The tracks from all decay products are used in the *B*-vertex fit and only *B* candidates with an invariant mass in the range 4.8-6.0 GeV are considered. The efficiencies of individual selection criteria agree to better than 4% (6%) between data and MC simulation for the normalization (control) sample, where the efficiencies have been calculated for each selection requirement with event yield fits after applying all other selection criteria. Figure 2 compares several distributions for $B_s^0 \rightarrow J/\psi \phi$ candidates between MC simulation and sidebandsubtracted data.

The total efficiency for $B^+ \rightarrow J/\psi K^+ \rightarrow \mu^+ \mu^- K^+$, including the detector acceptance, is $\varepsilon_{\text{tot}}^{B^+} = (7.7 \pm 0.8) \times 10^{-4}$ and $(2.7 \pm 0.3) \times 10^{-4}$, respectively, for the barrel and end cap channels, where statistical and systematic uncertainties are combined. The acceptance has a systematic uncertainty of 4%, estimated by comparing the values obtained with different $b\bar{b}$ production mechanisms (gluon splitting, flavor excitation, and flavor creation). The uncertainty on the event selection efficiency for the $B^+ \rightarrow J/\psi K^+$ normalization sample is 4%, evaluated from differences between measured and simulated $B^+ \rightarrow J/\psi K^+$ events. The uncertainty on the signal efficiency (7.9%) is evaluated using the $B_s^0 \rightarrow J/\psi \phi$ control sample. The invariant mass distributions are fitted with a Gaussian function for the signal and an exponential (barrel) or a first-degree polynomial (end cap) plus an error function for the background, as shown in Fig. 3. Applying the same selection requirements as for the signal sample, the observed number of $B^+ \rightarrow J/\psi K^+$ candidates in the barrel (end cap) channel is $N_{obs}^{B^+} = 13\,045 \pm 652$ (4450 ± 222). The uncertainty includes a systematic term estimated to



FIG. 2 (color online). Comparison of measured and simulated $B_s^0 \rightarrow J/\psi \phi$ distributions, for the transverse momentum (top left), the 3D pointing angle (top right), the flight length significance (bottom left), and the isolation (bottom right). The MC histograms are normalized to the number of events in the data.



FIG. 3 (color online). $B^+ \rightarrow J/\psi K^+$ invariant mass distributions in the barrel (left) and end cap (right) channels. The solid (dashed) lines show the fits to the data (background).

be 5% from MC studies by considering alternative fitting functions.

To quantify a possible dependence on the pileup, the efficiencies of the isolation and the flight length significance requirements are calculated as functions of the number of reconstructed primary vertices. No dependence is observed for events with up to 12 primary vertices for the normalization and control samples.

The $B_s^0 \rightarrow \mu^+ \mu^-$ branching fraction is measured separately in the barrel and end cap channels using

$$\mathcal{B}(B_s^0 \to \mu^+ \mu^-) = \frac{N_s}{N_{\text{obs}}^{B^+}} \frac{f_u}{f_s} \frac{\varepsilon_{\text{tot}}^{B^+}}{\varepsilon_{\text{tot}}} \mathcal{B}(B^+), \qquad (1)$$

and analogously for the $B^0 \rightarrow \mu^+ \mu^-$ case, where N_s is the background-subtracted number of observed $B_{d(s)} \rightarrow \mu^+ \mu^-$ candidates in the signal window (5.3 $< m_{\mu\mu} <$ 5.45 GeV for B_s^0 and 5.2 $< m_{\mu\mu} <$ 5.3 GeV for B^0) and ε_{tot} is the total signal efficiency of all selection requirements. The ratio of the B_s^0 and B^+ meson production fractions is $f_s/f_u = 0.282 \pm 0.037$ and $\mathcal{B}(B^+) \equiv \mathcal{B}(B^+ \rightarrow J/\psi K^+ \rightarrow \mu^+ \mu^- K^+) = (6.0 \pm 0.2) \times 10^{-5}$ [16]. (We use $f_s = 0.113 \pm 0.013$ and $f_u = 0.401 \pm 0.013$ from the main section of Ref. [16] and account for the correlations in the ratio.)

Events in the signal window can result from real signal decays, combinatorial background, and "peaking" background from decays of the type $B_{d(s)} \rightarrow hh'$, where h, h' are charged hadrons misidentified as muons. The expected number of signal events, $N_{\text{signal}}^{\text{exp}}$, is calculated assuming the SM branching fraction and is normalized to the B^+ yield. The expected number of combinatorial background events, $N_{\text{comb}}^{\text{exp}}$, is evaluated by interpolating to the signal window the number of events observed in the sideband regions which is equal to three (four) for the barrel (end cap) channel. The interpolation procedure assumes a flat background shape and has a systematic uncertainty of 4%, evaluated by varying the flight length significance selections and by using a floating slope. The expected number of



FIG. 4 (color online). Dimuon invariant mass distributions in the barrel (left) and end cap (right) channels. The signal windows for B_s^0 and B^0 are indicated by horizontal lines.

peaking background events, $N_{\text{peak}}^{\text{exp}}$, is evaluated from MC simulation and muon misidentification rates measured in $K_S^0 \rightarrow \pi^+ \pi^-$, $\phi \rightarrow K^+ K^-$, and $\Lambda \rightarrow p \pi^-$ samples [15].

Figure 4 shows the measured dimuon invariant mass distributions. Three events are observed in the $B_s^0 \rightarrow$ $\mu^+\mu^-$ signal windows (two in the barrel and one in the end cap), while only one event is observed in the $B^0 \rightarrow$ $\mu^+\mu^-$ end cap channel. This observation is consistent with the SM expectation for signal plus background. Upper limits are determined with the CL_s approach [17]. Table I shows the values needed for the extraction of the results, separately for the barrel and end cap channels. The obtained upper limits on the branching fractions are $\mathcal{B}(B^0_s \to \mu^+ \mu^-) < 1.9 \times 10^{-8} \ (1.6 \times 10^{-8}) \ \text{and} \ \mathcal{B}(B^0 \to B^0)$ $\mu^+\mu^-$ < 4.6 × 10⁻⁹ (3.7 × 10⁻⁹), at 95% (90%) C.L. The median expected upper limits at 95% C.L. are 1.8 \times $10^{-8} (4.8 \times 10^{-9}) \text{ for } B_s^0 \rightarrow \mu^+ \mu^- (B^0 \rightarrow \mu^+ \mu^-).$ The background-only p value is 0.11 (0.40) for $B_s^0 \rightarrow \mu^+ \mu^ (B^0 \rightarrow \mu^+ \mu^-)$, corresponding to 1.2 (0.27) standard deviations. The p value is 0.053 when assuming a $B_s^0 \rightarrow \mu^+ \mu^$ signal at 5.6 times the SM value, as reported in Ref. [10].

In summary, a search for the rare decays $B_s^0 \rightarrow \mu^+ \mu^$ and $B^0 \rightarrow \mu^+ \mu^-$ has been performed on a data sample of pp collisions at $\sqrt{s} = 7$ TeV corresponding to an integrated luminosity of 1.14 fb⁻¹. The observed event yields are consistent with those expected adding background and SM signals. Upper limits on the branching fractions have been determined at 90% and 95% C.L.

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA andCNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); MSI (New Zealand); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST, MAE and RFBR (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and NSF (U.S.).

- [1] A.J. Buras, Acta Phys. Pol. B 41, 2487 (2010).
- [2] J.R. Ellis, J.S. Lee, and A. Pilaftsis, Phys. Rev. D 76, 115011 (2007).
- [3] S. R. Choudhury, A. S. Cornell, N. Gaur, and G. C. Joshi, Int. J. Mod. Phys. A 21, 2617 (2006).
- [4] J. Parry, Nucl. Phys. B760, 38 (2007).
- [5] S. Davidson and S. Descotes-Genon, J. High Energy Phys. 11 (2010) 073.

- [6] J. R. Ellis, K. A. Olive, Y. Santoso, and V. C. Spanos, J. High Energy Phys. 05 (2006) 063.
- [7] V. M. Abazov *et al.* (D0 Collaboration), Phys. Lett. B **693**, 539 (2010).
- [8] T. Aaltonen *et al.* (CDF Collaboration), Phys. Rev. Lett. 100, 101802 (2008).
- [9] R. Aaij *et al.* (LHCb Collaboration), Phys. Lett. B 699, 330 (2011).
- [10] T. Aaltonen et al. (CDF Collaboration), arXiv:1107.2304.
- [11] T. Sjöstrand, S. Mrenna, and P.Z. Skands, J. High Energy Phys. 05 (2006) 026.
- [12] D. Lange, Nucl. Instrum. Methods Phys. Res., Sect. A 462, 152 (2001).
- [13] V. Ivanchenko (Geant4 Collaboration), Nucl. Instrum. Methods Phys. Res., Sect. A 502, 666 (2003).
- [14] S. Chatrchyan *et al.* (CMS Collaboration), JINST 3, S08004 (2008).
- [15] CMS Collaboration, CMS Physics Analysis Summary, Report No. CMS-PAS-MUO-10-002, 2010.
- [16] K. Nakamura *et al.* (Particle Data Group), J. Phys. G 37, 075021 (2010).
- [17] A. Read, CERN Technical Report No. CERN-OPEN-2000-005, 2000.

S. Chatrchyan,¹ V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² T. Bergauer,² M. Dragicevic,² J. Erö,² C. Fabjan,² M. Friedl,² R. Frühwirth,² V. M. Ghete,² J. Hammer,^{2,b} S. Hänsel,² M. Hoch,² N. Hörmann,² J. Hrubec,² M. Jeitler,² W. Kiesenhofer,² M. Krammer,² D. Liko,² I. Mikulec,² M. Pernicka,² B. Rahbaran,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² F. Teischinger,² C. Trauner,² P. Wagner,² W. Waltenberger,² G. Walzel,² E. Widl,² C.-E. Wulz,² V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Bansal,⁴ L. Benucci,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ S. Luyckx,⁴ T. Maes,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ M. Selvaggi,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ R. Gonzalez Suarez,⁵ A. Kalogeropoulos,⁵ M. Maes,⁵ A. Olbrechts,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Villella,⁵ O. Charaf,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ G. H. Hammad,⁶ T. Hreus,⁶ P. E. Marage,⁶ A. Raval,⁶ L. Thomas,⁶ G. Vander Marcken,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ V. Adler,⁷ A. Cimmino,⁷ S. Costantini,⁷ M. Grunewald,⁷ B. Klein,⁷ J. Lellouch,⁷ A. Marinov,⁷ J. Mccartin,⁷ D. Ryckbosch,⁷ F. Thyssen,⁷ M. Tytgat,⁷ L. Vanelderen,⁷ P. Verwilligen,⁷ S. Walsh,⁷ N. Zaganidis,⁷ S. Basegmez,⁸ G. Bruno,⁸ J. Caudron,⁸ L. Ceard,⁸ E. Cortina Gil,⁸ J. De Favereau De Jeneret,⁸ C. Delaere,⁸ D. Favart,⁸ A. Giammanco,⁸ G. Grégoire,⁸ J. Hollar,⁸ V. Lemaitre,⁸ J. Liao,⁸ O. Militaru,⁸ C. Nuttens,⁸ S. Ovyn,⁸ D. Pagano,⁸ A. Pin,⁸ K. Piotrzkowski,⁸ N. Schul,⁸ N. Beliy,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. A. Alves,¹⁰ L. Brito,¹⁰ D. De Jesus Damiao,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. L. Aldá Júnior,¹¹ W. Carvalho,¹¹ E. M. Da Costa,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ D. Matos Figueiredo,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ V. Oguri,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ S. M. Silva Do Amaral,¹¹ A. Sznajder,¹¹ C. A. Bernardes,^{12,c} F. A. Dias,^{12,d} T. Dos Anjos Costa,^{12,c} T. R. Fernandez Perez Tomei,¹² E. M. Gregores,^{12,c} C. Lagana,¹² F. Marinho,¹² P. G. Mercadante,^{12,c} S. F. Novaes,¹² Sandra S. Padula,¹² N. Darmenov,^{13,b} V. Genchev,^{13,b} P. Iaydjiev,^{13,b} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ M. Vutova,¹³ A. Dimitrov,¹⁴ R. Hadjiiska,¹⁴ A. Karadzhinova,¹⁴ G. Sultanov, ¹⁴ V. Tcholakov, ¹⁶ R. Trayanov, ¹⁶ M. Vutova, ¹⁶ A. Dimitrov, ¹⁷ R. Hadjilska, ¹⁷ A. Karadzhinova, ¹⁷ V. Kozhuharov, ¹⁴ L. Litov, ¹⁴ M. Mateev, ¹⁴ B. Pavlov, ¹⁴ P. Petkov, ¹⁴ J. G. Bian, ¹⁵ G. M. Chen, ¹⁵ H. S. Chen, ¹⁵ C. H. Jiang, ¹⁵ D. Liang, ¹⁵ S. Liang, ¹⁵ X. Meng, ¹⁵ J. Tao, ¹⁵ J. Wang, ¹⁵ J. Wang, ¹⁵ X. Wang, ¹⁵ Z. Wang, ¹⁵ H. Xiao, ¹⁵ M. Xu, ¹⁵ J. Zang, ¹⁵ Z. Zhang, ¹⁵ Y. Ban, ¹⁶ S. Guo, ¹⁶ Y. Guo, ¹⁶ W. Li, ¹⁶ Y. Mao, ¹⁶ S. J. Qian, ¹⁶ H. Teng, ¹⁶ B. Zhu, ¹⁶ W. Zou, ¹⁶ A. Cabrera, ¹⁷ B. Gomez Moreno, ¹⁷ A. A. Ocampo Rios, ¹⁷ A. F. Osorio Oliveros, ¹⁷ J. C. Sanabria, ¹⁷ N. Godinovic, ¹⁸ D. Lelas, ¹⁸ K. Lelas, ¹⁸ R. Plestina, ^{18,e} D. Polic, ¹⁸ I. Puljak, ¹⁸ Z. Antunovic, ¹⁹ M. Dzelalija, ¹⁹ X. Mang, ¹⁹ X. Mang, ¹⁹ X. Mang, ¹⁰ X. Mang, ¹⁰ X. Mang, ¹⁰ X. Mang, ¹⁰ X. M. Bodallovie, ¹D. Belas, ¹R. Belas, ¹R. Plestal, ²D. Polic, ¹D. Paljak, ²D. Paljak, ²D. Plestaljak, ²M. Belas, ¹R. Belas, ¹R. Belas, ¹R. Belas, ¹R. Plestaljak, ²D. P. A. Razis, ²⁰S. Morovic, ²⁰A. Attikis, ²M. Galanti, ²¹J. Mousa, ²¹C. Nicolaou, ²¹F. Ptochos, ²¹P. A. Razis, ²¹M. Finger, ²²M. Finger, Jr., ²²Y. Assran, ^{23,f}A. Ellithi Kamel, ²³S. Khalil, ^{23,g}M. A. Mahmoud, ^{23,h}A. Radi, ^{23,i}A. Hektor, ²⁴M. Kadastik, ²⁴M. Müntel, ²⁴M. Raidal, ²⁴L. Rebane, ²⁴

A. Tiko,²⁴ V. Azzolini,²⁵ P. Eerola,²⁵ G. Fedi,²⁵ M. Voutilainen,²⁵ S. Czellar,²⁶ J. Härkönen,²⁶ A. Heikkinen,²⁶ V. Karimäki,²⁶ R. Kinnunen,²⁶ M. J. Kortelainen,²⁶ T. Lampén,²⁶ K. Lassila-Perini,²⁶ S. Lehti,²⁶ T. Lindén,²⁶ P. Luukka,²⁶ T. Mäenpää,²⁶ E. Tuominen,²⁶ J. Tuominiemi,²⁶ E. Tuovinen,²⁶ D. Ungaro,²⁶ L. Wendland,²⁶ K. Banzuzi,²⁷ A. Karjalainen,²⁷ A. Korpela,²⁷ T. Tuuva,²⁷ D. Sillou,²⁸ M. Besancon,²⁹ S. Choudhury,²⁹ M. Dejardin,²⁹ D. Denegri,²⁹ B. Fabbro,²⁹ J. L. Faure,²⁹ F. Ferri,²⁹ S. Ganjour,²⁹ F. X. Gentit,²⁹ A. Givernaud,²⁹ P. Gras,²⁹ G. Hamel de Monchenault,²⁹ P. Jarry,²⁹ E. Locci,²⁹ J. Malcles,²⁹ M. Marionneau,²⁹ L. Millischer,²⁹ J. Rander,²⁹ A. Rosowsky,²⁹ I. Shreyber,²⁹ M. Titov,²⁹ P. Verrecchia,²⁹ S. Baffioni,³⁰ F. Beaudette,³⁰ L. Benhabib,³⁰ J. Rander,²⁹ A. Rosowsky,²⁹ I. Shreyber,²⁹ M. Titov,²⁹ P. Verrecchia,²⁹ S. Baffioni,³⁰ F. Beaudette,³⁰ L. Benhabib,³⁰ L. Bianchini,³⁰ M. Bluj,^{30,j} C. Broutin,³⁰ P. Busson,³⁰ C. Charlot,³⁰ T. Dahms,³⁰ L. Dobrzynski,³⁰ S. Elgammal,³⁰ R. Granier de Cassagnac,³⁰ M. Haguenauer,³⁰ P. Miné,³⁰ C. Mironov,³⁰ C. Ochando,³⁰ P. Paganini,³⁰ D. Sabes,³⁰ R. Salerno,³⁰ Y. Sirois,³⁰ C. Thiebaux,³⁰ B. Wyslouch,^{30,k} A. Zabi,³⁰ J.-L. Agram,^{31,1} J. Andrea,³¹ D. Bloch,³¹ D. Bodin,³¹ J.-M. Brom,³¹ M. Cardaci,³¹ E. C. Chabert,³¹ C. Collard,³¹ E. Conte,^{31,1} F. Drouhin,^{31,1} C. Ferro,³¹ J.-C. Fontaine,^{31,1} D. Gelé,³¹ U. Goerlach,³¹ S. Greder,³¹ P. Juillot,³¹ M. Karim,^{31,1} A.-C. Le Bihan,³¹ Y. Mikami,³¹ P. Van Hove,³¹ F. Fassi,³² D. Mercier,³² C. Baty,³³ S. Beauceron,³³ N. Beaupere,³³ M. Bedjidian,³³ O. Bondu,³³ G. Boudoul,³³ D. Boumediene,³³ H. Brun,³³ J. Chasserat,³³ R. Chierici,³³ D. Contardo,³³ P. Depasse,³³ H. El Mamouni,³³ J. Fay,³³ S. Gascon,³³ B. Ille,³³ T. Kurca,³³ T. Le Grand,³³ M. Lethuillier,³³ L. Mirabito,³³ S. Paerias,³³ V. Sordini,³³ S. Tosi,³³ V. Tschudi,³³ P. Verdiar,³³ S. Viret,³³ D. Lomidza,³⁴ G. Anagnostou,³⁵ S. Perries,³³ V. Sordini,³³ S. Tosi,³³ Y. Tschudi,³³ P. Verdier,³³ S. Viret,³³ D. Lomidze,³⁴ G. Anagnostou,³⁵ S. Beranek,³⁵ M. Edelhoff,³⁵ L. Feld,³⁵ N. Heracleous,³⁵ O. Hindrichs,³⁵ R. Jussen,³⁵ K. Klein,³⁵ J. Merz,³⁵ N. Mohr,³⁵ A. Ostapchuk,³⁵ A. Perieanu,³⁵ F. Raupach,³⁵ J. Sammet,³⁵ S. Schael,³⁵ D. Sprenger,³⁵ H. Weber,³⁵ M. Weber,³⁵ B. Wittmer,³⁵ M. Ata,³⁶ E. Dietz-Laursonn,³⁶ M. Erdmann,³⁶ T. Hebbeker,³⁶ C. Heidemann,³⁶ A. Hinzmann,³⁶ K. Hoepfner,³⁶ T. Klimkovich,³⁶ D. Klingebiel,³⁶ P. Kreuzer,³⁶ D. Lanske,^{36,a} J. Lingemann,³⁶ C. Magass,³⁶ M. Merschmeyer,³⁶ A. Meyer,³⁶ P. Papacz,³⁶ H. Pieta,³⁶ H. Reithler,³⁶ S. A. Schmitz,³⁶ L. Sonnenschein,³⁶ J. Steggemann,³⁶ D. Teyssier,³⁶ M. Bontenackels,³⁷ V. Cherepanov,³⁷ M. Davids,³⁷ M. Duda,³⁷ G. Flügge,³⁷ H. Geenen,³⁷ M. Giffels,³⁷ W. Haj Ahmad,³⁷ D. Heydhausen,³⁷ F. Hoehle,³⁷ B. Kargoll,³⁷ T. Kress,³⁷ Y. Kuessel, ³⁷ A. Linn, ³⁷ A. Nowack, ³⁷ L. Perchalla, ³⁷ O. Pooth, ³⁷ J. Rennefeld, ³⁷ P. Sauerland, ³⁷ A. Stahl, ³⁷ D. Tornier, ³⁷ M. H. Zoeller, ³⁷ M. Aldaya Martin, ³⁸ W. Behrenhoff, ³⁸ U. Behrens, ³⁸ M. Bergholz, ^{38,m} A. Bethani, ³⁸ K. Borras, ³⁸ A. Cakir, ³⁸ A. Campbell, ³⁸ E. Castro, ³⁸ D. Dammann, ³⁸ G. Eckerlin, ³⁸ D. Eckstein, ³⁸ A. Flossdorf, ³⁸ G. Flucke, ³⁸ A. Geiser, ³⁸ J. Hauk, ³⁸ H. Jung, ^{38,b} M. Kasemann, ³⁸ P. Katsas, ³⁸ C. Kleinwort, ³⁸ H. Kluge, ³⁸ A. Cakir, ³⁸ A. Geiser, ³⁹ J. Hauk, ³⁸ H. Jung, ^{38,b} M. Kasemann, ³⁸ P. Katsas, ³⁸ C. Kleinwort, ³⁸ H. Kluge, ³⁸ A. Cakir, ³⁹ A. Cakir, ³⁹ J. Hauk, ³⁸ H. Jung, ^{38,b} M. Kasemann, ³⁸ P. Katsas, ³⁸ C. Kleinwort, ³⁸ H. Kluge, ³⁸ A. Cakir, ³⁹ A. Cakir, ³⁹ J. Hauk, ³⁸ H. Jung, ^{38,b} M. Kasemann, ³⁰ P. Katsas, ³⁸ C. Kleinwort, ³⁸ H. Kluge, ³⁸ A. Cakir, ³⁹ A. Cakir, ³⁰ A. Caki A. Knutsson,³⁸ M. Krämer,³⁸ D. Krücker,³⁸ E. Kuznetsova,³⁸ W. Lange,³⁸ W. Lohmann,^{38,m} R. Mankel,³⁸ M. Marienfeld,³⁸ I.-A. Melzer-Pellmann,³⁸ A. B. Meyer,³⁸ J. Mnich,³⁸ A. Mussgiller,³⁸ J. Olzem,³⁸ A. Petrukhin,³⁸ M. Martenfeld, T.-A. Melzer-refinant, A. B. Meyer, J. Minch, A. Mussgirer, J. Olzen, A. Ferdkinn, D. Pitzl,³⁸ A. Raspereza,³⁸ M. Rosin,³⁸ R. Schmidt,^{38,m} T. Schoerner-Sadenius,³⁸ N. Sen,³⁸ A. Spiridonov,³⁸
M. Stein,³⁸ J. Tomaszewska,³⁸ R. Walsh,³⁸ C. Wissing,³⁸ C. Autermann,³⁹ V. Blobel,³⁹ S. Bobrovskyi,³⁹ J. Draeger,³⁹ H. Enderle,³⁹ U. Gebbert,³⁹ M. Görner,³⁹ T. Hermanns,³⁹ K. Kaschube,³⁹ G. Kaussen,³⁹ H. Kirschenmann,³⁹ R. Klanner,³⁹ J. Lange,³⁹ B. Mura,³⁹ S. Naumann-Emme,³⁹ F. Nowak,³⁹ N. Pietsch,³⁹ C. Sander,³⁹ H. Schettler,³⁹ (1998) P. Schleper,³⁹ E. Schlieckau,³⁹ M. Schröder,³⁹ T. Schum,³⁹ H. Stadie,³⁹ G. Steinbrück,³⁹ J. Thomsen,³⁹ C. Barth,⁴⁰ J. Bauer,⁴⁰ J. Berger,⁴⁰ V. Buege,⁴⁰ T. Chwalek,⁴⁰ W. De Boer,⁴⁰ A. Dierlamm,⁴⁰ G. Dirkes,⁴⁰ M. Feindt,⁴⁰ J. Bauer, ⁴⁰ J. Berger, ⁶⁰ V. Buege, ⁴⁰ T. Chwalek, ⁴⁰ W. De Boer, ⁴⁰ A. Dierlamm, ⁴⁰ G. Dirkes, ⁴⁰ M. Feindt, ⁴⁰
J. Gruschke, ⁴⁰ C. Hackstein, ⁴⁰ F. Hartmann, ⁴⁰ M. Heinrich, ⁴⁰ H. Held, ⁴⁰ K. H. Hoffmann, ⁴⁰ S. Honc, ⁴⁰ I. Katkov, ⁴⁰, ⁴⁰
J. R. Komaragiri, ⁴⁰ T. Kuhr, ⁴⁰ D. Martschei, ⁴⁰ S. Mueller, ⁴⁰ Th. Müller, ⁴⁰ M. Niegel, ⁴⁰ O. Oberst, ⁴⁰ A. Oehler, ⁴⁰
J. Ott, ⁴⁰ T. Peiffer, ⁴⁰ G. Quast, ⁴⁰ K. Rabbertz, ⁴⁰ F. Ratnikov, ⁴⁰ N. Ratnikova, ⁴⁰ M. Renz, ⁴⁰ C. Saout, ⁴⁰ A. Scheurer, ⁴⁰
P. Schieferdecker, ⁴⁰ F.-P. Schilling, ⁴⁰ G. Schott, ⁴⁰ H. J. Simonis, ⁴⁰ F. M. Stober, ⁴⁰ D. Troendle, ⁴⁰ J. Wagner-Kuhr, ⁴⁰
T. Weiler, ⁴⁰ M. Zeise, ⁴⁰ V. Zhukov, ^{40,n} E. B. Ziebarth, ⁴⁰ G. Daskalakis, ⁴¹ T. Geralis, ⁴¹ S. Kesisoglou, ⁴¹ A. Kyriakis, ⁴¹
D. Loukas, ⁴¹ I. Manolakos, ⁴¹ A. Markou, ⁴¹ C. Markou, ⁴¹ C. Mavrommatis, ⁴¹ E. Ntomari, ⁴¹ E. Petrakou, ⁴¹
L. Gouskos, ⁴² T. J. Mertzimekis, ⁴² A. Panagiotou, ⁴² N. Saoulidou, ⁴² E. Stiliaris, ⁴² I. Evangelou, ⁴³ C. Foudas, ⁴³
P. Kokkas, ⁴³ N. Manthes, ⁴³ L. Panadonoulos, ⁴³ V. Patras, ⁴³ F. A. Triantis, ⁴³ A. Arguvi, ⁴⁴ C. Pargere, ⁴⁴ L. Baldireer, ⁴⁴ L. Gouskos,⁴² T. J. Mertzimekis,⁴² A. Panagiotou,⁴² N. Saoulidou,⁴² E. Stiliaris,⁴² I. Evangelou,⁴³ C. Foudas,⁴³
P. Kokkas,⁴³ N. Manthos,⁴³ I. Papadopoulos,⁴³ V. Patras,⁴³ F. A. Triantis,⁴³ A. Aranyi,⁴⁴ G. Bencze,⁴⁴ L. Boldizsar,⁴⁴ C. Hajdu,^{44,b} P. Hidas,⁴⁴ D. Horvath,^{44,o} A. Kapusi,⁴⁴ K. Krajczar,^{44,p} F. Sikler,^{44,b} G. I. Veres,^{44,p}
G. Vesztergombi,^{44,p} N. Beni,⁴⁵ J. Molnar,⁴⁵ J. Palinkas,⁴⁵ Z. Szillasi,⁴⁵ V. Veszpremi,⁴⁵ P. Raics,⁴⁶ Z. L. Trocsanyi,⁴⁶ B. Ujvari,⁴⁶ S. B. Beri,⁴⁷ V. Bhatnagar,⁴⁷ N. Dhingra,⁴⁷ R. Gupta,⁴⁷ M. Jindal,⁴⁷ M. Kaur,⁴⁷ J. M. Kohli,⁴⁷ M. Z. Mehta,⁴⁷ N. Nishu,⁴⁷ L. K. Saini,⁴⁷ A. Sharma,⁴⁷ A. P. Singh,⁴⁷ J. Singh,⁴⁷ S. P. Singh,⁴⁷ S. Ahuja,⁴⁸ B. C. Choudhary,⁴⁸ P. Gupta,⁴⁸ A. Kumar,⁴⁸ A. Kumar,⁴⁸ S. Malhotra,⁴⁸ M. Naimuddin,⁴⁸ K. Ranjan,⁴⁸ R. K. Shivpuri,⁴⁸ S. Banerjee,⁴⁹ S. Bhattacharya,⁴⁹ S. Dutta,⁴⁹ B. Gomber,⁴⁹ S. Jain,⁴⁹ S. Jain,⁴⁹ R. K. Choudhury,⁵⁰ D. Dutta,⁵⁰ S. Kailas,⁵⁰ V. Kumar,⁵⁰ P. Mehta,⁵⁰ A. K. Mohanty,^{50,b} L. M. Pant,⁵⁰ P. Shukla,⁵⁰ T. Aziz,⁵¹ M. Guchait,^{51,q} A. Gurtu,⁵¹ M. Maity,^{51,r} D. Maiumder,⁵¹ G. Maiumder,⁵¹ K. Mazumdar,⁵¹ P. Shukla,⁵⁰ T. Aziz,⁵¹ M. Guchait,^{51,q} A. Gurtu,⁵¹ M. Maity,^{51,r} D. Majumder,⁵¹ G. Majumder,⁵¹ K. Mazumdar,⁵¹

G. B. Mohanty,⁵¹ A. Saha,⁵¹ K. Sudhakar,⁵¹ N. Wickramage,⁵¹ S. Banerjee,⁵² S. Dugad,⁵² N. K. Mondal,⁵² H. Arfaei,⁵³ H. Bakhshiansohi,^{53,s} S. M. Etesami,^{53,t} A. Fahim,^{53,s} M. Hashemi,⁵³ H. Hesari,⁵³ A. Jafari,^{53,s} M. Khakzad,⁵³ A. Mohammadi,^{53,u} M. Mohammadi Najafabadi,⁵³ S. Paktinat Mehdiabadi,⁵³ B. Safarzadeh,⁵³ M. Khazzad, A. Mohammadi, M. Mohammadi Aqarabadi, S. Fakthat Mendiabadi, B. Satarzaden, M. Zeinali, ^{53,t} M. Abbrescia, ^{54a,54b} L. Barbone, ^{54a,54b} C. Calabria, ^{54a,54b} A. Colaleo, ^{54a} D. Creanza, ^{54a,54c} N. De Filippis, ^{54a,54c} M. De Palma, ^{54a,54b} L. Fiore, ^{54a} G. Iaselli, ^{54a,54c} L. Lusito, ^{54a,54b} G. Maggi, ^{54a,54c} M. Maggi, ^{54a,54b} B. Marangelli, ^{54a,54b} S. My, ^{54a,54c} S. Nuzzo, ^{54a,54b} N. Pacifico, ^{54a,54b} G. A. Pierro, ^{54a} A. Pompili, ^{54a,54b} G. Pugliese, ^{54a,54c} F. Romano, ^{54a,54c} G. Roselli, ^{54a,54b} G. Selvaggi, ^{54a,54b} L. Silvestris, ^{54a} R. Trentadue, ^{54a} S. Tupputi, ^{54a,54b} G. Zito, ^{54a} G. Abbiendi, ^{55a} A. C. Benvenuti, ^{55a} D. Bonacorsi, ^{55a} S. Braibant-Giacomelli, ^{55a,55b} L. Brigliadori, ^{55a} P. Capiluppi, ^{55a,55b} A. Castro, ^{55a,55b} F. R. Cavallo, ^{55a} M. Cuffiani, ^{55a,55b} G. M. Dallavalle, ^{55a} F. Fabbri, ^{55a} A. Fanfani, ^{55a,55b} D. Fasanella, ^{55a} P. Giacomelli, ^{55a} M. Giunta,^{55a} C. Grandi,^{55a} S. Marcellini,^{55a} G. Masetti,^{55b} M. Meneghelli,^{55a,55b} A. Montanari,^{55a} F. L. Navarria,^{55a,55b} F. Odorici,^{55a} A. Perrotta,^{55a} F. Primavera,^{55a} A. M. Rossi,^{55a,55b} T. Rovelli,^{55a,55b} G. Siroli,^{55a,55b} R. Travaglini,^{55a,55b} S. Albergo,^{56a,56b} G. Cappello,^{56a,56b} M. Chiorboli,^{56a,56b} S. Costa,^{56a,56b} R. Potenza,^{56a,56b} A. Tricomi,^{56a,56b} C. Tuve,^{56a,56b} G. Barbagli,^{57a} V. Ciulli,^{57a,57b} C. Civinini,^{57a} R. D'Alessandro,^{57a,57b} E. Focardi,^{57a,57b} S. Frosali,^{57a,57b} E. Gallo,^{57a} S. Gonzi,^{57a,57b} P. Lenzi,^{57a,57b} M. Meschini,^{57a} S. Paoletti,^{57a} G. Sguazzoni,^{57a} A. Tropiano,^{57a,b} L. Benussi,⁵⁸ S. Bianco,⁵⁸ S. Colafranceschi,^{58,v} F. Fabbri,⁵⁸ D. Piccolo,⁵⁸ P. Fabbricatore,⁵⁹ R. Musenich,⁵⁹ A. Benaglia,^{60a,60b} F. De Guio,^{60a,60b,b} L. Di Matteo,^{60a,60b} S. Gennai,^{60a,b} A. Ghezzi,^{60a,60b} S. Malvezzi,^{60a} A. Martelli,^{60a,60b} A. Massironi,^{60a,60b} D. Menasce,^{60a} L. Moroni,^{60a} M. Paganoni,^{60a,60b} D. Pedrini,^{60a} S. Ragazzi,^{60a,60b} N. Redaelli,^{60a} S. Sala,^{60a} T. Tabarelli de Fatis,^{60a,60b} S. Buontempo,^{61a} C. A. Carrillo Montoya,^{61a,b} N. Cavallo,^{61a,w} A. De Cosa,^{61a,61b} F. Fabozzi,^{61a,w} A. O. M. Iorio,^{61a,b} L. Lista,^{61a} M. Merola,^{61a,61b} P. Paolucci,^{61a} P. Azzi,^{62a} N. Bacchetta,^{62a} P. Bellan, ^{62a,62b} D. Bisello, ^{62a,62b} A. Branca, ^{62a} R. Carlin, ^{62a,62b} P. Checchia, ^{62a} T. Dorigo, ^{62a} U. Dosselli, ^{62a}
F. Fanzago, ^{62a} F. Gasparini, ^{62a,62b} U. Gasparini, ^{62a,62b} A. Gozzelino, ^{62a} S. Lacaprara, ^{62a} I. Lazzizzera, ^{62a,62c} r. ranzago, r. Gasparini, ^{62a,62b} U. Gasparini,^{62a,62b} M. Gozzelino,^{62a,62b} L. Perrozzi,^{62a,b} N. Pozzobon,^{62a,62b} P. Ronchese,^{62a,62b} F. Simonetto,^{62a,62b} E. Torassa,^{62a} M. Tosi,^{62a,62b} S. Vanini,^{62a,62b} P. Zotto,^{62a,62b} G. Zumerle,^{62a,62b} P. Baesso,^{63a,63b} U. Berzano,^{63a} S. P. Ratti,^{63a,63b} C. Riccardi,^{63a,63b} P. Torre,^{63a,63b} P. Vitulo,^{63a,63b} C. Viviani,^{63a,63b} M. Biasini,^{64a,64b} G. M. Bilei,^{64a} B. Caponeri,^{64a,64b} L. Fanò,^{64a,64b} P. Lariccia,^{64a,64b} A. Lucaroni, ^{64a,64b,b} G. Mantovani, ^{64a,64b} M. Menichelli, ^{64a} A. Nappi, ^{64a,64b} F. Romeo, ^{64a,64b} A. Santocchia, ^{64a,64b} S. Taroni, ^{64a,64b,b} M. Valdata, ^{64a,64b} P. Azzurri, ^{65a,65c} G. Bagliesi, ^{65a} J. Bernardini, ^{65a,65b} T. Boccali, ^{65a} S. Taroni,^{64a,64b,b} M. Valdata,^{64a,64b} P. Azzurri,^{65a,65c} G. Bagliesi,^{65a} J. Bernardini,^{65a,65b} T. Boccali,^{65a}
G. Broccolo,^{65a,65c} R. Castaldi,^{65a} R. T. D'Agnolo,^{65a,65c} R. Dell'Orso,^{65a} F. Fiori,^{65a,65b} L. Foà,^{65a,65c} A. Giassi,^{65a}
A. Kraan,^{65a} F. Ligabue,^{65a,65c} T. Lomtadze,^{65a} L. Martini,^{65a,x} A. Messineo,^{65a,65b} F. Palla,^{65a} F. Palmonari,^{65a}
G. Segneri,^{65a} A. T. Serban,^{65a} P. Spagnolo,^{65a} R. Tenchini,^{65a} G. Tonelli,^{65a,65b,b} A. Venturi,^{65a,b} P. G. Verdini,^{65a}
L. Barone,^{66a,66b} F. Cavallari,^{66a} D. Del Re,^{66a,66b} E. Di Marco,^{66a,66b} M. Diemoz,^{66a} D. Franci,^{66a,66b} M. Grassi,^{66a,66b}
E. Longo,^{66a,66b} P. Meridiani,^{66a} S. Nourbakhsh,^{66a} G. Organtini,^{66a,66b} F. Pandolfi,^{66a,66b,b} R. Paramatti,^{66a}
S. Rahatlou,^{66a,66b} M. Sigamani,^{66a} N. Amapane,^{67a,67b} R. Arcidiacono,^{67a,67c} S. Argiro,^{67a,67b} M. Arneodo,^{67a,67c}
C. Biino,^{67a} C. Botta,^{67a,67b,b} N. Cartiglia,^{67a} R. Castello,^{67a,67b} M. Costa,^{67a,67b} M. Demaria,^{67a} A. Graziano,^{67a,67c} N. Pastrone,^{67a} M. Pelliccioni,^{67a,67b} A. Potenza,^{67a,67b} A. Romero,^{67a,67b} M. Ruspa,^{67a,67c} R. Sacchi,^{67a,67b} V. Sola,^{67a,67b} A. Solano,^{67a,67b} A. Solano,^{67a,67b} A. Staiano,^{67a} A. Vilela Pereira,^{67a} S. Belforte,^{68a} F. Cossutti,^{68a}
G. Della Ricca,^{68a,68b} B. Gobbo,^{68a} M. Marone,^{68a,68b} D. Montanino,^{68a,68b} A. Penzo,^{68a} S. G. Heo,⁶⁹ S. K. Nam,⁶⁹ V. Sola, O'Aloro A. Solano, O'Aloro A. Statano, O'A A. Vilela Peretra, O'A S. Belforte, O'A F. Cossutti, O'A
G. Della Ricca, ^{68a,68b} B. Gobbo, ^{68a} M. Marone, ^{68a,68b} D. Montanino, ^{68a,68b} A. Penzo, ^{68a} S. G. Heo, ⁶⁹ S. K. Nam, ⁶⁹ S. Chang, ⁷⁰ J. Chung, ⁷⁰ D. H. Kim, ⁷⁰ G. N. Kim, ⁷⁰ J. E. Kim, ⁷⁰ D. J. Kong, ⁷⁰ H. Park, ⁷⁰ S. R. Ro, ⁷⁰ D. C. Son, ⁷⁰ T. Son, ⁷⁰ J. Y. Kim, ⁷¹ Zero J. Kim, ⁷¹ S. Song, ⁷¹ H. Y. Jo, ⁷² S. Choi, ⁷³ D. Gyun, ⁷³ B. Hong, ⁷³ M. Jo, ⁷³ H. Kim, ⁷³ J. H. Kim, ⁷³ T. J. Kim, ⁷³ K. S. Lee, ⁷³ D. H. Moon, ⁷³ S. K. Park, ⁷³ E. Seo, ⁷³ K. S. Sim, ⁷³ M. Choi, ⁷⁴ S. Kang, ⁷⁴ H. Kim, ⁷⁴ C. Park, ⁷⁴ I. C. Park, ⁷⁴ S. Park, ⁷⁴ G. Ryu, ⁷⁴ Y. Cho, ⁷⁵ Y. Choi, ⁷⁵ Y. K. Choi, ⁷⁵ J. Goh, ⁷⁵ M. S. Kim, ⁷⁵ B. Lee, ⁷⁵ J. Lee, ⁷⁵ S. Lee, ⁷⁵ H. Seo, ⁷⁵ I. Yu, ⁷⁵ M. J. Bilinskas, ⁷⁶ I. Grigelionis, ⁷⁶ M. Janulis, ⁷⁶ D. Martisiute, ⁷⁶ T. S. Lee, ⁷⁶ T. S. Lee, ⁷⁵ H. Seo, ⁷⁵ H. Seo, ⁷⁵ H. Seo, ⁷⁷ H. J. Kim, ⁷⁴ C. Park, ⁷⁴ L. C. Park, ⁷⁴ G. Ryu, ⁷⁴ Y. Cho, ⁷⁵ P. L. C. Park, ⁷⁴ L. C. Park, ⁷⁴ S. Park, ⁷⁴ G. Ryu, ⁷⁴ Y. Cho, ⁷⁵ Y. Choi, ⁷⁵ M. J. Janulis, ⁷⁶ D. Martisiute, ⁷⁶ B. Lee, ⁷⁵ J. Lee, ⁷⁵ K. Lee, ⁷⁵ H. Seo, ⁷⁵ I. Yu, ⁷⁵ M. J. Bilinskas, ⁷⁶ I. Grigelionis, ⁷⁶ M. Janulis, ⁷⁶ D. Martisiute, ⁷⁶ B. Lee, ⁷⁶ M. D. Lee, ⁷⁶ T. S. Lee, ⁷⁶ T. S. Lee, ⁷⁷ H. Y. ⁷⁴ H. ⁷⁷ F. D. L. ⁷⁷ K. ⁷⁷ H. ⁷⁷ K. ⁷⁷ K. ⁷⁷ K. ⁷⁷ K. ⁷⁷ K. ⁷⁸ K. ⁷⁸ K. ⁷⁸ K. ⁷⁹ K. ⁷⁹ K. ⁷⁹ K. ⁷⁹ K. ⁷⁹ K. ⁷⁹ K. ⁷⁰ K P. Petrov,⁷⁶ M. Polujanskas,⁷⁶ T. Sabonis,⁷⁶ H. Castilla-Valdez,⁷⁷ E. De La Cruz-Burelo,⁷⁷ I. Heredia-de La Cruz,⁷⁷ R. Lopez-Fernandez,⁷⁷ R. Magaña Villalba,⁷⁷ J. Martínez-Ortega,⁷⁷ A. Sánchez-Hernández,⁷⁷ L. M. Villasenor-Cendejas,⁷⁷ S. Carrillo Moreno,⁷⁸ F. Vazquez Valencia,⁷⁸ H. A. Salazar Ibarguen,⁷⁹ E. Casimiro Linares,⁸⁰ A. Morelos Pineda,⁸⁰ M. A. Reyes-Santos,⁸⁰ D. Krofcheck,⁸¹ J. Tam,⁸¹ P. H. Butler,⁸²
R. Doesburg,⁸² H. Silverwood,⁸² M. Ahmad,⁸³ I. Ahmed,⁸³ M. H. Ansari,⁸³ M. I. Asghar,⁸³ H. R. Hoorani,⁸³
S. Khalid,⁸³ W. A. Khan,⁸³ T. Khurshid,⁸³ S. Qazi,⁸³ M. A. Shah,⁸³ M. Shoaib,⁸³ G. Brona,⁸⁴ M. Cwiok,⁸⁴

W. Dominik,⁸⁴ K. Doroba,⁸⁴ A. Kalinowski,⁸⁴ M. Konecki,⁸⁴ J. Krolikowski,⁸⁴ T. Frueboes,⁸⁵ R. Gokieli,⁸⁵ W. Dominik,^{o+} K. Doroba,^{o+} A. Kalinowski,⁸⁴ M. Konecki,⁸⁴ J. Krolikowski,⁸⁴ T. Frueboes,⁸⁵ R. Gokieli,⁸⁵
M. Górski,⁸⁵ M. Kazana,⁸⁵ K. Nawrocki,⁸⁵ K. Romanowska-Rybinska,⁸⁵ M. Szleper,⁸⁵ G. Wrochna,⁸⁵ P. Zalewski,⁸⁵
N. Almeida,⁸⁶ P. Bargassa,⁸⁶ A. David,⁸⁶ P. Faccioli,⁸⁶ P. G. Ferreira Parracho,⁸⁶ M. Gallinaro,^{86,b} P. Musella,⁸⁶
A. Nayak,⁸⁶ J. Pela,^{86,b} P. Q. Ribeiro,⁸⁶ J. Seixas,⁸⁶ J. Varela,⁸⁶ S. Afanasiev,⁸⁷ I. Belotelov,⁸⁷ P. Bunin,⁸⁷
M. Gavrilenko,⁸⁷ I. Golutvin,⁸⁷ A. Kamenev,⁸⁷ V. Karjavin,⁸⁷ G. Kozlov,⁸⁷ A. Lanev,⁸⁷ P. Moisenz,⁸⁷ V. Palichik,⁸⁷
V. Perelygin,⁸⁷ S. Shmatov,⁸⁷ V. Smirnov,⁸⁷ A. Volodko,⁸⁷ A. Zarubin,⁸⁷ V. Golovtsov,⁸⁸ Y. Ivanov,⁸⁸ V. Kim,⁸⁸
P. Levchenko,⁸⁸ V. Murzin,⁸⁸ V. Oreshkin,⁸⁸ I. Smirnov,⁸⁸ V. Sulimov,⁸⁸ L. Uvarov,⁸⁸ S. Vavilov,⁸⁸ A. Vorobyev,⁸⁸
An. Vorobyev,⁸⁸ Yu. Andreev,⁸⁹ A. Dermenev,⁸⁹ S. Gninenko,⁸⁹ N. Golubev,⁸⁹ M. Kirsanov,⁸⁹ N. Krasnikov,⁸⁹
V. Matveev,⁸⁹ A. Pashenkov,⁸⁹ A. Toropin,⁸⁹ S. Troitsky,⁸⁹ V. Epshteyn,⁹⁰ M. Erofeeva,⁹⁰ V. Gavrilov,⁹⁰
V. Kaftanov,^{90,a} M. Kossov,^{90,b} A. Krokhotin,⁹⁰ N. Lychkovskava,⁹⁰ V. Popov,⁹⁰ C. Safronov,⁹⁰ S. Samanov,⁹⁰ V. Kaftanov,^{90,a} M. Kossov,^{90,b} A. Krokhotin,⁹⁰ N. Lychkovskaya,⁹⁰ V. Popov,⁹⁰ G. Safronov,⁹⁰ S. Semenov,⁹⁰ V. Stolin,⁹⁰ E. Vlasov,⁹⁰ A. Zhokin,⁹⁰ A. Belyaev,⁹¹ E. Boos,⁹¹ M. Dubinin,^{91,d} L. Dudko,⁹¹ A. Gribushin,⁹¹ V. Klyukhin,⁹¹ O. Kodolova,⁹¹ I. Lokhtin,⁹¹ A. Markina,⁹¹ S. Obraztsov,⁹¹ M. Perfilov,⁹¹ S. Petrushanko,⁹¹ L. Sarycheva,⁹¹ V. Savrin,⁹¹ A. Snigirev,⁹¹ V. Andreev,⁹² M. Azarkin,⁹² I. Dremin,⁹² M. Kirakosyan,⁹² L. Sarycheva, ⁹¹ V. Savrin, ⁹¹ A. Snigirev, ⁹¹ V. Andreev, ⁹² M. Azarkin, ⁹² I. Dremin, ⁹² M. Kirakosyan, ⁹² A. Leonidov, ⁹² G. Mesyats, ⁹² S. V. Rusakov, ⁹² A. Vinogradov, ⁹² I. Azhgirey, ⁹³ I. Bayshev, ⁹³ S. Bitioukov, ⁹³ V. Grishin, ^{93,b} V. Kachanov, ⁹³ D. Konstantinov, ⁹³ A. Korablev, ⁹³ V. Krychkine, ⁹³ V. Petrov, ⁹³ R. Ryutin, ⁹³ A. Sobol, ⁹³ L. Tourtchanovitch, ⁹³ S. Troshin, ⁹³ N. Tyurin, ⁹³ A. Uzunian, ⁹³ A. Volkov, ⁹³ P. Adzic, ^{94,y} M. Djordjevic, ⁹⁴ D. Krpic, ^{94,y} J. Milosevic, ⁹⁴ M. Aguilar-Benitez, ⁹⁵ J. Alcaraz Maestre, ⁹⁵ P. Arce, ⁹⁵ C. Battilana, ⁹⁵ E. Calvo, ⁹⁵ M. Cerrada, ⁹⁵ M. Chamizo Llatas, ⁹⁵ N. Colino, ⁹⁵ B. De La Cruz, ⁹⁵ A. Delgado Peris, ⁹⁵ C. Diez Pardos, ⁹⁵ D. Domínguez Vázquez, ⁹⁵ C. Fernandez Bedoya, ⁹⁵ J. P. Fernández Ramos, ⁹⁵ A. Ferrando, ⁹⁵ J. Flix, ⁹⁵ M. C. Fouz, ⁹⁵ P. Garcia-Abia, ⁹⁵ O. Gonzalez Lopez, ⁹⁵ S. Goy Lopez, ⁹⁵ J. M. Hernandez, ⁹⁵ M. I. Josa, ⁹⁵ G. Merino, ⁹⁵ J. Puerta Pelayo, ⁹⁵ I. Redondo, ⁹⁵ J. Santaolalla, ⁹⁵ M. S. Soares, ⁹⁷ L. Gonzalez Caballero, ⁹⁷ J. Gonzalez Caballero, ⁹⁷ J. Fernandez Menendez, ⁹⁷ S. Folgueras, ⁹⁷ L. Gonzalez Caballero, ⁹⁷ J. Puerta Pelayo, ⁹⁵ L. Rodondo, ⁹⁵ L. Romero, ⁹⁵ J. Santaolalla, ⁹⁵ M. S. Soares, ⁹⁵ C. Willmott, ⁹⁵ C. Albajar, ⁹⁶
G. Codispoti, ⁹⁶ J. F. de Trocóniz, ⁹⁶ J. Cuevas, ⁹⁷ J. Fernandez Menendez, ⁹⁷ S. Folgueras, ⁹⁷ I. Gonzalez Caballero, ⁹⁷
L. Lloret Iglesias, ⁹⁷ J. M. Vizan Garcia, ⁹⁷ J. A. Brochero Cifuentes, ⁹⁸ I. J. Cabrillo, ⁹⁸ A. Calderon, ⁹⁸ S. H. Chuang, ⁹⁸
J. Duarte Campderros, ⁹⁸ M. Felcini, ⁹⁸z. M. Fernandez, ⁹⁸ G. Gomez, ⁹⁸ J. Gonzalez Sanchez, ⁹⁸ C. Jorda, ⁹⁸
P. Lobelle Pardo, ⁹⁸ A. Lopez Virto, ⁹⁸ J. Marco, ⁹⁸ R. Marco, ⁹⁸ C. Martinez Rivero, ⁹⁸ F. Matorras, ⁹⁸
F. J. Munoz Sanchez, ⁹⁸ J. Piedra Gomez, ⁹⁸a. T. Rodrigo, ⁹⁸ A. Y. Rodríguez-Marrero, ⁹⁸ A. Ruiz-Jimeno, ⁹⁸
L. Scodellaro, ⁹⁸ M. Sobron Sanudo, ⁹ I. Vila, ⁹⁸ R. Vilar Cortabitarte, ⁹⁸ D. Abbaneo, ⁹⁹ E. Auffray, ⁹⁹ G. Auzinger, ⁹⁹
P. Baillon, ⁹⁹ A. H. Ball, ⁹⁰ D. Barney, ⁹⁹ A. J. Bell, ^{99,bb} D. Benedetti, ⁹⁰ C. Bernet, ^{99,c} W. Bialas, ⁹⁹ P. Bloch, ⁹⁹
A. Bocci, ⁹⁹ S. Bolognesi, ⁹⁹ M. Bona, ⁹⁰ H. Breuker, ⁹⁰ K. Bunkowski, ⁹⁰ T. Camporesi, ⁹⁹ G. Cerminara, ⁹⁹
T. Christiansen, ⁹⁹ J. A. Coarasa Perez, ⁹⁹ B. Curé, ⁹⁰ D. D'Enterria, ⁹⁰ A. De Roeck, ⁹⁰ S. Di Guida, ⁹⁰
N. Dupont-Sagorin, ⁹⁰ A. Elliott-Peisert, ⁹⁹ B. Frisch, ⁹⁹ W. Funk, ⁹⁰ A. Gaddi, ⁹⁰ G. Georgiou, ⁹⁹ H. Gerwig, ⁹⁹
D. Gigi, ⁹⁹ K. Gill, ⁹⁰ D. Giordano, ⁹⁰ F. Glege, ⁹⁰ R. Gomez-Reino Garrido, ⁹⁰ M. Gouzevitch, ⁹⁰ P. Govoni, ⁹⁰
S. Gowdy, ⁹⁰ R. Guida, ⁹⁰ L. Guiducci, ⁹⁰ M. Hansen, ⁹⁰ C. Hartl, ⁹⁰ J. Harvey, ⁹⁰ J. Hegeman, ⁹⁰ B. Hegner, ⁹⁰
M. Malberti, ⁹⁰ M. Mannelli, ⁹⁰ L. Masetti, ⁹⁰ A. Maurisset, ⁹⁰ F. Meijers, ⁹⁰ S. Mersi, ⁹⁰ E. Meschi, ⁹⁹
M. Malberti, ⁹⁰ M. U. Mozer, ⁹⁰ M. Mulders, ⁹⁰ E. Nesvold, ⁹⁰ M. Nguyen, ⁹⁰ T. Orimoto, ⁹¹ L. Orsini, ⁹⁹
E. Pale E. Palencia Cortezon,⁹⁹ E. Perez,⁹⁹ A. Petrilli,⁹⁹ A. Pfeiffer,⁹⁹ M. Pierini,⁹⁹ M. Pimiä,⁹⁹ D. Piparo,⁹⁹ G. Polese,⁹⁹ L. Quertenmont,⁹⁹ A. Racz,⁹⁹ W. Reece,⁹⁹ J. Rodrigues Antunes,⁹⁹ G. Rolandi,^{99,cc} T. Rommerskirchen,⁹⁹ C. Rovelli,^{99,dd} M. Rovere,⁹⁹ H. Sakulin,⁹⁹ C. Schäfer,⁹⁹ C. Schwick,⁹⁹ I. Segoni,⁹⁹ A. Sharma,⁹⁹ P. Siegrist,⁹⁹ P. Silva,⁹⁹ M. Simon,⁹⁹ P. Sphicas,^{99,ec} D. Spiga,⁹⁹ M. Spiropulu,^{99,d} M. Stoye,⁹⁹ A. Tsirou,⁹⁹ P. Vichoudis,⁹⁹ H. K. Wöhri,⁹⁹ S. D. Worm,⁹⁹ W. D. Zeuner,⁹⁹ W. Bertl,¹⁰⁰ K. Deiters,¹⁰⁰ W. Erdmann,¹⁰⁰ K. Gabathuler,¹⁰⁰ R. Horisberger,¹⁰⁰ Q. Ingram,¹⁰⁰ H. C. Kaestli,¹⁰⁰ S. König,¹⁰⁰ D. Kotlinski,¹⁰⁰ U. Langenegger,¹⁰⁰ F. Meier,¹⁰⁰ D. Renker,¹⁰⁰ T. Rohe,¹⁰⁰ J. Sibille,^{100,ff} L. Bäni,¹⁰¹ P. Bortignon,¹⁰¹ L. Caminada,^{101,gg} B. Casal,¹⁰¹ N. Chanon,¹⁰¹ Z. Chen,¹⁰¹ S. Cittolin,¹⁰¹ G. Dissertori,¹⁰¹ M. Dittmar,¹⁰¹ J. Eugster,¹⁰¹ K. Freudenreich,¹⁰¹ C. Grab,¹⁰¹ W. Hintz,¹⁰¹ P. Lecomte,¹⁰¹ W. Lustermann,¹⁰¹ C. Marchica,^{101,gg} P. Martinez Ruiz del Arbol,¹⁰¹ P. Milenovic,^{101,hh} F. Moortgat,¹⁰¹ C. Nägeli,^{101,gg} P. Nef,¹⁰¹ F. Nessi-Tedaldi,¹⁰¹ L. Pape,¹⁰¹ F. Pauss,¹⁰¹ T. Punz,¹⁰¹ A. Rizzi,¹⁰¹ M. Takahashi,¹⁰¹ L. Tauscher,¹⁰¹ A. K. Sanchez,¹⁰¹ M.-C. Sawley,¹⁰¹ A. Starodumov,^{101,ii} B. Stieger,¹⁰¹ M. Weber,¹⁰¹ L. Wehrli,¹⁰¹ J. Weng,¹⁰¹ E. Aguilo,¹⁰² C. Amsler,¹⁰² V. Chiochia,¹⁰² S. De Visscher,¹⁰² C. Favaro,¹⁰² M. Ivova Rikova,¹⁰² A. Jaeger,¹⁰² B. Millan Mejias,¹⁰² P. Otiougova,¹⁰² P. Robmann,¹⁰³ A. Schmidt,¹⁰² H. Snoek,¹⁰³ Y. H. Chang,¹⁰³ K. H. Chen,¹⁰³ C. M. Kuo,¹⁰³ S. W. Li,¹⁰³ W. Lin,¹⁰³ Z. K. Liu,¹⁰³ Y. J. Lu,¹⁰³ D. Mekterovic,¹⁰³

R. Volpe,¹⁰³ S. S. Yu,¹⁰³ P. Bartalini,¹⁰⁴ P. Chang,¹⁰⁴ Y. H. Chang,¹⁰⁴ Y. W. Chang,¹⁰⁴ Y. Chao,¹⁰⁴ K. F. Chen,¹⁰⁴ W.-S. Hou,¹⁰⁴ Y. Hsiung,¹⁰⁴ K. Y. Kao,¹⁰⁴ Y. J. Lei,¹⁰⁴ R.-S. Lu,¹⁰⁴ J. G. Shiu,¹⁰⁴ Y. M. Tzeng,¹⁰⁴ X. Wan,¹⁰⁴ M. Wang,¹⁰⁴ A. Adiguzel,¹⁰⁵ M. N. Bakirci,^{105,jj} S. Cerci,^{105,kk} C. Dozen,¹⁰⁵ I. Dumanoglu,¹⁰⁵ E. Eskut,¹⁰⁵ S. Girgis,¹⁰⁵ G. Gokbulut,¹⁰⁵ I. Hos,¹⁰⁵ E. E. Kangal,¹⁰⁵ A. Kayis Topaksu,¹⁰⁵ G. Onengut,¹⁰⁵ K. Ozdemir,¹⁰⁵ S. Ozturk,^{105,II} A. Polatoz,¹⁰⁵ K. Sogut,^{105,mm} D. Sunar Cerci,^{105,kk} B. Tali,^{105,kk} H. Topakli,^{105,jj} D. Uzun,¹⁰⁵ L. N. Vergili,¹⁰⁵ M. Vergili,¹⁰⁵ I. V. Akin,¹⁰⁶ T. Aliev,¹⁰⁶ B. Bilin,¹⁰⁶ S. Bilmis,¹⁰⁶ M. Deniz,¹⁰⁶ H. Gamsizkan,¹⁰⁶ A. M. Guler,¹⁰⁶ K. Ocalan,¹⁰⁶ A. Ozpineci,¹⁰⁶ M. Serin,¹⁰⁶ R. Sever,¹⁰⁶ U. E. Surat,¹⁰⁶ M. Yalvac,¹⁰⁶ E. Yildirim,¹⁰⁶ M. Zeyrek,¹⁰⁶ M. Deliomeroglu,¹⁰⁷ D. Demir,^{107,nn} E. Gülmez,¹⁰⁷ B. Isildak,¹⁰⁷ M. Kaya,^{107,00} O. Kaya,^{107,00} M. Özbek,¹⁰⁷ S. Ozkorucuklu,^{107,pp} N. Sonmez,^{107,qq} L. Levchuk,¹⁰⁸ F. Bostock,¹⁰⁹ J. J. Brooke,¹⁰⁹ T. L. Cheng,¹⁰⁹ E. Clement,¹⁰⁹ L. Kreczko,¹⁰⁹ S. Metson,¹⁰⁹ D. M. Newbold,^{109,rr} K. Nirunpong,¹⁰⁹ A. Poll,¹⁰⁹ S. Senkin,¹⁰⁹ V. J. Smith,¹⁰⁹ L. Basso,^{110,ss} K. W. Bell,¹¹⁰ A. Belyaey,^{110,ss} C. Brew,¹¹⁰ R. M. Brown,¹¹⁰ B. Camanzi,¹¹⁰ M. Özbek, ¹⁰⁹ S. Ozkorucuklu, ^{107,69} N. Sommez, ^{107,90} L. Levchuk, ¹⁰⁸ F. Bostock, ¹⁰⁹ J. Hrotey, ¹⁰⁹ T. Cheng, ¹⁰⁹ H. F. Heath, ¹⁰⁹ L. Krezko, ¹⁰ S. M. Frazier, ¹⁰⁷ D. M. Newbold, ^{107,7} K. Nirunpong, ¹⁰⁹ J. A. Poll, ¹⁰⁹ S. Senkin, ¹⁰⁹ U. S. Senkin, ¹⁰⁹ L. Krezko, ¹⁰ S. M. W. Bell, ¹¹⁰ A. Belyaev, ^{110,80} C. Brew, ¹¹⁰ R. M. Brown, ¹¹⁰ B. Camanzi, ¹¹⁰ D. J. A. Ockerill, ¹¹⁰ J. A. Coughlan, ¹¹⁰ K. Harder, ¹¹⁰ J. Harper, ¹¹⁰ J. Jackson, ¹¹⁰ B. W. Kennedy, ¹¹⁰ E. Olajha, ¹¹⁰ K. Harder, ¹¹⁰ S. Harper, ¹¹⁰ J. Jackson, ¹¹⁰ B. W. Kennedy, ¹¹⁰ C. Olajha, ¹¹⁰ K. Harder, ¹¹⁰ S. Harper, ¹¹⁰ J. Jackson, ¹¹⁰ B. W. Kennedy, ¹¹⁰ F. Orgin, ¹¹¹ A. Guneratne Bryer, ¹¹¹ G. Hall, ¹¹¹ Z. Hatherell, ¹¹¹ J. Hays, ¹¹¹ G. Bes, ¹¹¹ M. Jarvis, ¹¹¹ G. Karapostoli, ¹¹¹ J. Joyas, ¹¹¹ G. C. MacBryoy, ¹¹¹ J. Hays, ¹¹¹ G. Jeser, ¹¹¹ M. R. Nandi, ¹¹¹ J. Napageorgiou, ¹¹¹ M. Pesaresi, ¹¹¹ M. Pitteher, ¹¹¹ D. Fulyan, ¹¹¹ A. Giber, ¹¹¹ A. Ronger, ¹¹¹ M. Pagageorgiou, ¹¹¹ K. Petridis, ¹¹¹ M. Pitte, ¹¹¹ J. Nagarorgiou, ¹¹¹ A. Rose, ¹¹¹ K. Petridis, ¹¹¹ M. Pitte, ¹¹¹ J. Maryouch, ¹¹¹ B. Martine, ¹¹¹ A. Sparrow, ¹¹¹ A. Rompotis, ¹¹¹ A. Rose, ¹¹¹ Y. Lavan, ¹¹¹ C. Kadoresou, ¹¹² A. Khan, ¹¹² P. Kybed, ¹¹² D. Leslie, ¹¹² W. Martin, ¹¹⁴ J. Breid, ¹¹² L. Teodorescu, ¹¹² K. Hatakeyama, ¹¹³ H. Lui, ¹¹² C. Henderson, ¹¹⁴ T. Bose, ¹¹⁵ E. Carera Jarrin, ¹¹⁵ O. Kadaris, ¹¹⁵ J. St. J. Khift, ¹¹⁵ J. St. Jakt, ¹¹⁶ J. St. Jakter, ¹¹⁷ D. Sperka, ¹¹⁴ S. Patakan, ¹¹⁶ A. Vetasyan, ¹¹⁶ S. Landosberg, ¹¹⁶ J. F. Coou, ¹¹⁶ D. Cutts, ¹¹⁶ A. Ferapontov, ¹¹⁶ U. Heintz, ¹¹⁶ S. Jakeen, ¹¹⁶ J. Statacharya, ¹¹⁶ J. St. Coou, ¹¹⁷ D. Delen, ¹¹⁷ R. Erbacher, ¹¹² S. Chandan, ¹¹⁶ M. Kaperski, ¹¹⁷ M. Nakojie, ¹¹⁷ D. Delen, ¹¹⁷ K. Ferisk, ¹¹⁷ M. Kuko, ¹¹⁶ A. Avetisyan, ¹¹⁶ S. Landosberg,

O. Gutsche, J. Hanton, K. M. Harris, J. Hirschauer, B. Hooberman, H. Jensen, W. Johnson, U. Joshi,¹²⁷ R. Khatiwada,¹²⁷ B. Klima,¹²⁷ K. Kousouris,¹²⁷ S. Kunori,¹²⁷ S. Kwan,¹²⁷ C. Leonidopoulos,¹²⁷ P. Limon,¹²⁷ D. Lincoln,¹²⁷ R. Lipton,¹²⁷ J. Lykken,¹²⁷ K. Maeshima,¹²⁷ J. M. Marraffino,¹²⁷ D. Mason,¹²⁷ P. McBride,¹²⁷ T. Miao,¹²⁷ K. Mishra,¹²⁷ S. Mrenna,¹²⁷ Y. Musienko,^{127,vv} C. Newman-Holmes,¹²⁷ V. O'Dell,¹²⁷ J. Pivarski,¹²⁷ R. Pordes,¹²⁷ O. Prokofyev,¹²⁷ E. Sexton-Kennedy,¹²⁷ S. Sharma,¹²⁷ W. J. Spalding,¹²⁷ L. Spiegel,¹²⁷ P. McBride, T. Miao, K. Misna, S. Mrenna, T. Mustenko, J. C. Newman-Holmes, V. O Dell, J. Pivarski,¹²⁷ R. Pordes,¹²⁷ O. Prokofyev,¹²⁷ E. Sexton-Kennedy,¹²⁷ S. Sharma,¹²⁷ W. J. Spalding,¹²⁷ L. Spiegel,¹²⁷ P. Tan,¹²⁷ L. Taylor,¹²⁷ S. Tkaczyk,¹²⁷ L. Uplegger,¹²⁷ E. W. Vaandering,¹²⁷ R. Vidal,¹²⁷ J. Whitmore,¹²⁷ W. Wu,¹²⁷ F. Yang,¹²⁷ F. Yumiceva,¹²⁷ J. C. Yun,¹²⁷ D. Acosta,¹²⁸ P. Avery,¹²⁸ D. Bourilkov,¹²⁸ M. Chen,¹²⁸ S. Das,¹²⁸ M. De Gruttola,¹²⁸ G. P. Di Giovanni,¹²⁸ D. Dobur,¹²⁸ A. Drozdetskiy,¹²⁸ R. D. Field,¹²⁸ M. Chen,¹²⁸ S. Das,¹²⁸ I. K. Furic,¹²⁸ J. Gartner,¹²⁸ S. Goldberg,¹²⁸ J. Hugon,¹²⁸ B. Kim,¹²⁸ J. Konigsberg,¹²⁸ A. Korytov,¹²⁸ A. Kropivnitskaya,¹²⁸ T. Kypreos,¹²⁸ J. F. Low,¹²⁸ K. Matchev,¹²⁸ G. Mitselmakher,¹²⁸ L. Muniz,¹²⁸ P. Sellers,¹²⁸ N. Skhirtladze,¹²⁸ M. Snowball,¹²⁸ D. Wang,¹²⁸ J. Yelton,¹²⁸ M. Zakaria,¹²⁸ V. Gaultney,¹²⁹ L. M. Lebolo,¹²⁹ S. Linn,¹²⁹ P. Markowitz,¹²⁹ G. Martinez,¹²⁹ J. L. Rodriguez,¹²⁹ T. Adams,¹³⁰ A. Askew,¹³⁰ J. Bochenek,¹³⁰ J. Chen,¹³⁰ B. Diamond,¹³⁰ S. V. Gleyzer,¹³⁰ J. Haas,¹³⁰ S. Hagopian,¹³⁰ V. Hagopian,¹³⁰ M. Jenkins,¹³⁰ K. F. Johnson,¹³⁰ H. Prosper,¹³⁰ S. Sekmen,¹³⁰ V. Veeraraghavan,¹³⁰ M. Maarmand,¹³¹ B. Dorney,¹³¹ M. Hohlmann,¹³¹ H. Kalakhety,¹³² J. Callner,¹³² R. Cavanaugh,¹³² L. M. Anghel,¹³² L. Apanasevich,¹³² Y. Bai,¹³² V. E. Bazterra,¹³² R. Retts,¹³² J. Callner,¹³² R. Cavanaugh,¹³² L. Magun,¹³³ E. A. Albayrak,¹³³ B. Bilki,¹³³ A. Moeller,¹³³ J. Nachtman,¹³³ C. K. Lae,¹³³ E. McCliment,¹³³ J. P. Merlo,¹³³ H. Mermerkaya,^{133,ww} A. Mestvirishvili,¹³³ A. Moeller,¹³³ J. Nachtman,¹³⁴ K. Yi,¹³³ B. A. Barnett,¹³⁴ B. Blumenfeld,¹³⁴ A. Bonato,¹³⁴ S. Rappoccio,¹³⁴ M. Swartz,¹³⁴ N. V. Tran,¹³⁴ A. V. Gritsan,¹³⁴ Z. J. Guo,¹³⁴ G. Hu,¹³⁴ P. Maksimovic,¹³⁴ S. Rappoccio,¹³⁴ M. Swartz,¹³⁴ N. V. Tran,¹³⁵ D. Noonan,¹³⁵ S. Sanders,¹³⁵ J. S. Wood,¹³⁵ V. Zhukov S. Rappoccio, ¹⁵⁴ M. Swartz, ¹⁵⁵ N. V. Tran, ¹⁵⁴ A. Whitbeck, ¹⁵⁴ P. Saringer, ¹⁵⁵ J. S. Bood, ¹³⁵ V. Zhukova, ¹³⁵ O. Grachov, ¹³⁵ R. P. Kenny Iii, ¹³⁵ M. Murray, ¹³⁵ D. Noonan, ¹³⁵ S. Sanders, ¹³⁵ J. S. Wood, ¹³⁵ V. Zhukova, ¹³⁵ A. F. Barfuss, ¹³⁶ T. Bolton, ¹³⁶ I. Chakaberia, ¹³⁶ A. Ivanov, ¹³⁶ S. Khalil, ¹³⁶ M. Makouski, ¹³⁶ Y. Maravin, ¹³⁶ S. Shrestha, ¹³⁶ I. Svintradze, ¹³⁶ Z. Wan, ¹³⁶ J. Gronberg, ¹³⁷ D. Lange, ¹³⁷ D. Wright, ¹³⁷ A. Baden, ¹³⁸ S. Shrestha, ¹³⁶ I. Svintradze, ¹³⁶ Z. Wan, ¹³⁶ J. Gronberg, ¹³⁷ D. Lange, ¹³⁷ R. G. Kellogg, ¹³⁸ M. Kirn, ¹³⁸ M. Boutemeur, ¹³⁸ S. C. Eno, ¹³⁸ D. Ferencek, ¹³⁸ J. A. Gomez, ¹³⁸ N. J. Hadley, ¹³⁸ R. G. Kellogg, ¹³⁸ M. Kirn, ¹³⁸ Y. Lu, ¹³⁸ A. C. Mignerey, ¹³⁸ K. Rossato, ¹³⁸ P. Rumerio, ¹³⁹ G. Bauer, ¹³⁹ J. Bendavid, ¹³⁹ W. Busza, ¹³⁹ E. Butz, ¹³⁹ I. A. Cali, ¹³⁹ M. Chan, ¹³⁹ V. Dutta, ¹³⁹ P. Everaerts, ¹³⁹ G. Gomez Ceballos, ¹³⁹ M. Goncharov, ¹³⁹ K. A. Hahn, ¹³⁹ P. Harris, ¹³⁹ M. Klute, ¹³⁹ Y.-J. Lee, ¹³⁹ M. Caoge, ¹³⁹ P. D. Luckey, ¹³⁹ T. Ma, ¹³⁹ S. Nahn, ¹³⁹ C. Paus, ¹³⁹ D. Ralph, ¹³⁰ C. Roland, ¹³⁹ G. Roland, ¹³⁹ M. Wolf, ¹³⁹ S. Xie, ¹³⁹ M. Yang, ¹³⁹ Y. Yilmaz, ¹³⁹ A. S. Yoon, ¹³⁹ M. Zanetti, ¹³⁹ S. I. Cooper, ¹⁴⁰ P. Cushman, ¹⁴⁰ B. Dahmes, ¹⁴⁰ A. De Benedetti, ¹⁴⁰ G. Franzoni, ¹⁴⁰ N. Gude, ¹⁴⁰ J. Haupt, ¹⁴⁰ K. Klapoetke, ¹⁴⁰ Y. Kubota, ¹⁴⁰ J. Mans, ¹⁴⁰ N. Pastika, ¹⁴⁰ V. Rekovic, ¹⁴⁰ R. Rusack, ¹⁴⁰ M. Sasseville, ¹⁴⁰ A. Singovsky, ¹⁴⁰ N. Tambe, ¹⁴⁰ J. Turkewitz, ¹⁴³ G. Alverson, ¹⁴⁴ E. Barberis, ¹⁴⁴ D. R. Claes, ¹⁴² H. Malbouisson, ⁴⁴² S. Malik, ¹⁴² G. R. Snow, ¹⁴² U. Baur, ¹⁴³ A. Godshalk, ¹⁴³ I. lashvili, ¹⁴³ S. Jain, ¹⁴³ A. Kharchilava, ¹⁴³ S. P. Shipkowski, ¹⁴⁴ D. Trocino, ¹⁴⁴ D. Wood, ¹⁴⁴ J. Zhang, ¹⁴⁴ D. Rausackov, ¹⁴⁵ S. Stoynev, ¹⁴⁵ M. Velasco, ¹⁴⁵ S. Noi, ¹⁴⁵ L. Antofierzynski, ¹⁴³ B. Pollack, ¹⁴⁵ A. Pozdnyakov, ¹⁴⁵ M. Sch PHYSICAL REVIEW LETTERS were ending and the provementation of the provementatis and the provementation of the provementation of the provement

(CMS Collaboration)

¹Yerevan Physics Institute, Yerevan, Armenia

²Institut für Hochenergiephysik der OeAW, Wien, Austria

³National Centre for Particle and High Energy Physics, Minsk, Belarus

⁴Universiteit Antwerpen, Antwerpen, Belgium

⁵Vrije Universiteit Brussel, Brussel, Belgium

⁶Université Libre de Bruxelles, Bruxelles, Belgium

⁷*Ghent University, Ghent, Belgium*

⁸Université Catholique de Louvain, Louvain-la-Neuve, Belgium

⁹Université de Mons, Mons, Belgium

¹⁰Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

¹¹Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

¹²Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil

¹³Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria

¹⁴University of Sofia, Sofia, Bulgaria

¹⁵Institute of High Energy Physics, Beijing, China

¹⁶State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

¹⁷Universidad de Los Andes, Bogota, Colombia

¹⁸Technical University of Split, Split, Croatia

¹⁹University of Split, Split, Croatia

²⁰Institute Rudjer Boskovic, Zagreb, Croatia

²¹University of Cyprus, Nicosia, Cyprus

²²Charles University, Prague, Czech Republic

²³Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt ²⁴National Institute of Chemical Physics and Biophysics, Tallinn, Estonia ²⁵Department of Physics, University of Helsinki, Helsinki, Finland ²⁶Helsinki Institute of Physics, Helsinki, Finland ²⁷Lappeenranta University of Technology, Lappeenranta, Finland ²⁸Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France ²⁹DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France ³⁰Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France ³¹Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France ³²Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules (IN2P3), Villeurbanne, France ³³Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France ³⁴Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia ³⁵RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany ³⁶RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany ³⁷RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany ³⁸Deutsches Elektronen-Synchrotron, Hamburg, Germany ³⁹University of Hamburg, Hamburg, Germany ⁴⁰Institut für Experimentelle Kernphysik, Karlsruhe, Germany ⁴¹Institute of Nuclear Physics "Demokritos," Aghia Paraskevi, Greece ⁴²University of Athens, Athens, Greece ⁴³University of Ioánnina, Ioánnina, Greece ⁴⁴KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary ⁴⁵Institute of Nuclear Research ATOMKI, Debrecen, Hungary ⁴⁶University of Debrecen, Debrecen, Hungary ⁷Panjab University, Chandigarh, India ⁴⁸University of Delhi, Delhi, India ⁴⁹Saha Institute of Nuclear Physics, Kolkata, India ⁵⁰Bhabha Atomic Research Centre, Mumbai, India ⁵¹Tata Institute of Fundamental Research–EHEP, Mumbai, India ⁵²Tata Institute of Fundamental Research–HECR, Mumbai, India ⁵³Institute for Research and Fundamental Sciences (IPM), Tehran, Iran ^{54a}INFN Sezione di Bari, Bari, Italy ^{54b}Università di Bari, Bari, Italy ⁵⁴cPolitecnico di Bari, Bari, Italy ^{55a}INFN Sezione di Bologna, Bologna, Italy ^{55b}Università di Bologna, Bologna, Italy ^{56a}INFN Sezione di Catania, Catania, Italy ^{56b}Università di Catania, Catania, Italy ^{57a}INFN Sezione di Firenze, Firenze, Italy ^{57b}Università di Firenze, Firenze, Italy ⁵⁸INFN Laboratori Nazionali di Frascati, Frascati, Italy ⁵⁹INFN Sezione di Genova, Genova, Italy ^{60a}INFN Sezione di Milano-Bicocca, Milano, Italy ^{60b}Università di Milano-Bicocca, Milano, Italy ^{61a}INFN Sezione di Napoli, Napoli, Italy ^{61b}Università di Napoli "Federico II," Napoli, Italy ^{62a}INFN Sezione di Padova, Padova, Italy ^{62b}Università di Padova, Padova, Italy ^{62c}Università di Trento (Trento), Padova, Italy ^{63a}INFN Sezione di Pavia, Pavia, Italy ^{63b}Università di Pavia, Pavia, Italy ^{64a}INFN Sezione di Perugia, Perugia, Italy ^{64b}Università di Perugia, Perugia, Italy ^{65a}INFN Sezione di Pisa, Pisa, Italy ^{65b}Università di Pisa, Pisa, Italy ⁶⁵cScuola Normale Superiore di Pisa, Pisa, Italy ^{66a}INFN Sezione di Roma, Roma, Italy ^{66b}Università di Roma "La Sapienza," Roma, Italy ^{67a}INFN Sezione di Torino, Torino, Italy

191802-12

^{67b}Università di Torino, Torino, Italy ⁶⁷^cUniversità del Piemonte Orientale (Novara), Torino, Italy ^{58a}INFN Sezione di Trieste, Trieste, Italy ^{68b}Università di Trieste, Trieste, Italy ⁶⁹Kangwon National University, Chunchon, Korea ⁷⁰Kyungpook National University, Daegu, Korea ⁷¹Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea ⁷²Konkuk University, Seoul, Korea ⁷³Korea University, Seoul, Korea ⁷⁴University of Seoul, Seoul, Korea ⁷⁵Sungkyunkwan University, Suwon, Korea ⁷⁶Vilnius University, Vilnius, Lithuania ⁷⁷Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico ⁷⁸Universidad Iberoamericana, Mexico City, Mexico ⁷⁹Benemerita Universidad Autonoma de Puebla, Puebla, Mexico ⁸⁰Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico ⁸¹University of Auckland, Auckland, New Zealand ⁸²University of Canterbury, Christchurch, New Zealand ⁸³National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan ⁸⁴Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland ⁸⁵Soltan Institute for Nuclear Studies, Warsaw, Poland ⁸⁶Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal ⁸⁷ Joint Institute for Nuclear Research, Dubna, Russia ⁸⁸Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia ⁸⁹Institute for Nuclear Research, Moscow, Russia ⁹⁰Institute for Theoretical and Experimental Physics, Moscow, Russia ⁹¹Moscow State University, Moscow, Russia ⁹²P.N. Lebedev Physical Institute, Moscow, Russia ⁹³State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia ⁹⁴University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia ⁹⁵Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain ⁹⁶Universidad Autónoma de Madrid, Madrid, Spain ⁹⁷Universidad de Oviedo, Oviedo, Spain ⁹⁸Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain ⁹⁹CERN, European Organization for Nuclear Research, Geneva, Switzerland ¹⁰⁰Paul Scherrer Institut, Villigen, Switzerland ¹⁰¹Institute for Particle Physics, ETH Zurich, Zurich, Switzerland ¹⁰²Universität Zürich, Zurich, Switzerland ¹⁰³National Central University, Chung-Li, Taiwan ¹⁰⁴National Taiwan University (NTU), Taipei, Taiwan ¹⁰⁵Cukurova University, Adana, Turkey ¹⁰⁶Middle East Technical University, Physics Department, Ankara, Turkey ¹⁰⁷Bogazici University, Istanbul, Turkey ¹⁰⁸National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine ¹⁰⁹University of Bristol, Bristol, United Kingdom ¹¹⁰Rutherford Appleton Laboratory, Didcot, United Kingdom ¹¹¹Imperial College, London, United Kingdom ¹¹²Brunel University, Uxbridge, United Kingdom ¹¹³Baylor University, Waco, Texas, USA ¹¹⁴The University of Alabama, Tuscaloosa, Alabama, USA ¹¹⁵Boston University, Boston, Massachusetts, USA ¹¹⁶Brown University, Providence, Rhode Island, USA ¹¹⁷University of California, Davis, Davis, California, USA ¹¹⁸University of California, Los Angeles, Los Angeles, California, USA ¹¹⁹University of California, Riverside, Riverside, California, USA ¹²⁰University of California, San Diego, La Jolla, California, USA ¹²¹University of California, Santa Barbara, Santa Barbara, California, USA ¹²²California Institute of Technology, Pasadena, California, USA ¹²³Carnegie Mellon University, Pittsburgh, Pennsylvania, USA ¹²⁴University of Colorado at Boulder, Boulder, Colorado, USA ¹²⁵Cornell University, Ithaca, New York, USA

191802-13

¹²⁶Fairfield University, Fairfield, Connecticut, USA ¹²⁷Fermi National Accelerator Laboratory, Batavia, Illinois, USA ¹²⁸University of Florida, Gainesville, Florida, USA ¹²⁹Florida International University, Miami, Florida, USA ¹³⁰Florida State University, Tallahassee, Florida, USA ¹³¹Florida Institute of Technology, Melbourne, Florida, USA ¹³²University of Illinois at Chicago (UIC), Chicago, Illinois, USA ¹³³The University of Iowa, Iowa City, Iowa, USA ¹³⁴Johns Hopkins University, Baltimore, Maryland, USA ¹³⁵The University of Kansas, Lawrence, Kansas, USA ¹³⁶Kansas State University, Manhattan, Kansas, USA ¹³⁷Lawrence Livermore National Laboratory, Livermore, California, USA ¹³⁸University of Maryland, College Park, Maryland, USA ¹³⁹Massachusetts Institute of Technology, Cambridge, Massachusetts, USA ¹⁴⁰University of Minnesota, Minneapolis, Minnesota, USA ¹⁴¹University of Mississippi, University, Mississippi, USA ¹⁴²University of Nebraska-Lincoln, Lincoln, Nebraska, USA ¹⁴³State University of New York at Buffalo, Buffalo, New York, USA ¹⁴⁴Northeastern University, Boston, Massachusetts, USA ¹⁴⁵Northwestern University, Evanston, Illinois, USA ¹⁴⁶University of Notre Dame, Notre Dame, Indiana, USA ¹⁴⁷The Ohio State University, Columbus, Ohio, USA ¹⁴⁸Princeton University, Princeton, New Jersey, USA ¹⁴⁹University of Puerto Rico, Mayaguez, Puerto Rico, USA ¹⁵⁰Purdue University, West Lafayette, Indiana, USA ¹⁵¹Purdue University Calumet, Hammond, Indiana, USA ¹⁵²Rice University, Houston, Texas, USA ¹⁵³University of Rochester, Rochester, New York, USA ¹⁵⁴The Rockefeller University, New York, New York, USA ¹⁵⁵Rutgers, the State University of New Jersey, Piscataway, New Jersey, USA ¹⁵⁶University of Tennessee, Knoxville, Tennessee, USA ¹⁵⁷Texas A&M University, College Station, Texas, USA ¹⁵⁸Texas Tech University, Lubbock, Texas, USA ¹⁵⁹Vanderbilt University, Nashville, Tennessee, USA ¹⁶⁰University of Virginia, Charlottesville, Virginia, USA ¹⁶¹Wayne State University, Detroit, Michigan, USA

¹⁶²University of Wisconsin, Madison, Wisconsin, USA

^aDeceased.

^bAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^cAlso at Universidade Federal do ABC, Santo Andre, Brazil.

^dAlso at California Institute of Technology, Pasadena, California, USA.

^eAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France.

^fAlso at Suez Canal University, Suez, Egypt.

^gAlso at British University, Cairo, Egypt.

^hAlso at Fayoum University, El-Fayoum, Egypt.

ⁱAlso at Ain Shams University, Cairo, Egypt.

^jAlso at Soltan Institute for Nuclear Studies, Warsaw, Poland.

^kAlso at Massachusetts Institute of Technology, Cambridge, Massachusetts, USA.

¹Also at Université de Haute-Alsace, Mulhouse, France.

^mAlso at Brandenburg University of Technology, Cottbus, Germany.

ⁿAlso at Moscow State University, Moscow, Russia.

^oAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^pAlso at Eötvös Loránd University, Budapest, Hungary.

^qAlso at Tata Institute of Fundamental Research–HECR, Mumbai, India.

^rAlso at University of Visva-Bharati, Santiniketan, India.

^sAlso at Sharif University of Technology, Tehran, Iran.

^tAlso at Isfahan University of Technology, Isfahan, Iran.

^uAlso at Shiraz University, Shiraz, Iran.

- ^vAlso at Facoltà Ingegneria Università di Roma, Roma, Italy.
- ^wAlso at Università della Basilicata, Potenza, Italy.
- ^xAlso at Università degli studi di Siena, Siena, Italy.
- ^yAlso at Faculty of Physics of University of Belgrade, Belgrade, Serbia.
- ^zAlso at University of California, Los Angeles, Los Angeles, California, USA.
- ^{aa}Also at University of Florida, Gainesville, Florida, USA.
- ^{bb}Also at Université de Genève, Geneva, Switzerland.
- ^{cc}Also at Scuola Normale e Sezione dell' INFN, Pisa, Italy.
- ^{dd}Also at INFN Sezione di Roma, Università di Roma "La Sapienza," Roma, Italy.
- ^{ee}Also at University of Athens, Athens, Greece.
- ^{ff}Also at The University of Kansas, Lawrence, Kansas, USA.
- ^{gg}Also at Paul Scherrer Institut, Villigen, Switzerland.
- ^{hh}Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.
- ⁱⁱAlso at Institute for Theoretical and Experimental Physics, Moscow, Russia.
- ^{jj}Also at Gaziosmanpasa University, Tokat, Turkey.
- ^{kk}Also at Adiyaman University, Adiyaman, Turkey.
- ¹¹Also at The University of Iowa, Iowa City, Iowa, USA.
- ^{mm}Also at Mersin University, Mersin, Turkey.
- ⁿⁿAlso at Izmir Institute of Technology, Izmir, Turkey.
- ^{oo}Also at Kafkas University, Kars, Turkey.
- ^{pp}Also at Suleyman Demirel University, Isparta, Turkey.
- ^{qq}Also at Ege University, Izmir, Turkey.
- ^{rr}Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^{ss}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{tt}Also at INFN Sezione di Perugia, Università di Perugia, Perugia, Italy.
- ^{uu}Also at Utah Valley University, Orem, Utah, USA.
- ^{vv}Also at Institute for Nuclear Research, Moscow, Russia.
- ^{ww}Also at Erzincan University, Erzincan, Turkey.